

## 2016 PACKAGING MACHINERY SPECIFICATIONS MANUAL

PAGES 33-78



## Can you afford unplanned and expensive downtime to your automation system?

Bosch Rexroth is the only company that can repair and replace Rexroth products back to the original specification.

#### We can:

- ▶ respond to your enquiry quickly
- ▶ help save you downtime through our complete service offering
- ▶ help reduce your machinery failure by proactively identifying improvement opportunities
- ▶ provide a new product warranty for all repaired product

Whether you need <u>spare parts</u>, onsite or <u>field service support</u>, <u>product training</u>, a <u>system fitness check</u> or you simply want to talk through your maintenance challenges, call our helpline today: **1-855-REXROTH (739-7684)** 



#### **Bosch Rexroth Canada**

3426 Mainway Drive, Burlington, ON L7M 1A8 www.boschrexroth.ca/service info@boschrexroth.ca

The Drive & Control Company
























# Together we can implement your perfect coding solution.

Videojet customers depend on innovative marking and coding solutions for reliable performance. For over 40 years, Videojet has set new standards for quality, productivity, service and training.





www.videojet.com

©2015 Videojet Technologies Inc.



**Food Safe Pumps** 

#### **2BFC Series**

Up to 30ml Pneumatic or Servo Drive



Easy to Dissassemble Easy to Clean



## **Filling Systems**



Up to 450ppm

**Intermittent Motion Filler** Up to 100ppm

**Semi-Automatic Filler** 

Up to 30ppm

**Desktop Filler** 



## **Special Purpose**

**Custom Built Specialty Equipment** 

Vac/Fill Applications
Automated Packaging Equipment
Hazardous Location Filling Equipment
Automated Assembly and Feeding Systems
High Speed Assembly Equipment

technology and innovation

**Head Office & Manufacturing Center** 

35 Pollard Street, Richmond Hill Ontario, Canada L4B 1A8

sales@hibar.com

www.hibar.com

(905) 731-2400

**Distributors** 

International Offices

United States, China, Germany



























#### JANUARY/FEBRUARY 2016 **VOLUME 69, NO. 1**

#### **SENIOR PUBLISHER**

Stephen Dean • (416) 510-5198 SDean@canadianpackaging.com

#### **EDITOR**

George Guidoni • (416) 510-5227 GGuidoni@canadianpackaging.com

#### **FEATURES EDITOR**

Andrew Joseph • (416) 510-5228 AJoseph@canadianpackaging.com

#### **ART DIRECTOR**

Brooke Shaw • (519) 428-3471 x264 bshaw@annexweb.com

#### **PRODUCTION MANAGER**

Barb Vowles • (416) 510-5103 BVowles@annexbizmedia.com

#### **CIRCULATION MANAGER**

Barbara Adelt • (416)-442-5600 x3546 badelt@annexbizmedia.com

#### **VICE PRESIDENT**

Tim Dimopoulos • tdimopoulos@annexbizmedia.com

#### **PRESIDENT & CEO**

Mike Fredericks

#### **ANNEX BUSINESS MEDIA**

80 Valleybrook Drive, North York, ON, M3B 2S9; Tel: (416) 510-5198; Fax (416) 510-5140.

Canadian Packaging, established 1947, is published 11 times per year except for occasional combined, expanded or premium issues, which count as two subscription issues

#### PRINTED IN CANADA

ISSN 008-4654 (PRINT), ISSN 1929-6592 (ONLINE)

#### **PUBLICATIONS MAIL AGREEMENT NO. 40065710**

#### CIRCULATION

e-mail: rthava@annexbizmedia.com Tel: (416) 442-5600 ext 3555 Fax: (416) 510-5170 Mail: 80 Valleybrook Drive, Toronto, ON M3B 2S9

#### SUBSCRIPTION PRICE PER YEAR (INCLUDING ANNUAL BUYERS' GUIDE):

Canada \$73.95 per year, Outside Canada \$120.95 US per year, Single Copy Canada \$10.00, Outside Canada \$27.10.

From time to time Canadian Packaging will mail information on behalf of industry-related groups whose products and services we believe may be of interest to you. If you prefer not to receive this information, please contact our circulation department in any of the four ways listed above

#### ANNEX PRIVACY OFFICER

Phone: 800-668-2374

DISCLAIMER: No part of the editorial content of this publication may be reprinted without the publisher's written permission. @2016 Annex Publishing & Printing Inc. All rights reserved. This publication is for informational purposes only. The content and "expert" advice presented are not intended as a substitute for informed professional engineering advice. You should not act on information contained in this publication without seeking specific advice from qualified engineering professionals. Canadian Packaging accepts no responsibility or liability for claims made for any product or service reported or advertised in this issue. Canadian Packaging receives unsolicited materials, (including letters to the editor, press releases, promotional items and images) from time to time. Canadian Packaging, its affiliates and assignees may use, reproduce, publish, republish, distribute, store and archive such unsolicited submissions in whole or in part in any form or medium whatsoever, without compensation of any sort.

We acknowledge the financial support of the Government of Canada through the Canada Periodical Fund of the Department of Canadian Heritage for our publishing activities. Canadian Packaging is indexed in the Canadian Magazine Index by Micromedia Limited. Back copies are available in microform from Macromedia Ltd., 158 Pearl St., Toronto, ON M5H 1L3









#### **LEADING BY EXAMPLE TO MOVE FORWARD**



There is nothing wrong with aiming high, but if the Ontario government really wants to reach its ambitious goal of creating 120,000 new jobs in the province's agri-food sector

by 2020, it desperately needs more companies like TWI Foods Inc. to get there.

Founded in 1997, the privately-owned specialty baker is a bona fide poster child for the entrepreneurial drive and spirit that many newcomers to Canada have used over the years to establish thriving business enterprises and, subsequently, make meaningful contributions to the province's continued prosperity.

Operating two modern commercial bakeries in the GTA (Greater Toronto Area) region, the company makes a staggering array of South Asian-style flatbreads, cake-rusks, cookies, tea toast, pound cakes and other high-quality baked goods that have long moved out of their one-time niche ethnic food-store aisles into the mainstream retail landscape.

Even more impressively, the company has established a strong presence in some uniquely diverse export markets—including the U.K., the U.S., Australia, U.A.E., Germany and Singapore—with exports now accounting for 68 per cent of its annual sales.

Fittingly, the hardworking company was recognized for its achievement last month by receiving the top Ontario Food Exporter Award from the Ontario minister of agriculture, food and rural affairs Jeff Leal at a special ceremony marking exporting prowess of the province's leading food producers.

"Ontario has a worldwide reputation for good quality, delicious foods, and companies [like TWI Foods] are continuing to strengthen that reputation through expansion of Ontario's food exports to new international markets," Leal said.

As subject of a recent cover story of the Canadian Packaging magazine's October 2015 issue, TWI Foods undoubtedly deserves all the kudos and praise lavished its way—having paved its own road to success through good old hard work, sound investment in top-notch packaging machinery, and remarkable self-belief and perseverance in the face of economic adversity and other obstacles that many business startups owned by Canadian newcomers often face along the way.

"We are pleased to get the award and are very proud of the success we have achieved," says TWI Foods president Ali Kizilbash. "This award is a valuable recognition of the determination and hard work of each of our employees to meet our customers' expectations, and to grow and expand the company."

There is a lot riding for Ontario on continued success of companies like TWI Foods, but whether that's enough to create 120,000 new jobs in the next five years seems highly debatable.

Most of the capital investment made by companies like TWI to purchase new technologies is intended to make their operations more productive by reducing reliance on manual shop-floor labor through greater automation, not to boost their payrolls.

Hence, such spectacular job creation seems to be grounded more in wishful thinking than realistic statistical analysis unless the government engages in some real outside-the-box thinking on how to encourage creation of more companies like TWI Foods—be it through more generous startup incentives and easier access to capital, or through faster approval for commercializing whole new product categories (cannabis cookies anyone?) altogether.

Whatever the risks, they cannot be worse than the risk of doing nothing at all. \*

#### 🖈 COVER STORY

#### **COUNTING ON GROWTH** by George Guidoni

Pharmaceutical co-packer preps for anticipated surge in volume growth with installation of a state-of-the-art, made-in-Canada tablet bottling line.

Cover photography by Pierre Longtin



#### **DEPARTMENTS & COLUMNS**

- **UPFRONT** By George Guidoni 3
- 5-6 NEWSPACK

Packaging news roundup.

8-9 FIRST GLANCE

- New packaging solutions and technologies.
- **NOTES & QUOTES** 
  - Noteworthy industry briefs.
- 12 ECO-PACK NOW The latest on packaging sustainability.
- 14 imPACt onthly insight from
  - PAC, Packaging Consortium.
- **PEOPLE**
- Career moves in the packaging world.
- **EVENTS** 
  - Upcoming industry functions.
- **CHECKOUT** By Shannon Klaupp Joe Public speaks out on packaging hits and misses.

#### **FEATURES**

#### 21 LAYING DOWN THE CHIPS By Andrew Joseph

East Coast potato farmer getting proactive about product safety with installation of robust metal dection technology.



#### **25 MEMBERSHIP REWARDS**

New PMMI chairman a reflection of Canada's rising stature in the packaging world.



#### 27 THE SEAS OF CHANGE

Preview of next month's Seafood Expo North America trade show.



#### 28 TUFF ENOUGH

Leading packaging supplies distributor expanding its product brand into the Canadian market.



#### **30 A DELIGHTFUL ENDEAVOR**

Flexible robotics-based packaging automation enables growing pastry producer to attract new retail customers.

SPECIAL SECTION: pages 33-78 2016 PACKAGING MACHINERY SPECIFICATIONS MANUAL

33 Page-by-page guide to using this one-of-a-kind industry manual.



## Need it done yesterday? Perfect.



#### PAC STARTS OFF 2016 ON A HIGH WINNING NOTE

There's nothing like starting off the new year on a winning note, and there was plenty of winning spirit to go around at last month's 2016 Global Leadership Awards Competition gala in Bonita Springs, Fla.

Jointly produced by the Toronto-headquartered PAC, Packaging Consortium and the U.S.-based ST Media Group, the well-attended event was a fitting climax to the extensive, year-long online judging process that evaluated a total of 129 entries, submitted from 39 companies based in six different countries.

"Our firstAwards Gala held outside of Canada was extremely well received by the international audience," PAC president and chief executive officer Jim Downham told the *Canadian Packaging* magazine.

"I'm certain that we have the potential to make the PAC Global Leadership Awards truly global," says Downham, citing overwhelmingly positive feedback from participants and gala attendees.

"We are very pleased to have received entries from six countries, including several luxury brand submissions from the U.K, and this was also the first time that we received spirits brand submissions in the brand marketing categories," adds Downham.

"All in all, the detail and the quality of submitted packaging was extraordinary."

In fact, it was one of the spirit brands that picked up one of the competition's two Best of Show prizes, with the Grant's Elementary Range brand of whisky (see above) from William Grant & Sons taking the PAC Packaging Award

For its part, the cleverly-designed goodtimes pack of disposable plastic spoons (see below) from Goodtimes Brand Inc.—designed by the Mississauga, Ont.-based branding services provider Bridgemark—scooped up the competition's Package Design Award.

For full display of all the competition winners, please go to:


http://pac.ca/2016-1-winners.html







ST Media Group, the well-at- PAC president Jim Downham (*left*) presenting the PAC Packaging Award to Ronald deVlam of Webb deVlam, which designed the Grant's tended event was a fitting climax. Elementary Range whisky packaging.



FOR MORE INFORMATION CIRCLE 105

#### CONDIMENTS PRODUCER MAKING BIG PROMISES IT FULLY INTENDS TO KEEP

If helping local communities grow and prosper is a hallmark of good corporate citizenship, then **French's Food Company** is sure to held in the good graces of many Canadian farmers in coming years, following the company's recent public pledge to use exclusively Canadian-grown tomatoes and mustard seeds to produce its branded ketchup and mustard products for the Canadian market.

Since the start of the new year, the venerable condiments producer has been rolling out the company's new branded *Promise Seal* labeling on bottles of *French's Tomato Ketchup*—launched across Canada last year—as well as on its just-launched trio of brand new SKUs (stock-keeping units) that includes:

- French's Buffalo Ketchup. Packaged in 750-ml inverted plastic bottles, the ketchup is infused with the popular Frank's RedHot brand flavoring for an extra-spicy kick.
- *French's Garlic Ketchup*. Also retailing in the 750-ml upside-down containers, the flavor combines the classic smooth ketchup profile with a sophisticated garlic twist.

While both new flavors go great with the traditional fare like burgers and fries, "They also provide an exciting flavor boost to slow-cooker chicken, meatloaf and pasta," according to the company.

• French's Super Yellow Mustard. packaged in

plastic 325-ml squeeze bottles, the new formulation is a lively update on the bestselling *French's Classic Yellow Mustard*, enhanced with "an extra kick of #1 Grade mustard seeds and more turmeric spice, both popular with today's health-conscious consumers."

Aside from being a tasty sandwich spread, "It is also great as an ingredient in a mustard vinaigrette salad dressing," says French's.

According to the Chester, N.J.-headquartered company, which operates its Canadian business out of Mississauga, Ont., the *Promise Seal* symbol was developed specifically to reassure Canadian consumers of "great taste, real, local ingredients, and true commitment to our communities."

Says company president Elliott Penner: "This promise is not a one-off: It's a reflection of how we run our business every day

"Delivering on this promise has been a challenge," Penner acknowledges. "In an era when so many companies are forced to cut costs by cutting corners, our model is to ask, 'What can we do better?'

"We're not perfect, but taking this path forward is an achievement that makes us all very proud at French's," Penner states.

The inclusion of the *Promise Seal* symbol also coincides with the company's ongoing rollout of the

so-called 'clean label' packaging, based on the premise that a product label should only contain the essential ingredient information that the vast majority of consumers readily understand.

To that end, French's spent a good part of last year refining its product recipes to the point where more than 90-per cent of all the products it sells today include only real ingredients without any artificial flavors, colorants, dyes or HFCS (high-fructose corn syrup).

In addition to the *Promise Seal*, the new ketchup labeling also keenly plays the company's community spirit by drawing attention to its *1 Bottle = 1 Meal* campaign, launched last year, whereby for every bottle of *French's* brand ketchup sold in Canada, the company will donate a full meal to a hungry family.


"Credit to our employees for this amplification of our values," says Penner. "They want to work for a company that not only uses ingredients they are proud to serve their family and friends, but also a company that thrives to make a positive impact on their communities.

"Great taste, real, local ingredients, and true commitment to our communities—that's what this is all about."














For Pre-Made Pouches

## BOXXER for Case Packaging







Distinctive to the Swifty, operator's can see the entire filling process without the blind spots associated with rotary technology. It's unique straight flow design makes parts easily accessible.



#### **CONSISTENT**

Easy to load and adjust, our conveyorized bag magazine ensures that pre-made bags enter the Swifty square, resulting in consistent output and an attractive finished product.



#### CLEAN

Designed for food safety, product will never touch heavy duty mechanics and can be cleaned in minutes. Simply open the front lexan doors of the Swifty and access all areas.



Eagle Packaging designs and manufactures machines to suit any corrugated tray or case automation need.

Whether self-locking, glued or taped we pride ourselves on offering our clients the highest quality solutions at reasonable prices.







Case packer for cartons



www.weighpack.com



VISIT OUR

PAXIOM

SYSTEM CENTERS

LAS VEGAS

MIAMI

(416) 623 7325

375 ADMIRAL BLVL MISSISSAUGA, ON

(702) 450 0808 6603 SCHUSTER ST

LAS VEGAS, NV

TORONTO MONTREAL

FOR MORE INFORMATION CIRCLE (107)



#### HITTING THE BOTTLE

Beverage production line equipment manufacturer **Krones AG** has significantly enhanced the powerful capabilities of its innovative **DecoType** 



direct printing system for decorating plastic containers to make it commercially feasible for industrial applications involving either plastic and/or glass, according to the company. Developed as an alternative to decorating beverage containers with labels—thereby eliminating the need for labeling materials while allowing for far greater design flexibility—the system can now employ a semi-automatic feeding system that can direct containers into as many as 21 stations, which can all print different designs on four types of bottles simultaneously to decorate up to 120 containers per hour, with capabilities to process up to 12,000 containers per hour in a fully-automatic mode.

Krones, Inc.

401

#### LASER SPEEDS

Designed to achieve super-high throughput speeds of over 70,000 bottles per hour on high-speed bottling lines, for example, the new *Linx SLHP (scribing laser high performance)* model laser coder from *Linx Printing Technologies Ltd* features a powerful 120 W laser to ensure minimal dwell time and the



risk of outside interference during the coding process, with capability to produce complicated product codes such as the two-dimensional (2D) codes often used in the pharmaceutical industry. Well-suited for use across a broad range of glass, rubber, painted, printed and other materials requiring highly legible, permanent product codes for security, traceability and other requirements, the versatile coder can generate codes containing a wide variety of information such as date, time, production details, legislative text, barcodes and logos in both static and moving applications. According to the company, the user-friendly coder offers a highly adaptable choice for applications ranging from soft-drink and wine-and-spirits to cosmetics and perfumes, pharmaceuticals, automotive, electronics, building products and for most cabling.

Linx Printing Technologies Ltd

#### **GO WITH THE FLOW**

Designed and engineered to accommodate modern-day and future requirements for handling smaller batches and more frequent



product changeovers on busy packaging and production lines across a broad range of industries, the new *VarioFlow plus* chain conveyor from **Bosch Rexroth** is a highly flexible, low-noise system that easily enables users to configure individual space-saving, application-specific solutions to handle versatile and complex product transfer applications with minimal downtime, according to the company. Available

with several standardized modules covering different application requirements, the *VarioFlow plus* chain conveyor system consists of components that can be used universally for all system widths—including the new track width of 120-mm—with the system's optimized sliding characteristics and adjustable slide rails with lateral mounting helping to enable smooth,

low-noise operation for a vastly improved working environment. Offered in six sizes and two material options, the system can be further optimized with the use of Rexroth's *MTpro* planning software with *Layout Designer* functionality for configuring the more complex multi-conveyor and workstation systems.

**Bosch Rexroth Canada** 

403

#### THINK INK

Designed for demanding thermal-transfer overprinting (TTO) applications on the *V-Series* TTO printers from **Domino Printing Sciences**, the new *ADVANCED* 



**Ribbon** (AR) grade is said to combine the best characteristics of traditional wax-resin and resin ribbons to generate optimal print quality and legibility at high speeds across a wide range of substrates and applications, according to the company. Also including the new **Ultra White** (UW) option for printing more opaque codes onto dark substrates, the AR grade was specifically formulated to deliver superior print adhesion—improving rub and scratch resistance by more than 30 per cent compared to generic ribbon—while requiring far less energy to transfer the ink layer, thereby ensuring longer printhead service life.

**Domino Printing Sciences** 

404

#### **GOOD VIBRATIONS**

Designed for high-speed filling of rigid containers for a variety of markets, the new stainless-steel *Rotary Filler* from **Spee-Dee Packaging Machinery,** Inc. features a streamlined, compact-footprint base for easier machine access, and two independent vibration



rails to aid in the filling process by vibrating passing containers to settle the filled product. Equipped with a servo-driven timing screw connected to the augers to control filling rates, the new filler

## APPOINTMENT.



#### Tino Knoll named General Manager & Head of Sales Canada of Krones Machinery Co. Ltd - Canada

Tino Knoll has been named General Manager & Head of Sales Canada of Krones Machinery Co. Ltd – Canada, a subsidiary of Krones AG

With more than 15 years of experience in the filling and packaging industry, Tino has held several positions within Krones, a Germany-based company.

Tino started his career with KRONES in 1995 as a trainee in Industrial Business Management. In 2005, after graduating from the University of Applied Sciences Landshut with a degree in Industrial Engineering, he joined the Latin American Sales Team as a Project Manager. Following the position as Area Sales Manager (2009), he was promoted Head of Sales Latin America Northern Part in 2014. Further to his professional duties, he graduated with an MBA in 2015.



#### FlexLink expands Canadian Sales



FlexLink is pleased to announce that Mr. Jean-Yves Bélisle will be joining FlexLink Canada in the position of Sales - Quebec. Jean-Yves comes from Acklands-Grainger in Montreal where he was a Senior Account Manager.

During his time at Acklands-Grainger, Jean-Yves was a star performer and an excellent liaison for his customers.

www.flexlink.com



#### **FIRST GLANCE**

employs patented magnetic funnels with no fasteners or other catch-points in the filling areas for optimal machine uptime, along with quick-change adapters that easily attach to magnetic funnels to accommodate different container sizes.

Spee-Dee Packaging Machinery, Inc.

Festo Inc.

on either the front or the back side.

control system—eliminating the need for a con-

trol cabinet—with its modular, expandable design allowing users to incorporate an electrical interface

#### **TERMINAL CONDITION**

Designed specifically to withstand the harsh environmental conditions of the food and beverage production plants, the new *MPA-C* valve terminal from **Festo Inc.** provides superior durability and cleanability with innovative



405

space-saving and performance-enhancing capabilities that enable it to excel in environments requiring regular intensive cleaning to satisfy stringent sanitary requirements, according to the company. Made of **FDA**-compliant materials and boasting a redundant seal system, the *MPA-C* meets the requirements for protection class *IP69K* and *CRC4* for high corrosion resistance to ensure consistent, problem-free cleaning requiring the use of high-pressure jets or strong cleaning foams, while its short tubing lengths allow it to be located virtually anywhere along the machine. Moreover, the *MPA-C* can serve as a centralized or decentralized

#### PICK OF THE CROP

Developed to ensure enhanced performance of machine vision-based, pickand-place applications on high-speed packaging lines, the



406

 ${\bf new}\, \textbf{\textit{MotoPick}}\, {\bf software}\, {\bf from}\, {\bf Yaskawa}\, {\bf Motoman}$ can synchronize multiple vision-equipped robots to pick fast-moving product off a conveyor and place it on an outfeed device, tray or box in an organized arrangement in a broad variety of design configurations of up to 10 robots and 11 conveyors, according to the company. Developed to provide precise control and co-ordination of infeed and outfeed conveyors—whereby the speed of the opposite conveyor can be automatically decreased and even stopped in the event of the infeed or outfeed conveyor falls behind—the MotoPick software can work with multiple types and sizes of cameras based on conveyor width, workpiece size, target accuracy, production volume and conveyor speed. Yaskawa Motoman 407

#### **COMPACT LOGIC**

The new compact model *CP1L-E* programmable logic controller (PLC) from **Omron Automation** 

and Safety features embedded Ethernet for seamless connection to the Internet for providing remote access, monitoring and data logging capabilities that can help reduce



the end-users' technical support costs, while also generating provide diagnostic response for minimal equipment downtime. The robust PLC allows OEMs (original equipment manufacturers) to adopt whatever networking protocol their application requires—including UDP, TCP, Modbus TCP and the Omron FINS Ethernet protocols—by facilitating a simple connection to other Omron PLCs and HMIs (human-machine interfaces). Currently available in three Ethernet-enabled versions offering 20, 30 or 40 I/O (input/output) points, the unit can be expanded with modules to add two additional inputs and outputs up to a total of 160 I/O points, with expansion capability including options for digital and analog I/O, temperature inputs, and serial interface boards.

**Omron Automation and Safety** 

408



Achieve your ultimate production goals and produce more for less. Servo motor, gear unit and electronics are combined into one highly reliable, efficient, and hygienically designed unit. MOVIGEAR® reduces not only total start-up costs but also annual operating costs by as much as 50%!

Connect with our Electronics Product Specialist at **sewcan.ca/movigear** 

1.800.567.8039 | Toronto | Montréal | Vancouver





#### **NOTES & QUOTES**

Collaboratively produced by the Royal Canadian Mint, Bowling Green, Ohiobased NovaVision Inc. and Santa Cruz, Ca.-based Pacific Holographics Inc., the 2015 Fine Silver Hologram Coin—featuring Lustrous Maple Leafs embedded into one of the coin faceswas selected as the winner in the Best Decorative/ Packaging Hologram category of the recentlyheld Holography Awards 2015 competition of the International Hologram Manufacturers Association

(IHMA) in Shanghai, China.

According to the mint, the use of leading-edge technology on the extra-large, 65-mm-diameter, fiveounce pure silver cointhe first-ever Canadian coin of this size to feature a holographic image—produces a striking visual effect, whereby tilting the coin "appears to change the color of two holographic maple leafs from green to red as they reflect the golden hues of sunlight."

As an extra bit of Canadian

conent displayed at the global

competition, U.K.-based Optaglio Ltd was also cited for its work on the mint's \$20 Fine Silver Coin commemorating the 25th anniversary of the Canadian Space Agency (CSA).

■ Diversified consumer packaging products group Sonoco has officially unveiled its new state-of-the-art (research-and-development) R&D center at the company's international headquarters in Hartsville, S.C. Representing a US\$12-million investment, the new iPS (Innovative Packaging Solutions) Studio was designed "to connect consumer and market insights to the invention of new packaging solutions all under





one roof," according to the company. Featuring expansive "consumer interaction spaces" to enable live, direct observation of consumers interacting with products and packaging in retail, kitchen, living and bathroom environments, the studio also houses collaborative spaces where experts can interact with the latest technologies to turn ideas into packaging concepts; technology for the development of structural design and manufacturing options that access potential for commercialization; a pilot plant to test manufacturing performance; state-of-art printing capabilities; and rapid prototyping labs that aid in developing engineered prototypes that can then be tested in real world simulation spaces. Created on the premise that "sometimes where you think inspires what you think," according to Sonoco, the studio will leverage the company's i6 Innovation Process approach to package design with its vast expertise in testing and material science to create what it calls "a 360-degree customized pacakging solution to our customers."

■ Bosch Rexroth Canada Corp., Burlington, Ont.-based subsidiary of German industrial automation technologies and services group Bosch Rexroth AG, has obtained the international ISO 9001 standard certification for quality management, the ISO 14001 standard certification for environmental management, and the OHSAS 18001 occupational health and safety certification for all of the company's nine Canadian-based operations, including locations in Burling ton and Welland, Ont., Edmonton, Saskatoon, Sask., Burnaby, B.C., Dartmouth, N.S., Fredericton, N.B., and Longueuil and Saguenay, Que. "We are committed to providing the industry with superior products and services," says Bosch Rexroth Canada's marketing manager David Lopes. "To ensure that theyreach our customers in the fastest and most reliable way, we constantly verify and review all our management systems, thereby ensuring consistency and the use of best practices."





### CONTINUOUS MOTION INLINE FILLER **FLOWSTAR™**

Continuous motion inline filler designed for a wide variety of industries including the Pharmaceutical, Cosmetic and Food & Beverage.

Using a multitude of **servo motors** for different tasks This is possible by the most part. due to the **servo** combined with volumetric piston technology and driven technology incorporated in the walking specialized check valve systems, this filling machine is beam, the diving nozzle bar and the piston dispenscapable of handling a wide variety of liquid, semi- ing system; making it a very precise and versatile viscous and viscous products with very high precision. filling machine.



#### **SEE OUR TABLET & CAPSULE LINE IN ACTION**









### Craftmate

#GermanBlingBling #Craftmate

We do more.



## PULP NONFICTION

Asia's global pulp and paper giant embracing its green transformation

#### **BY JAAN KOEL**

omplaining about the environment and climate change is always far easier than doing something meaningful about it, but as one of the world's largest pulp and paper producers is finding out, hard work has plenty of its own special rewards to make the effort worthwhile.

For the Indonesian-headquartered papermaking giant **Asia Pulp & Paper (APP)**, that effort began in earnest back in 2013, when company chairman and founder Teguh Ganda Wijaya publicly announced the launch of the company's far-reaching new *Forest Conservation Policy* initiative in downtown Jakarta—alongside the country's minister of forestry Zulkifli Hasan—in front of his family, friends, business associates, and a horde of journalists and many other interested onlookers from various leading environmental NGOs (nongovernmental organizations).

"That was definitely a powerful moment representing a huge turnaround for us," recalls Ian Lifshitz, global sustainability director at the company's **Asia Pulp & Paper Canada Ltd.** subsidiary in Brampton, Ont.

"The event marked the public announcement of a new beginning for the company," says Lifshitz, citing the notable presence of **Greenpeace** representatives at the ceremony.

"They were once our adversary, but they liked what they heard and they made it clear that they were open to becoming our ally."

While 'ally' may still be too strong a term for the time being, there is no question that environmental NGOs are starting to change their once-hostile views of APP operations, which employ 70,000 people worldwide to produce over 20,000 million tonnes of pulp, paper and paperboard product per year.

With annual turnover of over US\$21 billion, the company's traditional clearcutting practices in Indonesia have long been a lightning rod for the NGOs' criticism and fierce negative publicity campaigns.

Some of the company's controversial practices included the cutting of virgin forest on lands it had the right to harvest throughout Indonesia, where the clear-cut forests would be replaced with eucalyptus and acacia plantations to continue supplying feedstock to the company's numerous mills.

In addition, APP was also heavily criticized for the clearing of peatlands—large tracts of land covered with carbon-rich vegetation decay that provide a good growth environment for trees and other plants.

Because peatlands sequester enormous amounts of carbon-dioxide, clearing and drying them out releases huge volumes of stored GHG (greenhouse gas) into the atmosphere, according to APP critics, while also creating international fire hazards.

In fact, in September and October of 2015 the fire and smoke originating from Indonesian peatlands got so bad that schools in neighboring Singapore and Malaysia had to be temporarily shut down due to the intense smoke and haze polluting the atmosphere.

In addition to risks to health and property, these fires are undoubtedly heavy contributors to GHG emissions, APP acknowledges, but entirely blaming the local pulp and paper producers for the problem is



APP chairman and founder Teguh Ganda Wijaya (*left*) with Indonesia's minister of forestry Zulkifli Hasan announcing the official launch of the company's Forest Conservation Policy in Jakarta in 2013.

wide off the mark.

As Lifshitz point out, peatland fires are a hugely complex issue encompassing the rights of local communities, illegal activity by small enterprises, and fundamental legal complexities over land use rights, ownership and protection.

"The reality is that APP suppliers are only harvesting existing plantations," Lifshitz asserts.

"It would be nonsensical for them to clear pulpwood plantations using fire, as they need to sell the pulpwood for paper production and earn revenue."

Lifshitz says he is intensely proud of how quickly APP has turned the corner to become a true proponent of sustainability in the public eye by strictly adhering to its multiple *Forest Conservation Policy*. pledges.

Most notably, the comprehensive document includes a "zero deforestation" commitment, a peatlands protection pledge, and requirements for obtaining prior and informed consent for shared land use among local community groups, mining operators, farmers and other key stakeholders.

To enhance its credibility, APP also formed an alliance with **The Forest Trust (TFT)** group to advise and measure its ongoing progress in sustainable forestry practices.

In August of 2013, APP also announced the end of natural forest wood entering any of its pulp mills, followed by a public pledge in April of 2015 to conserve one million hectares of rainforest in Indonesia.



#### THE LEAN MACHINE

Started up in the early 1970s, **Asia Pulp & Paper**'s Tjiwi Kimia mill is the company's biggest production plant in Indonesia, located about a one-hour flight east from Jakarta along Java.

At this location, the company produces short-fiber pulp from local forests and processes imported long-fiber pulp using the latest paper-making equipment, including this main paper machine (picture above) that was recently outfitted with an energy-efficient **Atlas** dryer. (inset)

The vast manufacturing site also operates a large number of offset rotogravure and flexographic printing presses, along with a multitude of high-performance converting and finishing equipment, to produce a broad range of highend custom boxes and other packaging products.

"The approach we're taking is to protect and restore," Lifshitz explains.

"Most recently, we have implemented our Peatland Best Practices Management Plan and completed aerial mapping of around 4.5 million hectares of peatlands in and around APP's suppliers' concessions," Lifshitz told *Canadian Packaging* during a recent APP-sponsored tour of the company's forestry and manufacturing operations in Indonesia.

"APP is fully committed to supporting the communities in which it operates," he relates, citing grassroots initiatives such as job creation for vegetable farmers, local electronic recycling programs, production of handicrafts made from plastic straps derived from mill wastes, subsidized catering services to provide lunches to APP workers, and other community-focused programs.

"It's a way of giving back to the societies in which we work and do business," Lifshitz notes, adding such initiatives have not only been acknowledged by the NGOs, but also by other integral stakeholders such as governments, customers, suppliers and industry competitors.

"I'm proud of our progress," Lifshitz asserts. "Before we were lagging behind; nowadays others are following our lead.

"These actions are good not only for the environment," he explains, "but also for business."

By protecting and preserving its forests, APP is in fact solidifying its feedstock requirements for the future by improving its harvesting and silvicultural practices to get the absolute most from its existing plantations.

For example, cutting plantation trees closer to the ground by seven to 11 centimeters than before helped to increase yield in leaps and bounds when measured over thousands of trees, according to APP.

This has been been supplemented with an increase of fiber import volumes from other countries, but only for fiber that is sourced according to APP's own standards and criteria—namely no old growth harvesting.

"We now import long-fiber pulp, which we need for strength for various products, from northern climate forests in Canada and Europe," says Lifshitz. "But these days, the onus is on our suppliers to operate sustainably, if they wish to do business with us."

Although APP is still in the early stages of its green transformation process, its rehabilitated public image is already benefiting the company's business worldwide, according to the company.

"Customers and consumers alike want to know that the paper products and packaging they're using are coming from a responsible source and are being manufactured in a responsible way," says Lifshitz.

"So far, customers are taking notice and reconnecting with us, and we are pleased to work with customers who share the same environmental values we operate by," Lifshitz states.

As head of APP's Canadian business, David Chin relates that the company has gone from being a virtual unknown in Canada a few years ago to becoming a significant player in a number of packaging segments, including folding-carton board, pre-cut

sheets, clay-coated products, metalized and polycoated roll formats in different calipers, corrugated board and medium, custom boxes, and shelf displays.

"One key competitive strength we enjoy is that we can supply directly to Canadian suppliers from our mills in Asia without a third party, which cuts out the 'middle man' charges," he says. "Another key strength is that we're vertically oriented.

"We have our own forests and run our own mills, which gives us a significant competitive advantage," says Chin, citing the company's commitment to high product quality and the availability of converting capabilities in Asia for North American customers.

"We have the same environmental forest conservation

policies here in Canada as elsewhere," says Chin. "And we're harmonizing them with similar ones being adopted by our leading end-use customers such as Unilever, McDonalds, P&G and many others.

"We see environmental certification for the way we operate, such as FSC, SFI, PEFC and others, as being very important to our business," Chin concludes.


"But they're not the end, just the beginning—a beginning to which we are committed to stand by and going well beyond."

Jaan Koel is a Toronto-based freelance writer who recently took part in an **APP**-sponsored tour of the company's Indonesian operations.






FOR MORE INFORMATION CIRCLE




## Weber<sup>®</sup> Packaging Solutions













## FOR ALL OF YOUR LABELLING AND CODING NEEDS

1.800.265.9974
info@webermarking.ca
www.webermarking.ca



Best Products. Best Service. Best Value.

## **COUNTING ON GROWTH**

Pharmaceutical co-packer sets sights on rapid future growth with proactive capital investment to boost its throughput capacity



Operations director Jean-Francois Paquin (*left*) and quality assurance and control director Adriana Malizia pose in front of the new Street Fighter tablet counting machine purchased by Fillab from Capmatic as part of a new turnkey bottling line installation at the company's Montreal facility.

#### BY GEORGE GUIDONI, EDITOR PHOTOS BY PIERRE LONGTIN

ontrary to popular belief, the global pharmaceutical industry is not immune to the ups and downs of economic cycles and recessionary downturns, with its heavy emphasis on research-and-development often stretching financial resources of many of the Big Pharma's leading global lights.

With an average drug development process taking 10 to 15 years and about a billion dollars or more before commercialization, vigilant cost containment is a necessary requirement for today's pharmaceutical and biotechnology companies—especially in light of intense pricing pressures brought about by fierce competition from generic drug-makers in recent years.

To save costs wherever they can, many leading pharma producers—as well as their generic competitors—are increasingly outsourcing their manufacturing and packaging functions to companies like the Montreal-based **Fillab Inc.** 

#### **CORE VALUES**

Operating out of a 20,000-square-foot production and storage facility in Montreal, the privately-owned company has been enabling many of its customers in the pharmaceutical and nutraceutical businesses to succeed with superior third-party manufacturing and co-packing services that let its clients concentrate on their core business of new product development.

"Our production output has doubled in the past five years, and we are aiming to double it again in the next two to three years," says Fillab's director of operations Jean-François Paquin, explaining that the company, founded in 1988, had strategic-

The Fillab facility produces a highly diverse range of different pharmaceutical packaging formats, from blisterpacks to liquid ampoules and sample-pack sachets.





The Street Fighter tablet counter can achieve throughput speeds of 100 bottles per minute for 100-tablet bottles.

ally redefined its focus back in 2000 to cater primarily to the needs of the fast-growing generic pharmaceutical industry.

"Our main customers are pharmaceutical companies and natural product manufacturers who either don't have any packaging capabilities or whose manufacturing volumes exceed their packaging capacity," says Paquin.

"In many cases, we are able to provide them packaging services at a lower cost than what they can do in-house," adds Paquin, citing the company's highly diversified and comprehensive skillset encompassing all the popular pharmaceutical/nutraceutical packaging formats, including:

• **Blister Packaging.** With throughput capacity of up to 60,000 blister-packs per shift, the 25-employee Fillab plant utilizes a broad range of tooling equipment and secondary packaging options and online printing to blister-pack a multitude of capsules, softgels and tablets in all



Manufactured by the renowned Montreal-based packaging machine-builder Capmatic, the Street Fighter model SF-100 electronic counting system boasts the latest available technologies to ensure optimal accuracy and quality control.

types of PVC and foil materials, as well as pack them inside in an unlimited variety of folding carton/card/display designs.

- Powder Pouches. Widely used for cold medication powders and dietary supplements, the sachets produced at the Fillab plant are filled under nitrogen atmospheric conditions and controlled relative humidity for optimal product safety and integrity. According to Jean-Francois, the plant can produce between 25,000 and 50,000 sachets in a broad variety of sizes: from small-format sample sizes to large-sized pouches used for powdered nutritional supplements, with the added option to package two doses of different products into a single pouch.
- **Tablet Bottling.** The plant's high-speed, highprecision equipment provides a high degree of versatility in terms of counts, bottle shapes and labeling in one-, two-, three- or four-face labels, along with a wide choice of variation such as

- desiccant and cotton inserts; child-resistant, induction and permaseal caps; inserts and outserts; and various-sized shrink packs.
- Liquid and Cream Packaging. The plant's bottling lines can process up to 15,000 bottles per shift, with container size ranging from five milliliters to one liter for products such as syrups, energy drinks, sunscreen lotions, ecigarette juices (with dedicated pumps), etc. Boasting versatile capping and labeling options, the bottling rooms offer a wide choice of secondary packaging such as cartons, shrink packs and display trays, among others.
- Unit Dose Packaging. An assortment of single-serving packaging formats, including drinkable ampoules, for product samples and commercialization trials and studies.

With speed-to-market and zero tolerance for error being two of the pharmaceutical industry's prevailing requirements, Fillab is constantly upgrading its





A close-up of—— tablets being counted and aligned for filling inside the Street Fighter SF-100 electronic tablet counting machine from Capmatic, which can handle a broad range of pill types and work with a variety of different container sizes and shapes at maximum throughput speeds of up to 120 bottles per minute.

## COVER STORY



Machine operator making on-the-fly adjustments to the blister-packing machine boasting inline printing capabilities.



Packages coming out of the high-speed form/fill/seal unit-dose packaging machine are conveyed into the shipping box.



process flow and production equipment to stay on the leading edge, according to Paquin.

"Over the years we have identified a need in the pharmaceutical industry, especially in the generic market, for a reliable contract packager who would be able to deliver efficient services and meet the regulatory requirements at an affordable rate," Paquin relates.

"To that end, we made it our corporate mission to contribute to the success of our clients by offering them packaging services which are fast, effective, and offer the best quality-price ratio available on the market.

"To date, our success has occurred by sticking to our mission and working truly in partnership with our clients," says Paquin, citing scheduling flexibility as one of Fillab's core competitive strengths.

"We operate one or two shifts daily throughout the year, including weekends if needed, depending on the demand," he relates.

"Our whole operation is structured to enable us to employ a high variance of production workers on a very short notice.

"In over 10 years of analysis, we have identified no recurring tendencies or particular cycle in the demand," Paquin notes, "which is why we developed a structure that adjusts quickly to the changes in demand.

"With our key personnel in place and our training procedures continually upgraded, we manage to go through our peak periods very efficiently," he states.

"This is the nature of our business as a contract packager: We have to be available when our clients need us," Paquin stresses.

#### **FAR AND WIDE**

"And that's exactly what our clients really appreciate when they get to know Fillab," says Paquin, noting that in addition to building a loyal Canadian customer base, the company has also been able to attract notable clients from the U.S. and across Asia over the last decade.

Nowadays operating six production cleanrooms, the company spent about a million dollars in various upgrades since 2000 to install a state-of-theart *HEPA*-filtered HVAC (heating, ventilation and air-conditioning) system at the Montreal facility's packaging rooms, followed by continuous machine upgrades to meet growing demand and fine-tune the facility's fairly automated process.

"To acieve a quick turnaround on a new project, our primary packaging is automated and the secondary packaging is mostly done through a semi-automated process employing strict inline quality inspection procedures and devices, such as checkweighers and inspection cameras, to ensure we meet all the pharmaceutical quality standards," Paquin relates.

With demand for its services continuing to grow, last year Fillab's management decided to make its biggest single capital upgrade to date, Paquin reveals, setting aside about \$2 million for the installation of a new high-speed production line that would meet

and exceed all of the industry's cGMP (current Good Manufacturing Practices) quality management standards for years to come.

"To meet our needs in packaging volumes and regulation compliance, we decided to look for a high-speed tablet line which would include metal detection, cap presence and alignment detector, inspection cameras for labeling with serialization, and the latest technology available on the market for tablet counting," relates Fillab's director

sachet packs (inset) widely used for sample packs and promotional giveaways.



It's not sealed until it's Scotch® Brand sealed.

Learn more about Scotch® Brand Tapes at 3M.ca or call 1-800-3M-HELPS.





A close-up of the Street Fighter machine's filling tunnel.



The Street Fighter uses the latest PLC (programmable logic controller) programming to ensure optimal process control.

of quality assurance and control Adriana Malizia.

"We wanted to ensure that our new line was equipped with the most recent technological advances in quality control in order to ensure not only compliance with Health Canada regulations, but also achieve the highest satisfaction and confidence levels among our clients," Malizia points out.

"To update our solid dosage packaging capabilities in a market that is continuously changing, we decided to seek the help of a reputable Top Tier supplier capable of providing us with a versatile turnkey solution.

"And because we package so many different products," she adds, "finding the quickest changeover capabilities available on the market was also an important part of our selection, evaluation and purchasing process."

After evaluating available options, Fillab ultimately selected nearby packaging machine-builder **Capmatic Ltd.**—a well-established, highly reputable Montreal-based manufacturer of filling, capping, labeling and other automated packaging systems for pharmaceutical, healthcare, food and other key industries—as its supplier of choice.

Currently in the process of commissioning, the highly automated, high-speed turnkey packaging line designed for the Fillab plant includes:

- The *SortStar* series bottle unscrambler;
- The *Street Fighter* series *SF-100* model electronic tablet counter, featuring compact modular design, reduced parameter settings, programmable recipes and full *cGMP* compliance;
- The *BeltStar* series inline capper with an induction sealer;
- The *LabelStar* labeling system;
- The *BandStar* neck banding system for application of security seals.

"Our decision came about fairly easily when we outlined our deciding factors for purchasing equipment with those key elements of quality, reliability and versatility," Paquin remarks.

"Being a privately-owned company allows us to make rapid and effective investment decisions," he notes, "and it was clear to us early on that Capmatic was the right choice for our current and future needs."

Says Paquin: "This line can produce 100 bottles per minute for 100-count fills, which reassures us that our packaging needs will be fulfilled for many years to come.

"Having this peace of mind is priceless," Paquin asserts. "We are very proud to be able to say that we have a complete solid dosage packaging solution from one of the top companies in the industry.

"This investment was intended to enable us to exceed the growing demand we face in this sector of activity, to remain consistent with our mission statement, and to be able to reach our goal of increasing our production output," he expands.

"For all these reasons, we were very happy to



Close-up of blister-packs being formed at high speeds.

choose the Street Fighter tablet filling line for our growing business."

Malizia concurs, adding she appreciates the *Street Fighter* counter's inherent flexibility for handling various pill formats—including tablets, caplets, hard caps and soft-gels—along with a wide range of container sizes and shapes, with minimal change-over time requirements.

As Paquin explains, "All our processes have been created to lead directly to our output.

"In an industry as regulated as pharmaceutical packaging, we have to make sure not to get caught doing any additional process with no added value for the company.

"The combination of Top Tier packaging equipment and our team of highly-qualified personnel with several years of experience in the pharmaceutical sector, will allow us to continue to collaborate with our customers in such a way as to become a contributing partner to their growth and success, along with complete satisfaction with the services we render and the high standards we continuously strive to achieve."

To see a video of Street Fighter in action, go to: www.canadianpackaging.com/packpress/street-fighters-got-the-attitude/

For More Information:

Capmatic Ltd. 420



NOTICE OF APPOINTMENT

**CHARLES MALO**President and Chief Operating Officer
Norampac

Cascades is pleased to announce that Mr. Charles Malo has been appointed President and Chief Operating Officer of Norampac, a division of Cascades.

After earning a Bachelor of Business Administration (BBA) degree from the Université du Québec à Montréal (UQAM), Charles Malo began his career as a controller at Etcan, a division of Cascades, in 1990. He then joined the Norampac group when it was created in 1997, in the corrugated cardboard business line. Over the years, he became Director of Administration; Regional General Manager, Operations, for Central Canada; and, in 2001, Vice-President and Chief Operating Officer, Packaging. From April 2015 to January 2016, Charles Malo served as Chief Operating Officer for Norampac, overseeing not only transformation operations, but also the production of containerboard.

This appointment makes him the third President of Norampac, succeeding Alain Lemaire and Marc-André Dépin. Mr. Malo is well known in the industry for his knowledge and leadership. He is an active member of boards of directors for various associations, companies and non-profit organizations, including that of the Fondation Hôpital Pierre-Boucher.

Founded in 1964, Cascades (CAS-TSX) produces, converts and markets packaging and tissue products that are composed mainly of recycled fibres. The Company employs close to 11,000 employees, who work in over 90 production units located in North America and Europe.



RECOVERY + PAPER + PACKAGING NORAMPAC CASCADES.COM

FOR MORE INFORMATION CIRCLE 115



## LAYING DOWN THE CHIPS

Venerable East Coast potato grower using cutting-edge metal detection technology to maintain optimal product safety and quality control

#### BY ANDREW JOSEPH, FEATURES EDITOR PHOTOS BY BUFFIE BOILY

very generation seems to have its specific defining moment when a poignant event defines a culture and its people, such as the *Apollo 11* moon landing or the tragic events of 9/11 or the shooting of John Lennon.

For Thomas Curley's family, it was the *Great Potato Famine* that devastated Ireland between 1845 and 1852, marked by mass starvation, disease and caused a mass emigration to the New World.

It has been estimated that some 40 per cent of Ireland was solely reliant on the potato as a cheap crop, and after a potato blight ravaged the crops, over one million people died of hunger, with another million leaving the country—reducing total population by 20 to 25 per cent.

Originally from Monaghan County in Ireland, Curley emigrated to the Freetown/Summerfield area of Canada's Prince Edward Island (PEI), establishing a farm growing mixed vegetables.

But perhaps because the quality of soil in the area is so suitable, the sixth-generation of Curley family farming at **Monaghan Farms Ltd.** today grows approximately 1,400 acres of potato-chip potatoes per year.

Along with the contract growers, the company grows on more than 3,000 acres of land in Canada's smallest province.

#### **ALL IN THE FAMILY**

"While the acreage farmed has grown vastly over the years since Thomas Curley first arrived, I'm very proud that his original acreage is still being farmed by the Curley family today," Monaghan Farm's operation manager and co-owner Derrick Curley told *Canadian Packaging* magazine in a recent interview.

According to **Statistics Canada**, in 2014 Canadian farmers helped produce an estimated 4.6 million tones of potatoes, with PEI once again leading the way—harvesting over a quarter of all the country's spuds.

"We've been farming this land for 160 years, with myself, my father and his father before him," relates Curley. "For the past 14 years, after we first started exporting with West-Isle Enterprises to different Frito-Lay processing plants around the world, they have become our biggest customer.

"West-Isle Enterprises is our export business partner based out of Tyne Valley, PEI. Owned and operated by Rod Macneill, they handle the export logistics side of the business, while we manage more of the production side," he explains.

Today, **Frito-Lay Canada/International** and its nearly 50 different brands of *Lay's* brand potato chips are made with potatoes from Mongahan Farms, which ranks as one of PEI's largest growers.

"My father Terry, who's a co-owner like myself, took some of our potatoes as a sample to one of the Frito-Lay plants in Nova Scotia," recalls Cur-



#### FOOD SAFETY





To ensure optimal levels of food safety for consumers and customers, Monaghan Farms added three special Phantom metal detection systems from Fortress Technology to inspect all of its raw products.



Along with an Even Flow Hopper and Steel Drum washer, Monaghan Farms uses a felt drier for processing of its harvested potatoes, with P.E.I.-based H.F. Stewart supplying all of this equipment.



Monaghan Farms uses an automatic tote filler from Dunk River Industries to fill 3,400 pound bags in under two minutes, with an elevator lifting empty bags up to the top, and lowering them slowly as it fills to prevent product damage.

ley. "And I guess they must have been impressed, because they have helped us grow our business tremendously since then."

Curley says that Monaghan Farms had previously supplied potatoes to other major food processors **Old Barrel/Humpty Dumpty**, **Cavendish Farms** and **McCains**, but now thanks to its exclusive contract with Frito-Lay, it has grown to become one of the largest exporters of chip potatoes in the world, with about 75 per cent of its potatoes destined for international markets.

"There are certainly quite a few established potato farms here in PEI, but Monaghan Farms may be the first such farm to create a large and ongoing export agreement," he says.

"In fact, Monaghan Farms/West-Isle accounts for about 40 per cent of all the province's raw potato exports shipped outside of the U.S," he points out.

"While our own farm could be considered big, and our quality consistently high, it's thanks to our geographic location and local weather that we often get that provides a perfect mix of sun and rain," Curley confides.

"Also, the agreement we have with elite potato growers such as Shorelane Farms, Klondike Farms, Linkletter Farms and seed growers Marven Stewart, Heritage Farms and Blue Bay Farms, enables us to consistently meet the product demands of Frito-Lay so that they can produce their potato chips across Asia, the Americas and elsewhere.

"In order to maintain optimal soil health, we continually rotate our crops with forage crops like rye grass and clover," he continues. "But we still aim to annually maintain approximately 1,400 acres to grow our chip processing potatoes."

#### FROM THE GROUND UP

After being harvested from the ground by wind-rowers and harvesters, the potatoes are loaded onto trucks, unloaded at the Monaghan warehouse, cleaned, graded and piled into a storage bin area.

The harvested potatoes are held at a specific temperature, controlled by a computerized ventilation system to heal any wounds the spud may have accumulated during harvesting, as well as to dry out all moisture.

"Once that phase is complete, the potatoes are brought down to the proper storage temperature," Curley relates.

"The storage bins are managed by myself and controlled by a computerized system that monitors temperature, carbon-dioxide and humidity levels, along with ventilation of the outside air."

After storage, the potatoes are scooped up from the bins and unloaded inside the washing/grading plant, where the potatoes are washed, destoned, graded and run through a metal detection system before being loaded onto a trailer for directl shippment in bulk or in totes.

"We also have an IPM (integrated pest management) division, which performs crop scouting and quality monitoring in the field and in storage," Curley points out.

"Quality is one of our main competitive advantages, so we are constantly measuring quality every step of the way, complete with our own quality control lab," relates Curley. "Depending on the time of year, we measure all internal and external defects, solids and sugar analysis via fry tests and a special sugar analysis machine."

Curley relates that Frito-Lay has specific requirements for potato sizes, dry matter (solids), internal potato sugar levels (it can reflect in the color of the chip after frying), and various internal and external defects.

## FOOD SAFETY

The farm operates one main grading line—a washing/packing line with capability to load bulk and large totes.

Critical equipment on that production line consists of:

- three H.F. Stewart-built *Even Flow* hoppers and a *Steel Drum* washer;
- a destoner from Allan Potato Handling Equipment;
- a felt drier from H.F. Stewart;
- a Tomra Sorting Solutions automatic Odenberg Titan 2
- three Fortress Technology
   Phantom metal detection systems with a slide and reject system:
- an automatic tote filler from Dunk River Industries;
- some in-house fabricated conveyors;
- a bin-piler from Allan Potato;
- a Kerian potato Speed Sizer

"Our line is reasonably automated," notes Curley, "and we can run the entire wash-plant grading facility with three people or less."

Notably, the production line houses three *Phantom* metal detection systems, designed and manufactured by the Torontoheadquartered *Fortress Technology*.

As Curley explains, food growers don't usually have such advanced food inspection equipment, opting to leave that responsibility to the actual processors themselves.

#### **HEAVY METAL**

For Monaghan Farms, the decision to purchase the *Phantom* metal detection equipment was primarily borne out of urgent necessity.

"We had a regional food tampering issue that involved one or more people inserting metal objects such as needles into potatoes," recalls Curley. "Naturally, our local customers insisted that we pre-screen our product for foreign metals to ensure better product safety."

Back in October of 2014, darning needles began showing up in PEI potatoes sold in and around the Atlantic provinces, and while the tampered spuds were eventually traced back to a single farm in the Summerside area, no arrest was ever made.

At the time, nearly one million pounds of potatoes were recalled and checked for tampering, and all seemed well until March of 2015, when more needles were discovered in potatoes grown at other farms.

While many local PEI growers banded together to offer a \$500,000 reward for the arrest of the culprit(s), the case still remains an open police investigation.

To better combat the problem of possible product tampering at its farms, many PEI farmers began purchasing metal detection equipment as a means to protect the province's \$1-billion potato industry.

"While we are quite keen to ensure consumers remain safe and the customer's reputation remains unsullied, maintaining a positive reputation is also extremely important to all of us at Monaghan Farms," Curley asserts.

"Some of our orders involve large volumes and are often shipped with a 30-day-plus transit time," he continues, "and we didn't wish to run into a situation where a large shipment could be rejected because of some foreign object in our product."

Curley says that before the recent tampering, "To the best of my knowledge, no farm was metal detecting raw potato product in our area."

Installed in the fall of 2015 in time for the harvest,



The basic Fortress Technology Phantom inspection system (*above*) was retrofitted to work well with the potato industry. .

Curley relates that he and his father wanted to take a bit of time to do proper research to see determine which detector worked best for their operation, noting that it was imperative that the farm's production line not be slowed down.






The Canadian corrugated and containerboard industry develops creative packaging solutions that are cost effective, versatile, environmentally sound and food safe. Our boxes are designed with high impact graphics that communicate your brand. We focus on what matters: what's inside the box.



Visit us at www.cccabox.org to learn more.





Two Bulk Potato Retract metal detection systems used by Monaghan Farms at its Prince Edward Island facility, are specially-designed from a basic Phantom metal detection unit specifically for the potato processing market segment.

Curley says that since installing the *Phantom* metal detection systems, Monaghan Farms has continued to run approximately 140,000 pounds of potato per hour, which is about the same speed before installing the food safety equipment.

"Fortress Technology provided us with its impressive Phantom metal detection unit that ensured sensitive detection, but did not limit our productivity by generating numerous false positive rejects," explains Curley.

"Having technicians in the region was also important to us," he adds. "If there ever is an issue with the metal detection unit, it is extremely comforting to know that they are reasonably close by."

Fortress Technology says it has designed, manufactured and priced three different *Phantom* metal detection systems specific to potato processors and farmers:

• The *Bulk Potato Slider Detector System* is designed to handle loose, rolling potatoes, and features a *Flap* gate reject system and UHMW trough assembly.

- The *Bagged Potato Detector System* is designed for five- and 10-lb bagged potatoes and features a *Belt* stop alarm reject and complete conveyor assembly.
- The *Bulk Potato Retract Detector System* for bulk product inspection, featuring a *Retract* reject system and a complete conveyor assembly.

All systems also include BSH rugged casing—designed to provide better stability and performance in harsh environments where rolling potatoes are often banging into things.

In addition, Fortress Technology provides all its customers with local service and support; a test sample kit for calibration; quick delivery; a 'never obsolete' commitment (meaning Monaghan Farms will always be able to get parts and service for the life-time of their detector); performance certificate; startup and training; and two-year warranty on the detector head.

For its part, Monaghan Farms determined that the *Bulk Potato Slider Phantom* metal detection system would be its best choice, with Curley being advised

by Fortress Technology that it would provide best sensitivity levels for the rolling potatoes.

As Fortress explained, metal in a rolling object provides a stronger signal than a stagnant metal object, with the chosen option providing Monaghan Farms with a lower sensitivity, while still providing metal detection accuracy with minimal false positives.

Utilizing a simplified conveyor system that could easily be integrated with their existing systems, it has a low-maintenance UHMW slider bed, and would provide the optimal cost-effective solution.

Purchasing three *Phantom* metal detection units elicited very positive feedback from Frito-Lay, according to Curley.

#### SAFE AND SOUND

"They were mostly concerned with ensuring the product is safe for its customers, and with the Phantom metal detection systems in place, that need has been effectively addressed."

The farm production and packaging operation of Monaghan Farms is *Canada GAP Certified*, meaning it follows strict criteria to ensure its food products are 100-percent safe as they move through the product's life-cycle.

"Our formal auditing body is SGS Canada, but we are also required to partake in random audits through worker safety compensation to ensure we also provide a safe working environment for our employees," says Curley, crediting the efforts of his employees for making Monaghan Farms such a successful enterprise.

"None of this would be possible without them and we believe it is always important to be cognizant of that fact treating all our workers with due respect and gratitude."

According to Curley, the farm also attaches a great deal of importance to environmental stewardship.

"The ALUS (Alternative Land Use Services) is a very effective program that was developed to retire higher-risk areas such as higher slope areas near waterways, as well as to ensure that we create an environmental farm plan that we strictly follow during crop production.

"Our industry can be very competitive," reflects Curley, "especially when it comes to our international markets.

"We typically are not directly competing with local suppliers in the international markets, as processors generally have supply gaps when local growers can't supply potatoes in certain times of the year due to timing differences in growing seasons.

"But we are competing against a number of exporters from various countries such as Australia, U.S., Egypt, and some European countries," he concludes, "which is why consistent high quality is such a priority for us.

"It's also why we appreciate the excellent food safety reliability we achieve with our Fortress Technology metal detection units," he concludes.

"It helps to keep everyone safe and satisfied ." \*

For More Information:	
Fortress Technology Inc.	440
H.F. Stewart	441
Allan Potato Handling Equipment Ltd.	442
Tomra Sorting Solutions	443
Dunk River Industries Ltd.	444
Kerian Machines Inc.	445





## MEMBERSHIP REWARDS

New PMMI chairman outlines his vision for the group's future evolution

lations on you being appointed the first Canadian chairman of the PMMI. What new responsibilities does this position entail for you?

Thank you, it is an honor and I am looking forward to the challenge. One could liken it to steering a well-oiled machine that is always changing and evolving. Over the past few years, a tremendous amount of work has been done to reposition PMMI to make sure that we are, first and foremost, serving our members in a way that best suits them in doing better business. It is my responsibility to make sure that this evolution doesn't stall. We always want to be thinking about the future and anticipating any obstacles that our industry may encounter. Hence, we remain dedicated to helping our members navigate those barriers and, in turn, serve their customers better. So I hope to use this opportunity to continue to strengthen PMMI's position in the industry as my predecessors have done before me.

#### Do you attach any special significance to being the first Canadian to be appointed to this post?

I have always felt that each of my previous selections to various PMMI committees, its board, its executive group, and finally as its chairman, was a great honor. Over that time, I became convinced that PMMI is possibly the most inclusive of all industry groups out there—whatever one's status or nationality—allowing anyone to feel truly at ease. These days, leading progressive associations naturally tend to look globally in order to embrace change and remain relevant and competitive—making the question of nationality less important. What really matters is the bond they share with like-minded people in their industry.

Yes, I'm a proud Canadian, but I'm also part of a global industry. The companies I know in Canada, and the companies I know across North America, are among some of the most competitive and progressive enterprises in the world. There are many benefits to being a member of a group where the more you put in, the more you get out of it.

### What are some of these benefits that Canadian packaging professionals can obtain through PMMI membership?

In addition to the wonderful business relationships—in some cases partnerships formed with fellow members—some of the tangible benefits to Canadian members mirror that of their U.S.-based counterparts. This includes priority space selection and generous discounts at our *PACK EXPO* portfolio of trade shows, as well as opportunities to engage with customers and end-users one-on-one at additional meetings and events throughout the year. Some of our member-only meetings, like the upcoming *Executive Leadership Conference* (April 10–12, Scottsdale, Az.) will provide unrivaled opportunities to meet and collaborate with real industry leaders.

The PMMI also offers valuable education and training to help its members adapt, innovate and



Paul Irvine, chief executive officer of the Torontobased bag-sealing equipment manufacturer Plexpack Corp., was recently elected to serve a two-year term as chairman of PMMI-The Association for Packaging and Processing Technologies, the first Canadian packaging professional to take the post.

thrive in today's changing environment, including international sales and marketing support, export advice, and sales agent recruiting.

For their part, our business intelligence reports and exclusive market research provide a competitive edge to members, while our award-winning magazines, *e*-newsletters and webinars keep our members up-to-date, informed, and secretly a step ahead of the competition.

## The PMMI recently rebranded itself as The Association for Packaging and Processing Technologies. What was the rationale?

In 2013, we realized that we needed a brand and descriptor that better reflected our members and the additional member categories that PMMI created over time. When PMMI started out in 1933 under its former **Packaging Machinery Manufacturer Institute** acronym, it only represented packaging machinery manufacturers exclusively.

Today, as "The Association for Packaging and Processing Technologies," we are *the* leading resource for the entire processing and packaging supply chain, and our new descriptor more accurately reflects our role and our responsibility to better serve both the packaging and the processing business communities in North America.

While your PACK EXPO series trade shows continue to grow and thrive, you have also added a new food processing show in 2017 in collaboration with the major German food trade fair Anuga. Could you give some insight on this collaboration?

We have determined in recent years that the

food and beverage markets in North America want a world-class event devoted to the latest innovations in their industry, and cross-pollinating technologies from multiple vertical markets, all in one place. Powered by *PACK EXPO*, *Anuga* and the **International Dairy Foods Association** (**IDFA**), the new *ProFood Tech* will be a biennial event to showcase innovations and crossover technologies for food and beverage markets—making its debut April 4–6, 2017, at the McCormick Place in Chicago.

Intended to be the most comprehensive processing event in North America—with international stature on par with *PACK EXPO International* and *PACK EXPO Las Vegas*—it will be a onestop-shop featuring exhibits from both large companies that serve several customer segments, and smaller niche companies with a focus on more specific needs.

The food and beverage sectors have a litany of niche markets that can learn from companies that typically serve the larger, more mainstream markets, and vice versa.

#### How has PMMI membership expanded its reach in recent years in terms of its membership base?

Well before our re-brand, PMMI primarily represented U.S.-based packaging machinery manufacturers—eventually opening its doors to Canadian members in 1993. As the industry evolved, we added supplier members in 2006, materials and containers providers in 2007, and processing members in 2009, with Mexican companies bing permitted to join in 2012.

But beyond that, our trade shows, our media group, and various other events enable even non-members to take advantage of PMMI as the place for the international community outside of North America to showcase its technology, to convene, and to disseminate valuable knowledge.

In addition to your trade shows, what are some other significant products and services that PMMI offers to the CPG (consumer packaged goods) companies?

There are several *PMMI Business Drivers* developed to equip the makers of processing and packaging technologies to succeed in a competitive global marketplace. Some of these drivers include



Held in Chicago every two years, the PACK EXPO International exhibition routinely draws over 50,000 visitors to the four-day event at McCormick Place.



#### **ONE-ON-ONE**



the establishment of industry standards like ANSI/PMMI B155.1-2011; the Certified Trainer and Risk Assessment workshops; the eLearning toolkit; and the OpX Leadership Network, which is a dynamic community of OEM and CPG manufacturing, engineering and operations professionals that join together to address industry needs.

Through open dialogue between CPGs and OEMs, the OpX Leadership Network provides a forum where the best minds come together to identify and solve common operational challenges, apply best practices, and create innovative solutions in the 'real-world' manufacturing context. It ensures that CPGs and OEMs/suppliers are well connected and well prepared to solve common operational challenges, make smarter decisions, and achieve operational excellence.

Visitors to the www.OpXLeadershipNetwork.org site will find many helpful solutions to address performance issues such as TCO (total cost of ownership), OEE (overall equipment effectiveness), employee engagement and much more.

Finally, our **PMMI Media Group** provides a service that benefits the entire industry via a digital platform moves the PACK EXPO experience beyond just a trade show— offering a home for the processing and packaging industry 365 days a year.

The PMMI is well-known for various market intelligence featuring detailed statistical data and forecasts. What do some of the latest reports tell us about the current state of the packaging industry?

During last year's PACK EXPO Las Vegas 2015 and Pharma EXPO 2015 shows in the fall, we released the 2015 PMMI State of the Industry: U.S. Packaging Machinery and the 2015 Global Packaging Trends reports.

The State of the Industry report analyzed 27 packaging machinery categories and revealed 4.2-percent growth in the U.S. packaging machinery market from 2013 to 2014, coming in at US\$9.41 billion. The study also notes a 4.4-percent increase in domestic shipments (US \$7.45 billion), 1.6-percent growth in exports; and 3.6-percent in imports (US\$1.92 billion).

While the largest end-user industry sector for packaging machinery is food, it's not the fastest-growing, with the pharmaceutical sector forecast to grow at a compound annual growth rate (CAGR) of 2.7 per cent through 2019, followed by two-percent CAGR increase in the beverage market.

What can we expect to see at the next PACK EXPO International in November?

The upcoming PACK EXPO International 2016 and Pharma EX-PO 2016 will combine to form be world's largest processing and packaging event this year. We expect over 50,000 attendees from more than 40 vertical markets to visit 2,300-plus exhibits spread out over 1.2 million net square feet of Chicago's McCormick Place, including 7,000 international buyers from over 130 countries.

More than any other event in North America, PACK EXPO International offers attendees the chance to meet with multiple suppliers, explore the possibilities for their industry, and get ideas from other markets, with an estimated 72 per cent of the attendees formally authorized to specify, recommend or make the final purchasing decisions for their respective companies right on the show floor.

What do you expect PMMI to look like in five years?

In the next five years, PMMI's three pillars-the PACK EXPO portfolio of trade shows, PMMI Media Group (PMG) and PMMI Business Drivers-will drive and define our group's future.

Our PACK EXPO portfolio of trade shows will unite the world of processing and packaging, bringing users and suppliers together, while PMG will continue to connect the industry to the latest solutions, trends and innovation in processing and packaging year-round through our print and digital offerings.

For its part, the PMMI Business **Drivers** is a busy hub of business resources that is unrivaled in the industry, offering world-class business intelligence, workforce-strengthening programs, and other tools to penetrate international markets.

Our ultimate goal is to drive engagement and continue to move the processing and packaging industries forward, and I am extremely honored to be part of a supremely esteemed group that will be driving this vision forward over the next few years. \*



Good seal.



Perfect seal.

Repak horizontal form-fill-seal packaging machines from Reiser offer the best sealing integrity in the industry. Only Repak machines are constructed with two 4-point lifting stations, generating up to five metric tons of closing pressure for uniform forming and reliable sealing. No matter how complicated your package, Repak will produce it perfectly. For more information, contact Reiser today.



www.reiser.com

Reiser Canada Burlington, ON • (905) 631-6611



26



Annual seafood industry exhibition teeming with market growth opportunities

hile per-capita growth of fish and seafood consumption in North America is reported to have stalled somewhat in recent years, there is no denying that the world as a whole is eating more seafood protein than ever before—thereby offering significant business opportunities to innovative companies hoping to earn their share of the estimated US\$100-billion-plus global market for seafood products.

For many such companies, next month's annual Seafood Expo North America and Seafood Processing North America trade shows will provide a perfect forum for helping set their sights on the many important market and nutrition trends underpinning today's global seafood industry.

Taking place March 6-8, 2016, at the Boston Convention & Exhibition Center, this year's exhibitionsponsored by the National Fisheries Institute (NFI)—is already shaping up to surpass the recordbreaking numbers of attendees and exhibitors featured at the show a year ago.

According to the show's organizers Diversified Communications, last year's edition drew more than 20,680 seafood professionals to the three-day event, which featured more than 1,200 exhibitors showcasing a broad variety of fresh, frozen and valueadded seafood, processing and packaging equipment, and related services.

Now in its 36th year, the annual exposition—formerly called the International Boston Seafood Show and Seafood Processing America—is by far North America's largest seafood industry gathering, regularly attended by thousands of buyers and suppliers from around the world to meet, network and do business face-to-face in Boston.

According to show producers, the event draws representatives from all the key links in the seafood's global value chain, including buyers from restaurants, supermarkets, foodservice operators, catering firms, seafood markets, hotels, airlines and cruise lines, as well as importers, wholesalers and distributors.

According to Diversified Communications group vice-president Liz Plizga, this year's Seafood Expo North America & Seafood Processing North America promises to serve up even more business and networking opportunities, along with the latest in industry trends and market intelligence, for seafood professionals looking to expand their business in North America.



The state-of-the-art Boston Convention and Exhibition Center (above) will once again be the host venue for next month's Seafood Expo North America and Seafood Processing North America trade shows, March 6-8, 2016.

"It provides invaluable opportunities for seafood professionals to conduct business, to network, to see new industry trends, and to explore the latest in seafood products and technologies," says Plizga.

Notably, the 2016 edition will include a comprehensive conference program featuring more than 20 educational sessions—to be presented by top seafood industry experts providing attendees with informative, engaging and practical information for

The year's conference program is categorized into three main tracks:

- **Seafood Sustainability**
- Seafood Business & Marketplace
- Seafood Food Safety & Compliance

There are also many special events scheduled to take place right on the exhibit floor, including:

- The New Product Showcase, which will unveil a broad range of new seafood products ranging from salmon burgers and seafood chowders to breaded oysters, skewered prawns, salmon candy, shrimp toast, and many other enticing seafood in-
- The Seafood Excellence Awards ceremony, rec-

- ognizing and celebrating the best new seafood products in the North American seafood market. With contestants competing in two prestigious award categories-Best New Retail Product and Best New Foodservice Product-three seafood industry experts will judge the new product entries based on critical criteria such as uniqueness and appropriateness to the market, taste profile, packaging, market potential, convenience, nutritional value and originality.
- The new *Featured Products Showcase*, exhibiting a broad variety of pre-packaged, ready-to-eat and prepared meals offering a rich variety of salmon and tuna recipes, along with sauces and other condiments.
- The 10th annual Oyster Shucking Competition, featuring some of the continent's best shuckers using their own blades to shuck a combination of both Atlantic (crassotrea virginica) and Pacific (crassotrea gigas) oysters in an intense skill contest based on both speed and quality.

For more information on attending next month's Seafood Expo North America, please go to:

www.seafoodexpo.com/north-america \*

#### PACKAGING FOR DISTRIBUTION





## TUFF ENOUGH

Leading packaging supplies distributor hitting the road to broaden its Canadian market reach

ost companies may find it hard to be all things to all people, but **Veritiv Corporation** is not your average company.

Formed as a result of a 2014 merger between former business-to-business distribution rivals **Unisource Worldwide, Inc.** and the **xpedx** business of papermaking giant **International Paper Company**, the Atlanta, Ga.-headquartered Veritiv is a business colossus by any measure—employing approximately 8,900 people at 180 distribution centers across North America, generating approximately US\$10 billion in annual sales.

Serving customers across every major industry—including CPG (consumer packaged goods) manufacturing, food processing, retail and fulfillment—the company's business comprises five core complementary segments of print, publishing, facility management, logistics solution and, notably for our audience, packaging.

With the packaging segment accounting for nearly 30 per cent of the company's total annual revenues, Veritiv is naturally keen to solidify the leadership credentials of its **Unisource Canada** subsidiary, head-quartered in Mississauga, Ont.

#### THE OPEN ROAD

As part of its ongoing marketing initiatives, the company is literally taking its show on the road this coming summer with *The Complete Package Tour*, which will be held at select Unisource Canada facilities in Montreal and Toronto (late May and early June), followed by a stopover in Vancouver in late September.

According to Jay Funderburk, director of segment strategy and marketing for the company's **Strategic Packaging Solutions** business unit, Veritiv plans to use the occasion as an opportunity to demonstrate their end-of-line packaging machinery offering manufactured by the renowned Louisville, Ky.-head-quartered machine-builder **Lantech**.

The tour, along with the launch of Veritiv's private brand of *TUFflex* tapes and streatchwrap films, are two exiting events coming to Canada from Veritiv, as Funderburk told the *Canadian Packaging* magazine in a recent interview about the company's Canadian business prospects.



The TUFflex brand of tapes and stretchwrap films marketed by Veritiv Corporation covers a highly diverse range of industrial, acrylic and water-activated carton-sealing tapes, and comprises more than 70 different varieties of stretchwrap films to cover all manual and fully-automated applications.

#### What can our readers expect to see and learn from The Complete Package Tour?

Unisource Canada customers can expect to see how their current equipment performance matches up through benchmarking against industry standards. Our team will perform live demos—using the customers' own products if they like—to measure productivity and efficiency possibilities with Lantech load containment equipment, including:

- The model **Q-400XT** model stretchwrapper with the **EZ Weigh** integrated scale, which is built into the frame of the stretchwrapper for easy verification of every load for quality and freight costs. By weighing each load, customers can ensure they are being charged correctly, thereby helping to lower transportation costs;
- The model *C-300* case erector, featuring unique pick-up frame combined with precision infeed system to create 'square' cases without annoying

- and disruptive jams;
- The model CS-300 case-sealer, which is a safe, easy-to-use, fast set-up machine handling most commonly used case types and sizes at speeds of up to 30 boxes per minute.

#### What is it about Lantech equipment that warrants its role as a star of the show?

As the acknowledged inventor of stretchwrapping equipment, Lantech produces field-tested packaging machines to help customers reduce costs through less labor, material waste and product damage, while increasing efficiency through faster speeds.

At Veritiv, we integrate Lantech equipment with our products and services to develop innovative solutions that organize, protect and enhance value.

How long has the TUFflex brand name been around and what differentiates it from other branded tapes and



Jay Funderburk is the director of segment strategy and marketing for the Stategic Packaging Solutions business of Veritiv Corporation.

#### films in the marketplace?

Our *TUFflex* brand is a comprehensive line of high-quality packaging essentials that delivers enduring performance, maximum efficiency and unmatched value, with our wide variety of tapes and films supporting most packaging applications.

While relatively new to the Canadian marketplace, the *TUFflex* brand has been around for more than 15 years in the U.S., and Veritiv looks forward to building on the brand recognition that has already been created there.

#### Who actually manufactures the TUFflex brand products for Veritiv?

Veritiv has partnered with some of the top manufacturers of tape and stretch film in North America to provide high-quality products that are equivalent to national brands. Our tape line includes carton sealing tape—including acrylic and hot-melt in hand and machine lengths-water activated tape, masking, filament and flatback tape. Customers can choose from a variety of types, thicknesses, and quality tiers to find a tape that will work best for their packaging application. For its part, the TUFflex stretch film line includes more than 70 different SKUs (stock-keeping units) with multiple performance levelsavailable in both hand and machine film versions.

#### Are there any other packaging products that may be added to this brand name in the future?

Our *TUFflex* products are part of what we call 'Packaging Essentials,' meaning that additional categories could include any products that are typically found in the majority of our customers' locations.

Veritiv is continually evaluating product category additions, and we have plans to launch additional products in the near future.

#### What kind of customers are you targeting with the TUFflex brand?

Typical end-users of Veritiv's TUFflex



Manufactured by Lantech, the model CS-1000 (*left*) and the CS-300 case-sealing systems can run the full gamut of TUF-flex industrial tapes to suit specific application requirements, while Lantech's Q-400XT stretchwrappper is a fully-automated system equipped with an integrated weighscale to ensure optimal load accuracy.

products could be literally any of our customers—from a pharmaceutical or medical device manufacturer who needs to seal cartons and bundle them on a pallet, to a fulfillment house that uses water-activated tape to protect the packages they are shipping from pilferage.

Our main message is that *TUFflex* is a brand our customers can count on to get the job done. The *TUFflex* products will work with any type of equipment—automated or manual—as long as the product used meets the specifications needed for the application.

#### What has been the customer response to the TUFflex product range so far?

We are excited that Veritiv customers have been very pleased with the *TUFflex* products, and that they are satisfied with the offering, performance and availability. Notably, they have also been asking when Veritiv will be adding additional product lines to the brand.

That said, what are the expectations for the

#### growth of this brand in the Canadian market?

With our packaging sales professionals at Unisource Canada leading with the *TUFflex* brand when they are selling out in the marketplace, our outlook for the *TUFflex* line is very strong, with high expectations for exponential growth.

We also look forward to expanding the product lines over the next few years to cover all the essential packaging elements needed by our customer base.

When our customers team up with Veritiv and *TUFflex*, they team up with a Veritiv packaging expert who will work alongside them to seamlessly implement products and services that shape success for their business.

For More Information:	
Unisource Canada (A Veritiv company)	422
Lantech	423





A close-up view of Schubert's fully-automated TLM packaging line at the International Delights production facility in Clifton, N.J., shows the model F4 and model F4 pick-and-place robots gently placing the freshly-made croissants onto the conveyor belt at pre-determined intervals at throughput speeds of up to 180 pieces per minute.

## A DELIGHTFUL ENDEAVOR

Successful pastries producer keeps up with changing market requirements with high-performance flexible packaging automation solution

ounded in 1986 as a small pastry shop in New York City's famed Greenwich Village neighborhood, **International Delights** has more than lived up to its name since the early days.

Nowadays ranking as the leading manufacturer of baked goods in the New York region, the privately-owned bakery today employs 250 people at its busy, 170,000-square-foot production facility in Clifton, N.J., selling fresh, pre-baked and frozen baked goods to large hotels, convention centers, and supermarket chains in New York and the surrounding area.

A little over a year ago, company owner Spiro Sayegh made a decision to install a new production line to handle a whole new packaging format to respond to new customers' requests for more packaging variety.

After looking at all available equipment and machinery options for his needs, he ultimately settled on the innovative, flexible automation technology solutions developed by leading German packaging automation group **Gerhard Schubert GmbH**.

True to their word, Gerhard Schubert quickly proved to be the perfect partner for the undertaking—working closely with the customer to develop an ideal solution for producing pastry and for individually packing croissants and Danish pastries into a broad range of packaging formats with extremely gentle product handling.

With Schubert sales engineer Giorgio Calorio taking over the responsibility for the project and directly communicating with Sayegh on its progress, Schubert engineers developed nine different layouts and approaches before selecting the final ideal solution—the highly flexible, robotics-assisted *TLM* turnkey system that is very gentle on the product, that can also be used at any time for other products and tray formats.

For the most part, space requirements, ease-of use,



While the newly-installed TLM packaging line is used primarily to pack croissants and danish pastries in two different tray sizes, it can be adjusted for use with other products and tray formats via a quick product changeover.

and considerations regarding possible future products and packaging played an important role in the line's development.

As Calorio recalls, the need for a new line was driven by the company's strategic decision to expand its client base to the larger grocery retail chains.

#### **BIGGER PICTURE**

Prior to that, International Delights primarily sold its baked goods to restaurants and bars as fresh products, which were simply placed in plastic bags and then inserted inside corrugated boxes for transportation.

As is quite common with North American companies, the machines for manufacturing and packaging products were developed simultaneously.

Both the space requirements for the Schubert system and the packaging process itself, including packaging speed, had to be altered several times in the project design phase to adapt to changing parameters of the manufacturing process.

Ultimately, all this work paid off with the startup of a highly flexible line that receives the products such as croissants, danish pastries and *pains au chocolat*, from the cooling or freezing coils and places

them on a conveyor belt at pre-determined intervals.

From there, the *TLM* line's three *F4* pick-and-place robots feed the product into a fully-automated flowwrapping machine, with other robot dispensing the packaged baked goods onto two conveyor belts.

The dual-lane transport reduces the belt speed of the line, Calorio explains, so that a large amount of product can be packaged in a gentle manner.

After the *F2* and an *F3* robots form the trays, the *F3* robot takes the flat-lying tray blanks from the magazine and transfers them to the *F2* robot, which leads the blanks over gluing nozzles, presses the blank through the folding unit, and sets the finished erected carton trays onto a *TLM Transmodule* transporter.

Two *F44* robots then fill the cardboard trays with the products packaged in flowwrap bags or, when required, unpacked.

Working with two different packing formats for the single-layer six- and 12-packs—the latter containing two layers of six products each—the fully-automated line uses another two *F2* robots working together to close the flaps just prior to palletizing.



International Delights owner Spiro Sayegh (right) talking to Schubert sales engineer Giorgio Calorio in front of the fully-automated TLM line assembled at Schubert's manufacturing facility in Crailsheim, Germany.

According to Calorio, the system concept was designed so that the packaging of the products could either be changed to clamshells (thermoformed plastic trays) or plastic boxes (for supplying to restaurants).

"This flexibility enables the customer to save space and quickly adapt to changing market requirements," he explains, "without having to purchase a new machine every time those requirements change.

"This is especially important in the baked goods sector, where retailers need to offer something new practically every month in order to survive against the competition," Calorio points out.

#### **GET A GRIP**

Through a combination of the Schubert scanner with the gripper system, the system combines gentle product with optimal quality control.

"This is especially important considering the variable size of the baked goods," Calorio adds.

"During cooling after the baking process, which takes about an hour, the volume of goods can be difficult to control with reliable precision.

"But the system's scanner recognizes if the product is markedly too large, too small or otherwise defective, and will not signal the product to the robot, so that its grippers will not pick it up.

"But the products with only minor variations, and still falling within the specified tolerances, can be picked up, since the scanner reports their exact shape, size and position."

Calorio points out that careful product handling is of decisive importance—especially for croissants—since little pieces can easily break off if they're roughly handled, or if excessive gripper pressure disfigures them out of shape.

Like all Schubert systems, the TLM packaging line at the Clifton bakery stands out with its clear design and layout, ease of access and ease of use, he notes, along with following performance highlights:

Flexibility to handle three different products, specifically two types of crois-


sants and a danish pastry;

- Robust throughput speeds of up to 180 products per minute;
- Ability to handle different tray sizes;
- Fast product changeover—depending on the format—requiring from two to a maximum of 30 minutes.

"The planning and implementation of this customized system was only possible thanks to very close collaboration between International Delights and the Schubert project team," Calorio relates.

Since the baking and packaging processes were developed in parallel, Schubert employees spent several days on-site to assess product characteristics immediately after the cooling process.

"This ensured that the handling of the products throughout the packaging process met with the customer's high standards and left nothing to chance," he says, adding the process took approximately one year to



The combination of gripping systems with a Schubert scanner enables gentle product handling with good quality assurance.

complete.

According to International Delights, it was a year very well-spent.

"Schubert has successfully proven that it understands the baking business and that it is highly attentive to our needs at all times when developing a line for us," says company owner Sayegh.

"Thanks to their expertise, we have achieved an allnew level of innovation with its flexibility, its adaptability to changing market requirements, and its gentle product handling.

"It is a true milestone for our operation," he concludes, "and yes, we are already talking about the next Schubert line."





FOR MORE INFORMATION CIRCLE 119

## We also dispense Peace of mind.





## Advanced technology



Our tankless melters fill themselves.

Our SureBead® applicators unclog themselves.

Our Spectra® pattern controls troubleshoot themselves.

Our training programs and product manuals are available in a growing variety of languages.

But sometimes bad things happen to good equipment. That's why we have a global network of customer service support available around the clock, 365 days a year. Our large inventory of ready-to-ship replacement parts are housed in a growing network of warehouses around the world, meaning they can be shipped to your plant quickly – keeping downtime to a minimum.

Unrivaled global customer support.

#### **nVest for Success**

Get the complete package with the lowest total cost of ownership.

To learn more, contact your Nordson representative, or call (800) 463-3200.

#### www.nordson.com/hotmelt



/NordsonAdhesiveSystems



/Nordson\_HotMelt



/NordsonAdhesiveSyst



### 2016

#### Packaging Machinery Specifications Manual



#### **HOW TO USE THIS MANUAL**

- Check the list of packaging machinery headings to discover the heading which addresses your packaging needs.
- Under each heading appear the names of manufacturers who supply packaging machinery to the Canadian market. Manufacturers are listed alphabetically.
- Following the name of the manufacturer is a notation indicating a Canadian supplier, if one exists.
- Under the name of the manufacturer is a list of the machinery that the firm produces for that packaging application. A capsule description of speeds, sizes, materials handled, packaging materials, special features, etc., is included to help you identify packaging machinery that might be of interest to you.
- To contact a manufacturer, or a Canadian representative, turn to the section immediately following the list of manufacturers. There you will find an up-to-date list of addresses, including phone and fax numbers, to which you can forward your inquiry.

#### **MACHINERY CATEGORIES**

Line Integrators	.34
Automation Devices	.38
Aseptic Packaging	.44
Bag Packaging: Closing, Sealing	.44
Bag Packaging: Opening	.45
Bandstretch	.45
Barcoding & Barcode Scanning Equipment	.45
Blister Packaging	.45
Blowmolding	
Bottle Capping, Sealing	
Bottle Cleaners	.47
Bottle Drying	.47
Cartoning	.47
Case Packaging	.50
Checkweighing	
Coding, Marking, Imprinting	
Cold Glue Applicators	
Combination: Multi-Head Weighing	
Controllers: Logic	
Conveyors	.56
Dispensing	.59
Filling:	
• Dry Products	.59
Liquid Products	.60
Non-free-flow	.63
Semi-liquids	.63
Form/Fill/Seal	.63
Hot-Melt Applicators	64
Labeling	.64
Leak Container Inspection Systems	67
Metal Detectors	67
Modified Atmosphere Packaging	.68
Orienting & Unscrambling	.68
Palletizing	.69
Placing	69
Scanning	.70
Shrinkwrapping	70
Skin Packaging	71
Strapping	.72
Stretch Film Bundling	72
Stretchwrapping	72
Tamper-Evident Banding	73
Temperature Measurement	74
Thermoforming	74
Tray Sealing	74
Vacuum Packaging	.74
Wrapping	
Wrapping (automatic bundling)	76
X-Ray Inspection	

### LINE INTEGRATORS

#### ABBEY PACKAGING EQUIPMENT LTD.

5030 South Service Rd Burlington ON L7L 5Y7
Tel: 905-681-3010 Fax: 905-681-3018
President: Robert McNaught

Year Established as a Packaging Line Integrator:

Services Offered: A complete Sales and Service provider for a select group of specialized equipment manufacturers. Planning, project management, radiation safety training, installation & commissioning, on-site operator and maintenance training, technical services, after hours support, field service support, preventative maintenance training, calibration and certification, spare parts inventory.

Markets/Industries Served: Food Products, Pharmaceutical, Beverage, Industrial/Chemical

#### AESUS PACKAGING SYSTEMS, INC. (IN CANADA: ROSS PACKAGING, DELTA, BC)

188 Oneida Ave Pointe-Claire QC H9R 1A8

Tel: 514-694-3439, Ext 224 Fax: 514-694-4107

President: Daniel Lachanelle

Head of Manufacturing/Engineering: Martin Ladouceur Year Established as a Packaging Line Integrator: 1995

**Services Offered:** OEM of packaging machinery. Be it stand alone or fully integrated lines.

Markets/Industries Served: Medical Device, Pharmaceutical, Nutritional, Vitamin, Cosmetic, Personal Care, Food, Beverage, Industrial, OEM

#### ALEX E. JONES & ASSOCIATES LTD.

8-785 Pacific Rd Oakville ON L6L 6M3
Tel: 905-847-0166 Fax: 905-847-0123
President: Paul Duke

Year Established as a Packaging Line Integrator: 1976

Services Offered: Sales and Service of "Best In Class" Fillers, Cappers, Labellers, VFFS, Scales, Cartoners, Case Packers, and Palletizer's.

Markets/Industries Served: Food & Beverage, Pharma, Industrial, Chemical, Health and Beauty.

#### ARPAC LLC

9555 W Irving Park Rd Schiller Park IL 60176 USA Tel: 847-678-9034 Fax: 847-671-7006 President: Rick Allegretti

Head of Manufacturing/Engineering: Howard Dittmer Year Established as a Packaging Line Integrator:

Services Offered: 0EM with full line integration.

Markets/Industries Served: Food, beverage, dairy-ice cream, consumer goods, building products, pharmaceutical, industrial products.

#### ATS - TANNER BANDING SYSTEMS INC.

A-2390 Wyecroft Rd Oakville ON L6L 6M8 **Tel:** 905-815-9999 **Fax:** 905-815-0443

Year Established as a Packaging Line Integrator:

**Services Offered:** Sales and support for ATS Banding Machines and Systems

Markets/Industries Served: Canada

#### **B&T SALES INC**

42 Crawford Dr Ajax ON L1S 3A8 **Tel:** 905-426-1668 **President:** Manfred Vogler

Year Established as a Packaging Line Integrator: 1998

Services Offered: Packaging & Processing Systems

Markets/Industries Served: Food, Beverage & Chemical Industries

#### BANDING SYSTEMS

289 Broadway St Orangeville ON L9W 1L2 Tel: 866-779-1492 Fax: 416-479-0787 President: JP Perreault

Head of Manufacturing/Engineering: PS Paul Slipper Year Established as a Packaging Line Integrator:

Services Offered: Bandall is a patent technology that eliminates the need for pressure-sensitive labeling on your products by securing a 360 degree band around the package of the product. The banding material is available in plain or printer paper or plastic film and will allow your products to stand-out and get noticed! The system is used in 2 main applications: replacing a paper sleeve or PS label or to bundle products together for club packs. Systems are available as stand-alone units or can be fully automated to band over 160 ppm. Banding Systems will design, install, and commission the system that is right for any size of application.

**Markets/Industries Served:** Food and Beverage, Pharma, Industrial, Health and Beauty, Graphics, Logistics etc.

#### BEST PACKAGING SYSTEMS

1-8699 Escarpment Way Milton ON L9T 0J5 **Tel:** 905-864-3005 **Fax:** 905-864-6245

President: Dave Sweetland Year Established as a Packaging Line Integrator: 1987

Services Offered: 24-7 service all make Pallet Wrappers, 3M Case Sealers

3M Case Sealers

Markets/Industries Served: Food, Pharmaceuticals

#### BIVANS CORPORATION

2431 Dallas St Los Angeles CA 90031 USA
Tel: 323-225-4248 Fax: 323-225-7316
Year Established as a Packaging Line Integrator:

Markets/Industries Served: Worldwide: Pharmaceutical,

Medical device, Nutraceuticals, Cosmetics, Personal care, Contract packagers, Automotive, Hardware, Snacks/candy

#### BRADMAN LAKE INC.

3050 Southcross Blvd Rock Hill SC 29730 USA **Tel:** 704-588-3301 **Fax:** 704-588-3302

President: Gary Pickett

Year Established as a Packaging Line Integrator: 1969

**Services Offered:** The Bradman Lake Group is synonymous with providing innovative packaging solutions to a global client base; a client base that demands a partner to go 'above and beyond' to help them excel in today's competitive markets.

By integrating our three key brands - Autowrappers, Bradman Lake and Europack - we are a major supplier of packaging technology to the Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods, Dry Foods, Consumer and Healthcare industry sectors.

From distribution and feeding systems to flow wrapping, carton erection, loading and closing and end-of-line options of case packing and shrink wrapping, time after time many leading companies place their trust in Bradman Lake technology.

At our three factories; in the UK, Beccles and Bristol and South Carolina in the USA, research and development teams strive to ensure Bradman Lake technology remains at the forefront of innovation

The group has one clear aim - to maximise clients' profitability by utilising the most cutting edge technology available. With decades of experience and many thousands of installations to our credit, whether the requirement is for a single machine or a totally integrated solution, Bradman Lake makes the ideal partner.

Bradman Lake is a wholly owned subsidiary of the multidisciplined global UK engineering group Langley Holdings plc. www.langleyholdings.com

Markets/Industries Served: Bakery, chocolate & confectionary consumer & healthcare frozen & dry foods

#### **CAM PACKAGING SYSTEMS**

3-226 Industrial Parkway N Aurora ON L4G 4C3 **Tel:** 905-737-5400

Head of Manufacturing/Engineering: Mike Potts Year Established as a Packaging Line Integrator: 2008

Services Offered: Robotics integration, systems integration, custom machinery manufacturing, automatic feeding solutions, material supply & recommendation to ensure low individual package costs while maximize machinery capabilites. Unique software monitoring solutions for complete lines; CAM InSite

**Markets/Industries Served:** Food, beverage, industrial, horizontal & vertical form fill and seal, primary and secondary packaging systems including end of line solutions.

#### CAPMATIC LTD.

12180 boul Albert-Hudon Montréal-Nord QC H1G 3K7 **Tel:** 514-322-0062 **Fax:** 514-322-0063

Tel: 514-322-0062 Fax: 514-322-President: Alioscia Bassani

Head of Manufacturing/Engineering: Loris Bassani Year Established as a Packaging Line Integrator: 1964

1964 Services Offered: Full turnkey operations in high quality & efficient packaging lines.

Markets/Industries Served: Diagnostics/Bio-Medical, Sterile, Aseptic, Pharmaceutical/Nutraceutical, Cosmetics Health & Beauty Care, Food/Beverage, Industrial/Chemical

#### CHARLES DOWNER & CO. LTD.

7-52 West Beaver Creek Richmond Hill ON L4B 1L9
Tel: 905-882-2222 Fax: 905-882-0437
President: Jeff Downer

President: Jeff Downer

Year Established as a Packaging Line Integrator: 1977

**Services Offered:** Planning, equipment supply, installation commissioning, training,parts,service, preventative maintenance programs

Markets/Industries Served: ALL

#### DELKOR SYSTEMS, INC. (IN CANADA: ABBEY PACKAGING EQUIPMENT LTD)

4300 Round Lake Rd W St. Paul MN 55112 USA **Tel:** 651-348-6700 **Fax:** 651-348-6705

President: Dale Andersen

Head of Manufacturing/Engineering: Kurt Kern Year Established as a Packaging Line Integrator: 1973

Services Offered: Packaging Machinery & Supplies Markets/Industries Served: Flexible pouches case packed into shelf ready packaging (SRP) and standard shippers. Rigid bottles, cups, tubs, sleeves packed into cartons, cases, or shrink-bundled packaging (pad or tray). Combination lines (case/tray/pad-shrink).

Food, dairy, beverage, snack foods, confectionery.

#### DESCON CONVEYOR SYSTEMS

1-1274 Ringwell Dr Newmarket ON L3Y 9C7
Tel: 905-953-0455 Fax: 905-953-1335
Voor Established as a Packaging Line Integral

Year Established as a Packaging Line Integrator:
1993
Services Offered Project consultation, mach & controls

**Services Offered:** Project consultation, mech. & controls design engr., controls programming, sys. integration, project mgmt., custom mfg., mechanical & electrical installation, plant layout & design, spare parts.

**Markets/Industries Served:** Soft drink, water, spirits, brewing, food, manufacturing, container manufacturing.

#### DJS ENTERPRISES

6-2700 14th Ave Markham ON L3R 0J1 **Tel:** 905-475-7644 **Fax:** 905-475-7645

President: Darrell Shulman

Year Established as a Packaging Line Integrator: 1991

Services Offered: DJS Enterprises buys and sells New,
Used and Reconditioned Process and Packaging Equipment for
the Pharmaceutical, Vitamin, Food and Confectionery Industries.

Markets/Industries Served: Process and packaging
equipment to the pharmaceutical, vitamin, herbal, food,
confectionery, and cosmetic industries.

#### **ECKERT MACHINES INC.**

General Industrial.

3841 Portage Rd Niagara Falls ON L2J 2L1
Tel: 905-356-8356 Fax: 905-356-1704
President: Paul Eckert

Year Established as a Packaging Line Integrator:

Services Offered: Canadian Sales Representative Company representing manufacturers of equipment for the food processing. industrial and packaging industry.

Markets/Industries Served: Food Processing Industry,

#### FORTRESS TECHNOLOGY INC.

51 Grand Marshall Dr Scarborough ON M1B 5N6 **Tel:** 416-754-2898 **Fax:** 416-754-2976

Year Established as a Packaging Line Integrator: 1996

Services Offered: Metal Detector Solutions, Product Testing, Custom Applications, Contaminant Risk Consultation, Preventive Maintenance Inspections, Pre-Audit Inspections, Operator Training

Markets/Industries Served: Bakery, Beverage, Carpet, Cereal, Chemicals, Confectionery, Corn, Diary, Flour, Fresh Food, Frozen Food, Grains, Jam, Juice, Meat, Nut Butters, Nutraceutical, Nuts, Packaged Products, Paper, Paste, Pharmaceutical, Plastics, Powder, Prepared Meals, Rice, Rubber, Sauces, Sausage, Sugar, Textile, Wood

#### **GENERAL CONVEYOR CO. LTD.**

155 Englehard Dr Aurora ON L4G 3V1 **Tel:** 905-727-7922 **Fax:** 905-841-1056

President: William A Rickard Services Offered: Systems integration

Markets/Industries Served: Food, personal care, pharmaceutical, beverage, irradiation, plastics, and warehousing mkts.

#### HARLUND INDUSTRIES LTD.

101-17973 106th Ave Edmonton AB T5S 2H1 **Tel:** 780-484-4400 **Fax:** 780-484-3646

**Year Established as a Packaging Line Integrator:** 1982

**Services Offered:** We fully service and support the products we sell with Factory Trained Technicians. Our support facilities are located across Canada.

Markets/Industries Served: Food & Beverage, Wire/
Cable, Automotive, Agriculture, Building Materials,
Pharmaceutical, Confectionary, Co-Packers. Any Industry that
Manufactures any type of product requiring Codes and Package
Identification.

#### HARPAK-ULMA PACKAGING, LLC

T75 John Quincy Adams Rd Taunton MA 02780 USA Tel: 508-884-2500 Fax: 508-884-2501 President: Charles Harlfinger

Year Established as a Packaging Line Integrator:

Services Offered: Complete integration services of HUP and ancillary/secondary equipment.

Markets/Industries Served: Foods, meats, medical, meals.

#### HEAT AND CONTROL CANADA, INC.

13-1111 Franklin Blvd Cambridge ON N1R 8B5
Tel: 519-623-1100 Fax: 519-623-1052
Year Established as a Packaging Line Integ

Year Established as a Packaging Line Integrator: 1950

Services Offered: Machinery for weighing, checkweighing, metal detection, X-ray inspection, snack bag making, conveying, accumulation, coating & seasoning, blending, sorting, tray sealing, container filling, packaging; Control & information management systems; Spare parts, service, installation, engineering and training; Machinery demonstrations; Food processing machinery systems.

Markets/Industries Served: Food, pharmaceutical, non-food products.

HIBAR SYSTEMS LIMITED (IN CANADA: INOX PUMPS & PROCESS - DIV. OF HURRICANE PUMP DISTRIBUTON INC, SAINT-LAURENT. QC)

35 Pollard St Richmond Hill ON L4B 1A8 **Tel:** 905-731-2400 **Fax:** 905-731-6035

Year Established as a Packaging Line Integrator: 1974

Services Offered: Precision Dispensing Pumps, Semi Automatic Filling Systems, Automatic Inline Filling Systems, Automated Assembly Equipment, Special Purpose Filling Systems

Markets/Industries Served: Pharmaceutical, Food & Beverage, Cosmetic, Consumer Products, Automotive, Chemical Technical, Battery

#### IMA SYSTEMS

12-185 Advance Blvd Brampton ON L6T 4Y3 Tel: 905-458-8182 Fax: 905-458-0758 President: Wayne Wood

Year Established as a Packaging Line Integrator: 1076

Services Offered: We provide engineered solutions for adhesive and sealant applications, with in house manufacturing capabilities to customize equipment to meet specific customer requirements. Full sales and service support, installation and training services, supported by parts and equipment inventory.

Markets/Industries Served: Industrial, manufacturing, packaging, product assembly applications that require adhesive or sealant applied in a controlled, automatic or manual manner.

#### IMPAK PACKAGING SYSTEMS INC.

4-445 Milner Ave Scarborough ON M1B 2K4
Tel: 416-299-0960 Fax: 416-299-9566
President: Chris Tremblav

Year Established as a Packaging Line Integrator: 1995 Services Offered: Packaging Machine Sales Service Parts

Services Offered: Packaging Machine Sales, Service, Parts & Installation, Stretch Wrapper Sales, Service, Parts & Installation

Markets/Industries Served: Manufacturers; Distributors; Wholesale; Retail

#### JG PACKAGING

92 Henderson Dr Whitby ON L1N 7Y8 Tel: 905-430-7647 Fax: 905-430-3435

Year Established as a Packaging Line Integrator:

Services Offered: Sales and service of packaging equipment.

Markets/Industries Served: Food, Confectionary, Way range of Manfacturing Companies

#### KLIKLOK-WOODMAN (IN CANADA: PROPACK PROCESSING & PACKAGING SYSTEMS INC.)

5224 Snapfinger Woods Dr Decatur GA 30035 USA **Tel:** 770-981-5200 **Fax:** 770-987-7160

President: Peter Black

Year Established as a Packaging Line Integrator: 1947

Services Offered: KW supplies vertical form-fill-seal bagmakers and weighers; topload, endload and wraparound cartoners; product handling and indexing machines; and specialized machinery. KW's installation base is more than 20,000 machines in operation in more than 80 countries. Contact KW at KWMarketing@kliklokwoodman.com or at (770) 981-5200, or visit our website at www.kliklokwoodman.com Markets/Industries Served: Kliklok-Woodman is a leading international supplier of packaging machinery to the bakery, snack food, frozen food/ prepared foods, cereal and industries requiring related technologies.

#### LANGEN PACKAGING INC.

6154 Kestrel Rd Mississauga ON L5T 1Z2

Tel: 905-670-7200 Fax: 905-670-5291
Year Established as a Packaging Line Integrator: 1956

Services Offered: Langen Group provides reliable and robust packaging machinery solutions for high-speed product collation, cartoning, case packing and palletizing.

Markets/Industries Served: Food and beverage, Consumer goods, Personal care and cosmetics.

#### MARKEM-IMAJE INC.

5448 Timberlea Blvd Mississauga ON L4W 2T7

Tel: 800-267-5108
Services Offered: Extended Warranties, On-Site or In-House Training, Preventive Maintenance
Markets/Industries Served: Food, Beverage, Dairy,

#### Pharmaceutical, Packaging, Extrusion, Aerospace, Automotive.

**MASSMAN AUTOMATION DESIGNS, LLC** 1010 E Lake St Villard MN 56385 USA **Tel:** 320-554-3611 **Fax:** 320-554-2650

President: Jeff Bigger Year Established as a Packaging Line Integrator:

Services Offered: Case Packers of all types, Gantry and Robotic Palletizers, Cartoners, Product Placers, Timing Gates, Flexible Pouch Form, Fill, and Seal machines, Net Weight Liquid Fillers, Tin Tiers of bagged product, Coilers of hose and cable products, and twist tiers.

Markets/Industries Served: Dairy, Food & Beverage, Consumer Products, Filter Manufacturing, Paint & Chemical

#### MATTHEWS MARKING SYSTEMS

6515 Penn Ave Pittsburgh PA 15206 USA **Tel:** 800-775-7775 **Fax:** 412-665-2550

Year Established as a Packaging Line Integrator: 1850 Services Offered: Drop on Demand Valve Ink Jet, High

Resolution Piezo Ink Jet, High Resolution Thermal Ink Jet,
Thermal Transfer, Contact Printing, Custom Solutions,
Continuous Ink Jet, Laser Marking, Inks.

Markets/Industries Served: Consumer Packaged Goods,
Food, Beverage, Medical, Pharmaceutical, Automotive,

#### MECANO INDUSTRIES

1570 rue Nationale Terrebonne QC J6W 0E2

Electronics, Plastics, Building Products, Glass, Metals

Tel: 450-961-1228 Fax: 450-961-1200

President: Raymond Gingras

Head of Manufacturing/Engineering: Mark Beatty Year Established as a Packaging Line Integrator: 1981



- PHIN Labellers
- Container Decorating & Handling Solutions
- Packaging Equipment
   Performance Evaluations
- Assessments, Ideas, Integration
- Overhauls, Maintenance

## Production and packaging... It's what we do.

Machine builders and integrators who focus on Reliability!...BIG TIME

CALL US TODAY.



Made in Canada

www.spsphin.com

## LINE INTEGRATORS

Services Offered: Mechanical and Electrical engineering, custom and standard packaging machinery or system design, Installation and service, complete turn key solutions. Markets/Industries Served: Food and Beverage, consumer goods, pharmaceutical, electronic and many others.

#### NEWMAPAK LTD.

1015-A Edouard-VII St-Philippe QC J0L 2K0 Tel: 877-866-5572 Fax: 450-635-3611 President: Robert Kucev

Year Established as a Packaging Line Integrator:

Services Offered: Designs & manufactures conveyors system, offering conveyor pre-wiring, control panel line and system integration

Markets/Industries Served: Wine, Spirit, Beer, Juices, Food, Pharmaceutical

#### **NJM PACKAGING**

5600 rue Kieran Saint-Laurent QC H4S 2B5 Tel: 514-337-6990 Fax: 514-335-0801

Year Established as a Packaging Line Integrator:

Services Offered: Packaging and labeling equipment for the Pharmaceutical, Biotech, Cosmetic, Personal Care, Food and Chemical industries

Markets/Industries Served: Pharmaceutical, Nutraceutical, Vitamin, BioTechnology, Cosmetic & Personal Care,

Food and Household Chemical Industries & Contract Packaging

#### OMEGA DESIGN CORP. (IN CANADA: PACKAGING **EQUIPMENT SOLUTIONS INC.)**

211 Philips Rd Exton PA 19341-1336 USA Tel: 610-363-6555 Fax: 610-524-7398

Year Established as a Packaging Line Integrator:

Services Offered: Integration of equipment for Serialization Markets/Industries Served: Pharmaceutical. Nutraceutical, food, beverage, chemical

#### PLAN AUTOMATION INC.

Contract Packagers

289 Broadway Ave Orangeville ON L9W 1L2 T el: 416-479-0777 Fax: 416-479-0787

President: Jean-Pierre Perreault Year Established as a Packaging Line Integrator:

Services Offered: PLAN Automation's primary focus is in assisting clients implement quality downstream Package Automation and Food Safety Inspection Solutions. We offer comprehensive planning, organizing, procurement, and management of resources to achieve these goals.

PLAN provides this service at no expense to our clients and only benefits if we are successful within our own sponsored bids. Ultimately our process is totally transparent and provides clients with our years of packaging automation expertise for risk management and effective project execution.

NO CHARGE - What PLAN Offers Your Company:

- \*\*\* PROJECT INITIATION | ANALYSIS / BID BUILDING \*\*\* 1) Co-development of URS (User Requirement Specifications) and scope of work (aka rfq) / clear definition of project - production
- objectives 2) Co-development of project risk analysis
- 3) Line Layout Mechanical Plan View Drawings | establish physical installation parameters
- 4) Multi-vendor sourcing I qualify vendors based on established project needs and thresholds.
- 5) Evaluation Matrix I full due diligence analysis of vendor capability, financial risk analysis (DB), system technological

#### \*\*\* BID EXECUTION \*\*\*

1) Centralized project financial responsibility I single purchase contract based on total vendor individual selection

2) Development of packaging specifications in association to each individual machine efficient requirements

3) Contract development including by example I late delivery penalties, efficiency guarantees, operational "cost-ofownership" limitations

Markets/Industries Served: Agricultural, Bakery, Dairy, Food and Beverages, Meat and Poultry, Fish and Sea Food, Nutraceutical, Personal Care, Pharmaceutical

PPI TECHNOLOGIES GROUP (IN CANADA: CHARLES DOWNER & CO., LTD, RICHMOND HILL, ON; AESUS PACKAGING SYSTEMS, POINTE CLAIRE, QC)

1610 Northgate Blvd Sarasota FL 34234-2114 USA **Tel:** 941-359-6678 **Fax:** 941-359-6804

President: Stuart C Murray

Head of Manufacturing/Engineering: Tom Richard Year Established as a Packaging Line

Integrator: 1996

Services Offered: Integrate pouch, machinery and endof-line systems

Markets/Industries Served: Food, beverage, chemical, personal care

#### R.E. MORRISON EQUIPMENT INC.

21-3615 Laird Rd Mississauga ON L5L 5Z8 Tel: 905-828-6301 Fax: 905-828-3674

President: Ray Ralph Year Established as a Packaging Line

Integrator: 1985 Services Offered: Modular preassembled bottle drying

sys to dry bottles/cans prior to labeling or coding Markets/Industries Served: Bottle and can packaging, food packaging

#### REISER (CANADA) CO.

4-1549 Yorkton Crt Burlington ON L7P 5B7 Tel: 905-631-6611 Fax: 905-631-6607

Head of Manufacturing/Engineering: Garry Taylor Year Established as a Packaging Line Integrator: 1959

Services Offered: For more than 50 years, Reiser has been a leading supplier of processing and packaging equipment solutions for the sausage, meat, poultry, seafood, prepared food, bakery and cheese industries. During that time, the company has gained recognition for its high-quality equipment, innovative engineering, and outstanding service and support. Today, this total commitment to its customers positions Reiser as the one supplier that processors can trust for better, smarter solutions.

Markets/Industries Served: Sausage, meat, poultry, seafood, prepared food, bakery, cheese and produce

#### **RJP PACKAGING**

3317 Mainway Dr Burlington ON L7M 1A5 Tel: 905-319-7562 Fax: 905-335-6734 **President:** Ray Perry

Year Established as a Packaging Line

Integrator: 2000 Services Offered: Field service for all types of V.F.F.S.

and scales

Markets/Industries Served: All

#### SCHNEIDER PACKAGING EQUIPMENT CO., INC. (IN CANADA: GARTH DANGERFIELD)

5370 Guy Young Rd PO Box 890 Brewerton NY 13029-0890 USA Tel: 315-676-3035 Fax: 315-676-

President: Rick Schneider

Head of Manufacturing/Engineering: Peter Squires Year Established as a Packaging Line Integrator: 1970

Services Offered: Design and manufacture of a complete line of case packers, cartoners, case sealers, tray packers and robotic palletizing systems which easily integrate with coding/labeling equipment, code readers, check weighing and stretch/shrink wrapping equipment.

Markets/Industries Served: Food, beverage, tissue, paper, pharmaceutical, plastics, replication (CD/DVD), industrial and personal care industries

#### SESOTEC CANADA LTD.

114-7 Grand Ave S Suite 100 Cambridge ON N1S 2L3 Tel: 519-621-6536

Year Established as a Packaging Line Integrator: 1979

Services Offered: Sales and Service of Sesotec Metal Detection, Magnetic Separation, X-ray Inspection, and Optical Sorting Systems

Markets/Industries Served: Serving the Food, Pharmaceutical and Plastics Industries

#### SHAWPAK SYSTEMS LTD.

8-785 Pacific Rd Oakville ON L6L 6M3 **Tel:** 905-847-0122 **Fax:** 905-847-0123 President: Nigel Turnpenny

Year Established as a Packaging Line

Integrator: 1984

Services Offered: Shawpak Systems Ltd are your Trusted Advisor in Product Inspection and Food Safety. Shawpak Systems is the sole representative Nationwide for Mettler Toledo Product Inspection, TOMRA Process Analytics & ATTEC Hygiene Solutions along with Detectamet Food Safety Products.

The Entire Shawpak Systems Team are GFTC trained to better understand your Food Safety Programs, from GMP HACCP & CCP implementation and advise on global standards BRC/SQF/GFSI from a Product Inspection perspective.

Collectively Shawpak and the Equipment Manufacturers

## Your Komori dealer from the Rockies to the Atlantic Ocean



On January 1st of 2016 KOMCAN Inc. grew again to include Quebec and Eastern Canada. With that we have added more sales staff, bilingual customer service staff in our Toronto office, as well as a local Montreal office to service our customers' needs. In addition, we are bringing to our customers local authorized Komori electrical and mechanical technicians. We want to make a difference for Eastern Canadian printers and we will do all we can to earn your business!

Depuis le 1er janvier 2016, KOMCAN Inc. a grandi pour inclure dans ses rangs le Québec et l'est du Canada. De ce fait, notre personnel de vente a augmenté, le service à la clientèle de notre bureau de Toronto est maintenant bilingue et un bureau est également ouvert à Montréal, afin de mieux servir les besoins de nos clients. De plus, nous offrons à nos clients les services des techniciens électriques et mécaniques locaux autorisés Komori. Nous voulons nous démarquer chez les imprimeurs de l'est du Canada et nous ferons tout ce qui est possible pour rendre votre entreprise rentable!



KOMCAN Inc.

55 Sinclair Ave. Unit 9, Georgetown, ON, L7G 4X4 • P: 905-873-7070 F: 905-873-7870 115 Gaston-Dumoulin Suite 106. Blainville OC. 17C 6R4 • P. 514 375 7070 F 905 873 115 Gaston-Dumoulin Suite 106, Blainville, QC, J7C 6B4 • P: 514-375-7070 F: 905-873-7870







Visit Komori at hall 15 **May 31**st

to June 10th

## LINE INTEGRATORS

represented provide a global knowledge base to advise on the best equipment & best practice solutions for Product Safety, choosing the right inspection equipment is paramount for achieving the ultimate detection and due-diligence capabilities, also achieving the maximum production uptime, Shawpak Systems Technical Advisors will guide you through the best practice options available based on your specific application, acting as your Trusted Advisor.

Markets/Industries Served: Food & Beverage, Bakery, Dairy, Meat, & Poultry, Seafood, Pharma, Chemical, and Personal Care.

#### SPEEDWAY PACKAGING MACHINERY

10 Gormley Industrial Ave Unit 2-3 Gormley ON L0H 1G0 **Tel:** 905-888-5344 **Fax:** 905-888-5374 **President:** Peter Pfingst

Year Established as a Packaging Line Integrator: 2002

Services Offered: Sales & Manufacturing,
Complete Machine Shop, Welding, Line Design
Markets/Industries Served: Packaging - Co Packers,
Food & Beverage, Personal Care - Cosmetics,
Pharmaceutical.

Cleaning Supplies.

#### **SPS/PHIN LIMITED**

15-440 Tapscott Rd Scarborough ON M1B 1Y4
Tel: 416-298-2151 Fax: 416-298-2170
President: Hugh McCrie

Year Established as a Packaging Line Integrator: 1948

Services Offered: Original equipment manufacturer (Phin labellers) and designer of complementary packaging machinery. Project Management, line integration, commissioning and training.

Markets/Industries Served: Food, beverage, pharmaceutical, personal care, household chemical.

#### **SQUID INK MANUFACTURING**

7041 Boone Ave Brooklyn Park MN 55428 USA **Tel:** 763-795-8856 **Fax:** 763-795-8867

President: WH William Hoagland

Year Established as a Packaging Line Integrator: 1991

Services Offered: Squid Ink specializes in the manufacture of high quality industrial inks and industrial ink jet printers for the packaging industry. Our products and services are designed to provide reliable cost-effective solutions to your industrial applications. Squid Ink has relied on a wealth of knowledge and experience in the ink jet industry to design a full family of Large Character and Hi-Resolution printing systems. Additionally, Squid Ink has been able to formulate the most comprehensive line of Hi-Resolution, Piezo, and Large Character fluids in the product identification market today.

Markets/Industries Served: Manufacturing Building Products Food Manufacturing

## STEELTEK - A DIV. OF 877418 ONT. LTD. (IN CANADA: IMPACT SALES; R-J MACHINERY INC; ROSS PACKAGING SERVICES; PAXIOM GROUP, W-P-L MACHINERY SALES; MD PACKAGING INC)

140 Desroches Trail Tiny ON L9M 0H9 **Tel:** 705-526-5810 **Fax:** 705-526-5811

Tel: 705-526-5810 Fax: President: Brian Tandy

Year Established as a Packaging Line

Integrator: 1990 Services Offered: Manufacturer of Rotary Heat Sealers,

parts for sealing machines, Refurbish Sealing Machines

Markets/Industries Served: North America, England,
South America, Europe.

#### STORCAN LTD.

108 rue Bélanger Châteauguay QC J6J 4Z2 Tel: 450-365-2158 Fax: 450-698-1178 President: Jean Martin Savoie

Head of Manufacturing/Engineering: Benoit Cliche Year Established as a Packaging Line Integrator: 2000

Services Offered: High speed conveyor lines for the Food & Beverage industries, turn-key packaging lines Markets/Industries Served: Food, beverage, pharmaceutical & cosmetic

#### TRI-MACH GROUP INC.

23 Donway Crt Elmira ON N3B 0B1
Tel: 519-744-6565 Fax: 519-744-6829
President: Harold Whiteside

Head of Manufacturing/Engineering: Ryan Martin Year Established as a Packaging Line Integrator: 1985

Services Offered: Processing Line Automation/ Integration, Custom Design Build Material Handling Systems. Packaging Equipment & Line Automation/Integration. Installation of Packaging Equipment (Mechanical & Electrical), Custom Fabrication, Sanitary Conveyors, Installations and Relocations

Markets/Industries Served: Food - Meat, Dairy, Fruit/ Veg, Confectionary, Bakery; Liquid Processing; Personal Healthcare: Nutraceuticals

#### WEBER MARKING SYSTEMS OF CANADA

6180 Danville Rd Mississauga ON L5T 2H7
Tel: 905-564-6881 Fax: 905-564-6886
Year Established as a Packaging Line
Integrator: 1932

**Services Offered:** With headquarters in Mississauga,

Ontario, and direct sales offices across Canada, Weber Marking Systems of Canada provides high-quality labels and labelling and coding products to the Canadian marketplace.

Our 24,000-square-foot, state-of-the-art, high-efficiency manufacturing and administration facility is capable of supporting all of your company's labelling and coding requirements. Our Canada-wide network of sales, service and technical support specialists, along with our commitment to quality, has established our position as a leader in the industry.

Our representatives have an in-depth knowledge of labelling and coding equipment, data collection systems, labelling software, and label materials. They work as partners with our customers to acquire understanding of each application. Our high-speed label presses and extensive library of die shapes give us the capacity and flexibility to meet your easiest and toughest labelling application.

Markets/Industries Served: Manufacturing, Healthcare, Food, Automation Systems, Software, Printing, Marking

#### WULFTEC/M.J.MAILLIS

209 Wulftec Ayer's Cliff QC J0B 1C0
Tel: 819-838-4232 Fax: 819-838-5539
Year Established as a Packaging Line Integrator:

Services Offered: Wulftec is a world-leading manufacturer of packaging solutions to help maximize productivity, minimize downtime and slash costs. Wulftec's packaging equipment line includes: semi-automatic pallet stretch wrappers, fully automatic conveyorized stretch wrapping systems, pallet strapping equipment and pallet handling solutions & conveyors. Wulftec is based in Ayer's Cliff, Quebec. Its state-of-the-art, 146,000 sq. ft. facility houses 198 highly skilled employees. Wulftec is part of the M.J. Maillis, a leading European Group that designs, manufactures and distributes end-of-line industrial products and systems, including: strappers, stretchwrappers, shrink wrappers, carton sealing equipment, and materials.

#### WHAT MAKES US UNIQUE

We offer a broad product range which allows you to buy from one single source. Each product can be customized to meet customer's specific needs. Wulftec offers a complete range of affordable options that allow end-users to custom build a machine that will meet their exact needs.

#### YASKAWA AMERICA, INC. (IN CANADA: YASKAWA CANADA, INC., MISSISSAUGA, ON)

Motoman Robotics Division 100 Automation Way Miamisburg OH 45342 USA

**Tel:** 937-847-6200 **Fax:** 937-847-6277

Year Established as a Packaging Line Integrator: 1989

Services Offered: Founded in 1989, Yaskawa Motoman is a leading robotics company in the Americas. With more than 300,000 Motoman robots, 10 million servos and 18 million inverter drives installed globally, Yaskawa provides automation products and solutions for virtually every industry and robotic application.

Markets/Industries Served: Yaskawa provides automation products and solutions for virtually every industry and robotic application; including arc welding, assembly, coating, dispensing, material handling, material cutting, material removal, packaging, palletizing and spot welding.

#### ZARPAC INC.

1185 North Service Rd E Oakville ON L6H 1A7 **Tel:** 905-338-8880 **Fax:** 905-338-3521

President: Frank Roberts

Head of Manufacturing/Engineering: Paul Zepf Year Established as a Packaging Line Integrator: 1989

**Services Offered:** Complete systems integration and design build solutions

Markets/Industries Served: N.A., Mexico, S.A., Europe, Asia, Food and beverage; confectionery; Homecare; personal care and cosmetics; pharmaceutical; paper products; chemical; pet food.





FLEXIBLE



CONNECTED

EFFICIENT

As a pioneer in smart automation technologies, Schneider Electric makes it easier for you to offer your customers better connected machines. Our future-ready machine solutions intelligently connect people, devices, machines, and data to simplify machine design and boost business efficiency. Both today and tomorrow.


#### How you can benefit from digitization and the IIoT

Download our FREE white paper to learn more today!

schneider-electric.com/smartmachinesconnected







## **AUTOMATION DEVICES**

#### **AUTOMATIC GUIDED VEHICLE**

ALEX E. JONES & ASSOCIATES LTD. **CHARLES DOWNER & CO. LTD. EUROIMPIANTI SPA** 

#### **BARCODE SCANNERS**

**AHEARN & SOPER INC. ATS - TANNER BANDING SYSTEMS** BARCODE GRAPHICS INC. **BIZERBA CANADA INC.** COGNEX CORP. COUSINEAU PACKAGING INC. **EDSON PACKAGING MACHINERY** 

GENERAL CONVEYOR CO. LTD.

**NJM PACKAGING OMRON CANADA INC** PINEBERRY MANUFACTURING

Plexpack

SAMUEL PACKAGING GROUP SORT PRODUCTION PRODUCTS LTD. STERLING MARKING PRODUCTS INC. TECHNO PAK PACKAGING SYSTEMS

VISUASCAN INC. Weber Marking Systems of Canada ZARPAC INC.

#### **BUS SYSTEMS**

**B&R INDUSTRIAL AUTOMATION** 

Balluff Canada Inc. **Bosch Rexroth Canada** Festo Inc.

LAPP CANADA **OMRON CANADA INC.** Plan Automation Schneider Electric Canada

**SIEMENS CANADA** SORT PRODUCTION PRODUCTS LTD. VISUASCAN INC.

#### **CHAIN GUARD**

#### CONNECTORS

Harting Canada

#### CONVEYOR BELTING

**BRADMAN LAKE INC** 

Intelligrated Industries Canada Multivac Canada Regal Reloit America TRI-MACH GROUP

#### **CONVEYOR CHAIN**

**AHEARN & SOPER INC. ATS - TANNER BANDING SYSTEMS** Bosch Rexroth Canada COUSINEAU PACKAGING INC. Flexlink Systems Canada Intelligrated Industries Canada PINEBERRY MANUFACTURING Plan Automation **REXNORD CANADA L.P TRI-MACH GROUP** VISUASCAN INC. WULFTEC/M.J.MAILLIS

#### DRIVES


#### AC AND DC

ABB

TRI-MACH GROUP



**Bosch Rexroth Canada** 



#### Reduce the number of wiring errors, save time and headache.

HARTING, first established in 1945, delivers unrivaled reliability, efficiency, innovation and performance in connectors. With HARTING you have a partner who ensures you dependable connections that stand the test of time.

HARTING.ca

FOR MORE INFORMATION CIRCLE 125



FOR MORE INFORMATION CIRCLE 126

#### **GUARDING SYSTEMS**

**Bosch Rexroth Canada** 

COUSINEAU PACKAGING INC. **EDSON PACKAGING MACHINERY GENERAL CONVEYOR CO. LTD.** 

Plan Automation

Schneider Electric Canada

SIEMENS CANADA SORT PRODUCTION PRODUCTS LTD. TRI-MACH GROUP ZARPAC INC.

#### **HYDRAULICS**

Bosch Rexroth Canada Plan Automation

#### INPUT/OUTPUT SYSTEMS

**ABB** 

AHEARN & SOPER INC. **ATS - TANNER BANDING SYSTEMS B&R INDUSTRIAL AUTOMATION** 

Balluff Canada Inc. Bosch Rexroth Canada

**GEBO CERMEX CANADA GENERAL CONVEYOR CO. LTD.** 

**LENZE AMERICAS** 

**NEWMAPAK LTD.** 

**OMRON CANADA INC.** 

**ROCKWELL AUTOMATION,** SIEMENS CANADA

SORT PRODUCTION PRODUCTS LTD.

VISUASCAN INC. ZARPAC INC.

#### INSPECTION EQUIPMENT

**FILL LEVEL** 

ABBEY PACKAGING EQUIPMENT **AESUS PACKAGING SYSTEMS, AHEARN & SOPER INC.** 

ALEX E. JONES & ASSOCIATES LTD. **B&R INDUSTRIAL AUTOMATION** BAUMER INC.

Capmatic Ltd.

**FILAMATIC GENERAL CONVEYOR CO. LTD.** 

LOMA SYSTEMS INC.

Mettler-Toledo Inc Multivac Canada

Plan Automation SHAWPAK SYSTEMS LTD.

**SIEMENS CANADA** 

**TECHNO PAK PACKAGING SYSTEMS** 

TRI-TRONICS COMPANY

ZARPAC INC.

LABEL

ABBEY PACKAGING EQUIPMENT **AESUS PACKAGING SYSTEMS,** 

AHEARN & SOPER INC.

ALEX E. JONES & ASSOCIATES LTD.

**ATS - TANNER BANDING SYSTEMS** 

**AUTO LABE B&R INDUSTRIAL AUTOMATION** 

**BANDING SYSTEMS** 

**BIZERBA CANADA INC.** 

Eagle Pl

**EDSON PACKAGING MACHINERY** 

Harlund Industries Ltd Mettler-Toledo Inc.

Multivac Canada

NITA LABELING EQUIPMENT

**NORTH AMERICAN LASER SYSTEMS** PINEBERRY MANUFACTURING

Plan Automation

SHAWPAK SYSTEMS LTD.

**TECHNO PAK PACKAGING SYSTEMS** TRI-TRONICS COMPANY

VC999 Canada

Videojet Technologies VISUASCAN INC.

ZARPAC INC.

METAL DETECTORS

ABBEY PACKAGING EQUIPMENT

ERIEZ

Fortress Technology Inc. Mettler-Toledo Inc

Multivac Canada Plan Automation

**SESOTEC CANADA** THERMO FISHER SCIENTIFIC

TRI-MACH GROUP

VISION

ABBEY PACKAGING EQUIPMENT

**AESUS PACKAGING SYSTEMS,** AHEARN & SOPER INC.

ALEX E. JONES & ASSOCIATES LTD. **ATS - TANNER BANDING SYSTEMS** 

**B&R INDUSTRIAL AUTOMATION BIZERBA CANADA INC.** 

**BLUEPRINT AUTOMATION INC.** 

**CHARLES DOWNER & CO. LTD.** COGNEX CORP.

**EDSON PACKAGING MACHINERY** 

## **AUTOMATION DEVICES**

Harlund Industries Ltd. Mettler-Toledo Inc.

Multivac Canada

NITA LABELING EQUIPMENT OMEGA DESIGN CORP.

**OMRON CANADA INC.** 

**SESOTEC CANADA** 

SHAWPAK SYSTEMS LTD. SIEMENS CANADA

SORT PRODUCTION PRODUCTS LTD. **TECHNO PAK PACKAGING SYSTEMS** 

Valco Melton VC999 Canada Videojet Technologies VISUASCAN INC.

X-RAY

ABBEY PACKAGING EQUIPMENT ALEX E. JONES & ASSOCIATES LTD. **BIZERBA CANADA INC. CHARLES DOWNER & CO. LTD.** 

HARPAK-ULMA PACKAGING, LLC HEAT AND CONTROL CANADA

LOMA SYSTEMS INC. Mettler-Toledo Inc

Multivac Canada Plan Automation
SESOTEC CANADA

SHAWPAK SYSTEMS LTD.

TECHNO PAK PACKAGING SYSTEMS THERMO FISHER SCIENTIFIC

ZARPAC INC.

#### INTEGRATED LOGIC NETWORK SYSTEMS

**AESUS PACKAGING SYSTEMS, AHEARN & SOPER INC. B&R INDUSTRIAL AUTOMATION** Bosch Rexroth Canada LOMA SYSTEMS INC. NEWMAPAK LTD. **OMRON CANADA INC.** 

SORT PRODUCTION PRODUCTS LTD.

VISUASCAN INC. ZARPAC INC.

#### **MACHINE VISION**

**AESUS PACKAGING SYSTEMS,** AHEARN & SOPER INC. **ATS - TANNER BANDING SYSTEMS BLUEPRINT AUTOMATION INC.** 

Bosch Rexroth Ca COGNEX CORP.

**EDSON PACKAGING MACHINERY** 

HARPAK-ULMA PACKAGING, LLC **NJM PACKAGING** 

**PPI TECHNOLOGIES GROUP SESOTEC CANADA SIEMENS CANADA** 

SORT PRODUCTION PRODUCTS LTD. **TECHNO PAK PACKAGING SYSTEMS** VC999 Canada VISUASCAN INC.

YASKAWA AMERICA ZARPAC INC.

#### MOTION CONTROLLERS

ABB ABB INC. AHEARN & SOPER INC. **B&R INDUSTRIAL AUTOMATION** BAUMER INC. Bosch Rexroth Canada Capmatic Ltd.

GENERAL CONVEYOR CO. LTD. HARPAK-ULMA PACKAGING, LLC **LENZE AMERICAS** NORTH AMERICAN LASER SYSTEMS

**OMRON CANADA INC.** 

Plexpack

ROCKWELL AUTOMATION Schneider Electric Canada SEPTIMATECH GROUP INC.

SEW Eurodrive Company of Canada SIEMENS CANADA

VISUASCAN INC. ZARPAC INC.

#### PNEUMATIC DRIVES & CONTROLS

AHEARN & SOPER INC. **B&R INDUSTRIAL AUTOMATION** Capmatic Ltd. Festo Inc. **FILAMATIC** 

Flexlink Systems Canada
GEBO CERMEX CANADA GENERAL CONVEYOR CO. LTD. HARPAK-ULMA PACKAGING, LLC OMRON CANADA INC. Plan Automation

TRI-MACH GROUP

VISUASCAN INC. ZARPAC INC.

#### PROGRAMMABLE LOGIC CONTROLLERS

AHEARN & SOPER INC. **B&R INDUSTRIAL AUTOMATION** Bosch Rexroth Canada COUSINEAU PACKAGING INC.

**EDSON PACKAGING MACHINERY** 

Festo Inc. Flexlink Systems Canada

**GEBO CERMEX CANADA** GENERAL CONVEYOR CO. LTD.

HARPAK-ULMA PACKAGING, LLC Intelligrated Industries Canada LENZE AMERICAS NEWMAPAK LTD.

**NORTH AMERICAN LASER SYSTEMS** OMRON CANADA INC.

**ROCKWELL AUTOMATION,** 

SEPTIMATECH GROUP INC. SIEMENS CANADA SORT PRODUCTION PRODUCTS LTD. STEELTEK - A DIV. OF 877418 ONT. TRI-MACH GROUP

UNITRONICS VISUASCAN INC. YASKAWA AMERICA ZARPAC INC.

#### ROBOTIC EQUIPMENT

#### **CASE PACKING**

ABB INC.

ABBEY PACKAGING EQUIPMENT **ALEX E. JONES & ASSOCIATES LTD.** 

**ATS - TANNER BANDING SYSTEMS B&T SALES** 

**BIZERBA CANADA INC. BLUEPRINT AUTOMATION INC.** BOSCH PACKAGING SYSTEMS AG - SIGPACK BOSCH PACKAGING TECHNOLOGY

**BRADMAN LAKE INC. CHARLES DOWNER & CO. LTD. CHISHOLM MACHINERY SOLUTIONS** CONSOLIDATED TECHNOLOGIES INC. COUSINEAU PACKAGING INC.

EDSON PACKAGING MACHINERY **EUROIMPIANTI SPA** FANUC ROBOTICS CANADA, LTD. FLEXI-PACK MACHINERY SOLUTIONS **GEBO CERMEX CANADA GENERAL CONVEYOR CO. LTD.** HARPAK-ULMA PACKAGING, LLC

**KUKA ROBOTICS CANADA** LANGEN PACKAGING INC. M & M PACKAGING ASSOCIATES **MECANO INDUSTRIES** 

NALBACH ENGINEERING COMPANY, INC. NEWMAPAK LTD.

**OMRON CANADA INC.** 

**PPI TECHNOLOGIES GROUP** PREMIER TECH CHRONOS STANDARD KNAPP INC. TECHNO PAK PACKAGING SYSTEMS TRINAMICS INCORPORATED YASKAWA AMERICA YASKAWA CANADA, YASKAWA MOTOMAN

ZARPAC INC. **END-OF-ARM TOOLING** 

ATI Industrial Automation

BRADMAN LAKE INC. **CHARLES DOWNER & CO. LTD. EDSON PACKAGING MACHINERY** Intelligrated Industries Canada LANGEN PACKAGING INC.

Multivac Canada
OMRON CANADA INC.

PREMIER TECH CHRONOS YASKAWA CANADA. ZARPAC INC. **PALLETIZING** 

ARR INC ABBEY PACKAGING EQUIPMENT ALEX E. JONES & ASSOCIATES LTD. ARPAC LLC **B&T SALES BEUMER CORPORATION** 

**BLUEPRINT AUTOMATION INC.** CHARLES DOWNER & CO. LTD. **CHISHOLM MACHINERY SOLUTIONS** CONSOLIDATED TECHNOLOGIES INC. COUSINEAU PACKAGING INC.

**Delkor Systems** Eagle Packaging LLC

**EDSON PACKAGING MACHINERY EUROIMPIANTI SPA** 

FANUC ROBOTICS CANADA, LTD. FLEXI-PACK MACHINERY SOLUTIONS **GEBO CERMEX CANADA** GENERAL CONVEYOR CO. LTD.

**KUKA ROBOTICS CANADA** LANGEN PACKAGING INC. M & M PACKAGING ASSOCIATES **MECANO INDUSTRIES** 

NALBACH ENGINEERING COMPANY, INC. NEWMAPAK LTD.

**OMRON CANADA INC.** 

Plan Automation
PPI TECHNOLOGIES GROUP PREMIER TECH CHRONOS SAMUEL PACKAGING GROUP

**TECHNO PAK PACKAGING SYSTEMS** 

YASKAWA AMERICA

YASKAWA CANADA, YASKAWA MOTOMAN ZARPAC INC. **PICK & PLACE** 

ABB INC.

ALEX E. JONES & ASSOCIATES LTD. **ATS - TANNER BANDING SYSTEMS B&T SALES** 

**BLUEPRINT AUTOMATION INC. BOSCH PACKAGING SYSTEMS AG - SIGPACK BOSCH PACKAGING TECHNOLOGY BOSCH PACKAGING TECHNOLOGY - VERTICAL** BRADMAN LAKE INC.

Capmatic Ltd CHARLES DOWNER & CO. LTD. CHISHOLM MACHINERY SOLUTIONS CONSOLIDATED TECHNOLOGIES INC. COUSINEAU PACKAGING INC.

**EDSON PACKAGING MACHINERY EUROIMPIANTI SPA** FANUC ROBOTICS CANADA, LTD.

FLEXI-PACK MACHINERY SOLUTIONS **GEBO CERMEX CANADA** GENERAL CONVEYOR CO. LTD.

HARPAK-ULMA PACKAGING, LLC Intelligrated Industries Canad KLIKLOK-WOODMAN LANGEN PACKAGING INC. M & M PACKAGING ASSOCIATES

**MECANO INDUSTRIES** 

Multivac Canada NALBACH ENGINEERING COMPANY, INC. NEWMAPAK LTD.

**OMRON CANADA INC.** 

PINEBERRY MANUFACTURING Plan Automation

Plexpack

PPI TECHNOLOGIES GROUP PROPACK PROCESSING & PACKAGING SYSTEMS INC.

SAMUEL PACKAGING GROUP

TECHNO PAK PACKAGING SYSTEMS TRINAMICS INCORPORATED

YASKAWA AMERICA YASKAWA CANADA, YASKAWA MOTOMÁN

ZARPAC INC. SAFETY PRODUCTS

#### **ELECTRONIC MACHINE GUARDING**

ABB ABB INC. ARPAC LLC Bosch Rexroth Canada COUSINEAU PACKAGING INC.

**EDSON PACKAGING MACHINERY** Fortress Technology Inc.
GENERAL CONVEYOR CO. LTD.


OMRON CANADA INC. Plan Automation

ROBATECH CANADA SAMUEL PACKAGING GROUP Schneider Electric Canada

SIEMENS CANADA SORT PRODUCTION PRODUCTS LTD. ZARPAC INC.

**LIGHT CURTAINS** 

ABB INC. ARPAC LLC



FOR MORE INFORMATION CIRCLE 127

## When you have a **PLAN** it shows.

### PACKAGING MACHINERY SYSTEMS INTEGRATION

Plan Automation now provides clients with qualified professional support for the implementation of turn-key full line packaging automation solutions.

Plan Integration Services has the experience and resources to maximize the dollars you invest in new production capacity and deliver turn-key solutions that will meet your expectations, on-time and on budget.

#### Why Plan Integration?


No engineering or design fees Comprehensive Project Management Building and Infrastructure Design Complete Processing & Packaging Automation Solutions World Class Manufacturing Partners

With over 200 combined years of industry experience, **Plan** will help you find the best processing, food safety inspection and general automation solutions for your project.



(416) 479-0777 x101 integration@planautomation.com www.planautomation.com

Packaging Automation Professionals



## Turnkey Packaging Automation By Packaging Automation Professionals



## **AUTOMATION DEVICES**

COUSINEAU PACKAGING INC. GENERAL CONVEYOR CO. LTD. **OMRON CANADA INC.** 

**ROBATECH CANADA ROCKWELL AUTOMATION, SIEMENS CANADA** SORT PRODUCTION PRODUCTS LTD. ZARPAC INC.

**SAFETY RELAYS** 

ABB INC. ARPAC LLC COUSINEAU PACKAGING INC. **OMRON CANADA INC.** Plan Automation **ROBATECH CANADA** 

GENERAL CONVEYOR CO. LTD.

**ROCKWELL AUTOMATION,** SENSOR PRODUCTS

SIEMENS CANADA SORT PRODUCTION PRODUCTS LTD. ZARPAC INC.

SORT PRODUCTION PRODUCTS LTD.

#### SENSORS

BARREL

**AHEARN & SOPER INC.** ARPAC LLC Balluff Canada Inc

Festo Inc. Harlund Industries Ltd. Schneider Electric Canada

ZARPAC INC. COLOR MARK

AHEARN & SOPER INC

ARPAC LLC Balluff Canada Inc

BAUMER INC. Harlund Industries Ltd. Schneider Electric Canada

SORT PRODUCTION PRODUCTS LTD. TRI-TRONICS COMPANY ZARPAC INC.

**LIMIT SWITCHES** 

**AHEARN & SOPER INC.** 

ARPAC LLC Balluff Canada Inc. Festo Inc

**GEBO CERMEX CANADA** GENERAL CONVEYOR CO. LTD.

OMRON CANADA INC.

**ROCKWELL AUTOMATION,** 

Schneider Electric Canada

SIEMENS CANADA

SORT PRODUCTION PRODUCTS LTD. STEELTEK - A DIV. OF 877418 ONT.

VISUASCAN INC. ZARPAC INC.

**OBJECT DETECTION** 

**AHEARN & SOPER INC.** 

BAUMER INC. Canmatic Ltd COGNEX CORP. Festo Inc

Fortress Technology Inc. Harlund Industries Ltd. LOMA SYSTEMS INC. Schneider Electric Canada

SENSOR PRODUCTS

**SIEMENS CANADA** SORT PRODUCTION PRODUCTS LTD.

TRI-TRONICS COMPANY

VISUASCAN INC. ZARPAC INC.

**PHOTOELECTRIC** 

AHEARN & SOPER INC.

ARPAC LLC Balluff Canada Inc.

BAUMER INC.

COGNEX CORP.

**GEBO CERMEX CANADA GENERAL CONVEYOR CO. LTD.** 

**OMRON CANADA INC.** 

**SIEMENS CANADA** SORT PRODUCTION PRODUCTS LTD.

STEELTEK - A DIV. OF 877418 ONT.

**TRI-MACH GROUP** 

TRI-TRONICS COMPANY VISUASCAN INC.

ZARPAC INC.

**PROXIMITY** 

**AHEARN & SOPER INC.** ARPAC LLC

Balluff Canada Inc.

BAUMER INC.

COGNEX CORP.

**GEBO CERMEX CANADA** GENERAL CONVEYOR CO. LTD.

Harlund Industries Ltd.

OMRON CANADA INC.

**SIEMENS CANADA** SORT PRODUCTION PRODUCTS LTD.

STEELTEK - A DIV. OF 877418 ONT.

VISUASCAN INC. ZARPAC INC

**ULTRASONIC** 

**AHEARN & SOPER INC.** ARPAC LLC

BAUMER INC.

COGNEX CORP. Harlund Industries Ltd.

OMRON CANADA INC.

**SIEMENS CANADA** 

SORT PRODUCTION PRODUCTS LTD. TRI-TRONICS COMPANY

ZARPAC INC.

#### **ROBOTIC END EFFECTORS Robotic Tool Changers** Superior Fail-Safe—springless design maintains lock position in event of air increase flexibility and productivity. Specially Tapered Cam—second taper produces high locking strength Locking Balls—Low-friction locking Lock Ring—Wide footprint of lock ring create high moment capacity in locking mechanism . Increase the flexibility of your robots by adding the ability to use more than one end-effector in an application. Production line tooling changed in seconds for maximum flexibility. Nuar 20 Years of Robotic End-Effector Innovation Change tools in seconds for maintenance and repair www.ati-ia.com/cpc · Increase operator safety by changing tools automatically.


· Million-cycle tested for reliability.

· Food-handling models available

#### FOR MORE INFORMATION CIRCLE 128

## ON THE PULSE OF THE PACKAGING INDUSTRY

Are you ready for the fourth industrial revolution? Ready for intelligent manufacturing systems that flexibly respond to new demands? We move products, processes and people, because our intelligent sensors and networking solutions are setting the pace for Industry 4.0.



With over 50 years of sensor experience, Balluff is a world leader and one of the most efficient manufacturers of sensor, RFID, and networking technologies.

Balluff offers local inventory via our Canadian headquaters located in Mississauga, Ontario, as well as application and integration support, and Best in Class training that you need to ensure your success both locally and globally.

> Balluff Canada Inc. 2840 Argentia Rd Unit 2 Mississauga, ON L5N 8G4 1-800-927-9654 www.balluff.com

FOR MORE INFORMATION CIRCLE 129

**BALLUFF** 

sensors worldwide

## **AUTOMATION DEVICES**

Plexpack

Bosch Rexroth Canada **FILAMATIC** Plan Automation

#### **SERVO MOTORS**

**AESUS PACKAGING SYSTEMS, AHEARN & SOPER INC.** ARPAC LLC

**B&R INDUSTRIAL AUTOMATION Bosch Rexroth Canada** 

**EDSON PACKAGING MACHINERY** 

**FILAMATIC** 

**GEBO CERMEX CANADA** GENERAL CONVEYOR CO. LTD.

LAPP CANADA

**LENZE AMERICAS** 

**NORTH AMERICAN LASER SYSTEMS** 

**OMRON CANADA INC.** 

ROCKWELL AUTOMATION,

Schneider Electric Canada SEPTIMATECH GROUP INC.

SEW Eurodrive Company of Canada

SIEMENS CANADA STEELTEK - A DIV. OF 877418 ONT.

TRINAMICS INCORPORATED

ZARPAC INC.

#### SIGNAL TOWERS

**AHEARN & SOPER INC.** ARPAC LLC

Balluff Canada Inc.

Plan Automation Plexpack

Schneider Electric Canada SIEMENS CANADA

SORT PRODUCTION PRODUCTS LTD.

VISUASCAN INC.

#### SOFTWARE PROGRAM

**AHEARN & SOPER INC.** 

ARPAC LLC **B&R INDUSTRIAL AUTOMATION** 

**Bosch Rexroth Canada** Capmatic Ltd.

**EDSON PACKAGING MACHINERY** 

**GEBO CERMEX CANADA** 

Intelligrated Industries Canada NORTH AMERICAN LASER SYSTEMS

OMRON CANADA INC.

Plan Automation

Plexpack Schneider Electric Canada

SENSOR PRODUCTS **SIEMENS CANADA** 

VISUASCAN INC.

ZARPAC INC.

YASKAWA CANADA.

Find your next great packaging idea at the



Solutions for Today's Packaging Needs

June 7, 2016

Mississauga Convention Centre

Register at: Top50packagingideas.com

Presented by:

PACKAGING



## UNSTOPPABLE





1.800.567.8039


Toronto | Vancouver | Montréal



MAKER & MODEL	PRODUCTS PACKAGED	MATERIALS	SIZE RANGE	SPEED
FILAMATIC (In Canada: Bellat		WATERIALS	SIZE KANGE	SPEED
Complete range	Liquid	Variety	Variety	Up to 300cpm
KRONESMACHINERY CR LT ow acid Aseptic	Low Acid products, Milk, Milk based, Soy, Juices and Liquid Food Products	PET, HDPE	Various	As required
xtended Shelf Life	Juice and High acid products NERY LLC (In Canada: Plan Au	PET, HDPE	Various	As required
latrix Packaging JM PACKAGING		Roll Stock		
ERAC INC	Liquid Vials			400 upm
SL & Aseptic Lines IG COMBIBLOC	High & low acid	HDPE, PET, glass		Up to 600 bpm
IG Combibloc Aseptic Filling Machine ETRA PAK CANADA INC	Aseptic Carton Packaging		125ml - 2000ml	5-24k/hour depending on filler
BA/19 Aseptic Carton Filler	TBA, Tetra Primas Aseptic, Tetra Wedge Aseptic cartons		100-375ml	6000-7500/hr
BA/8 Aseptic Carton Filler BA/21 Aseptic Carton	TBA Cartons TBA, Tetra Prisma Aseptic		375-1500ml 125-1500ml	5500-6000/hr 5500-8000/hr
iller(Size changeable) BA/22 Aseptic Carton Filler	cartons TBA, Cartons		200-250ml	20,000/hr
BAG PACKAGING C	LOSING, SEALING			
MAKER AND MODEL	SPEED	TYPES AND MATERIALS of bags	BAG SIZES	OPERATION
A I E (In Canada: CiMa-Pak Compulse Sealers	orporation) Operator dependent	Poly	12-32" sealers	Manual
A P M CORP ALL PACKAGING APM VCBS - 1/4TX - 6"x5"		PE, PP, foil, laminates, Tyvek,		Automatic
NPM HCBS - 1/8TX - 12"x8'	100 fpm	nylon As above	As above	As above
ABBEY PACKAGING EQUIPM Bossar USA Inc. BCS PMP Pre-Made Pouch) Series	<b>ENT LTD</b> 60-120ppm	Various; Heat Seal	100x150 to 300x400	HFFS with Programmable Ful Servo Carousel machine for filling & sealing PMP and Allet Bradley Controls with Automatic Change over
LEX E JONES & ASSOCIATE layssen - Novus Doy/Quad	ES LTD up to 220ppm	Roll Stock, Various Materials	Various sizes, Doy, Quad seal, Tucked, Block Bottom Bag and Pillow Pouch	
Hayssen - Ultima Series	160ppm	Roll Stock, Various Materials	Various sizes, Pillow, Tucked and Block Bottom Bag Pouch	Intermittent and Continuous motion, Servo Driven
Mamata - Vega Pack M-200	Up to 100ppm	Roll Stock, Various Materials	Various, Doy Standup Pouch, 3-Side Seal, 4-Side Seal, with and without Zipper	Continuous motion, Servo Driven, Automatic Change-ove
/lamata - Vega Pack iX260	Up to 120ppm	Pre-Made Pouch, Various Materials	Various, Doy Standup Pouch, 3-Side Seal, 4-Side Seal, with and without Zipper	Intermittent and Continuous motion, Servo Driven, Automatic Change-over
Hayssen RT Series	200ppm	Roll Stock, Various Materials	Various sizes, Pillow Pouch	Continuous motion, MAP
layssen - Integra Series	Up to 150ppm	Roll Stock, Various Materials	and C-fold Pouch Various sizes, Pillow Pouch and C-fold Pouch	Packaging Runs low cost films; Long-dwe sealing head produces hermetic seals
layssen - Logic Flex	Up to 85 PPM	Roll Stock, Various Materials	Various sizes, Doy, Quad seal, Tucked, Block Bottom Bag and Pillow Pouch	Variable inclination, between 25° and 55°, allows the best relationship between packagir speed and product protection
Pearson Packaging - BI25 Bag nserter	Up to 25 Bags Per Minute	Poly	Various sizes	Fully automated Box erector, Bag Inserter for bulk packagin
Pearson Packaging - UC 15 Bag Uncuffer	Up to 15 Bags Per Minute	Poly	Various sizes	Fully automated Bag Uncuffing folding and sealing of bag and
ARTYPAC AUTOMATION INC				case for bulk packaging lines.
ARTY 80V	Up to 75 bpm	Roll stock, heat sealable OPP and laminations	Up to 7.5 in.W x 12 in.L	Automatic form fill and seal
ARTY 130V ARTY 75H	Up to 60 bpm Up to 350 bpm	As above As above	Up to 12 in.W x 17 in.L Up to 8 in.W x 24 in.L	As above Horizontal flow wrapper
UTOMATED PACKAGING SY	STEMS INC (In Canada: Pack	Pro Systems, Inc. Stouffville,	ON)	.,
HB-65 PaceSetter Autobag  NB 180 Autobag	to 20 bpm to 80 bpm	various various	2-11.5" x 2-22"L 2-11"W x 2.5-22"L	Semi-automatic Semi to fully automatic
AB 145 Autobag	to 45 bpm	various	3.5-11"W x 3.5-22"L	Semi to fully automatic
	to 55 bpm	various	4-16"W x 5-26"L	as above
Autobag AB 255 Horizontal Vide	to 55 bpm	various	as above	as above
Doboy CBS-D Band Sealer	350" - 750" per min.	es Downer & Co. Ltd., Richmor All heat sealable pre-made bag film	Pre-made bags, tube style or gusseted	Manual to semi-auto.
Doboy CBS-DM Band Sealer - Medical	0" - 1000" per min.	All heat sealable pre-made bag film	any size	As above
Ooboy B-550 Band Sealer Doboy B-550M Band Sealer -	Up to 1000 Up to 1000"/min.	All heat sealable pre-made bag film  Medical grade polyethylene,	All heat sealable materials,	Manual to semi-auto.  As above
Medical	ορ το 1000 /IIIII.	thin foil, paper/polyester, Tyvek/Mylar films	tube style or gusseted	, to above
CAM PACKAGING SYSTEMS CAM; 412	25 ppm	Polyethylene, polypropylene, laminated, shrink (Polyolefin), Stand up with zipper, 3 sided seal, recloseable, doypack (stand up pouch)	4"x5" up to 12"x16";additional sizes upon request	Semi Auto and Automatic
	D	· · · · · · · · · · · · · · · · · · ·		

	SPEED	TYPES AND MATERIALS	BAG SIZES	OPERATION
MPLEX Bag Sealing		of bags		Semi Automatic
quipment IARPAK ULMA PACKAGING				
JLMA - TFS	10-18 cpm	All	Various	Automatic
WIK LOK CORP (IN Canada 72	1: British Canadian importers (	Western Provinces); KLR (PQ Polyethelene	()) 2-36 in. width	Automatic
002/1003	30/min.	As above	2-15 in. width	Semi-automatic
1 & M PACKAGING ASSOCIA				
losch Doboy NATRIX PACKAGING MACHI	1000"/min. NERY LLC (In Canada: Plan A	Heat Sealable Itomation, Orangeville, ON)	Infinite	Hand Fed & Fully Automatic
Matrix Packaging	.,	Pre-Made Pouch		
MULTIVAC CANADA fultivac Chamber & Belted	2-4 cpm	Laminated barrier bas	Up to 1320mm x 820 mm	Manual & automatic
nachine models	2 ч ори	Editinated barrier bas	Op 10 102011111 x 020 11111	Wandar & datomatio
PTIMA MACHINERY CORP	10	DE/Minkahad		Cami autamatia
Optima Mini Bagger Bagstar II Slant	10 ppm 20 ppm	PE/Wicketed PE/wicketed	2x2 to 6x15	Semi-automatic Semi-automatic
lagstar IV Speed	25 ppm	PE/wicketed	3x8 to 11x21	Semi-automatic
		on Enterprises, Fladgate Pack		0
land Rite 6000 Band Sealer Pack Rite Jaw Sealers	250-750	Heat sealable pre-made bags Poly or Barrier Bags	Various various	Semi-automatic manual
	TEMS (In Canada: Alex E. Jone		vanous	manaai
I18 Bag Inserters	18cpm	Poly bag roll stock	Varied	Opens, inserts and cuffs
EMBERTON & ASSOCIATES	To 20 5-lb packages pm	Shirred casings	Various	Automatic
tuffing/clipping system Model	10 20 0-10 packages pili	Offired casings	Various	Automatic
RS4202 ipper Tie turret system	Average 5000 lb ph	Fibrous casing	1 to 9 in. dia.	Semi-automatic
PLAN AUTOMATION INC	ATTOTAGE GOOD ID PIT	i ibrous casing	i to o iii. ula.	John-automatic
latrix Mercury	Up to 300 bpm	All heat sealable films	2" - 15"	Intermittent
oyo Jidoki	Up to 100 bpk	All heat sealable films	2" - 15"	Intermittent
PLEXPACK IPS 6100, 6300, 6500, 6700	500 ipm	Poly's, wax type bags, coated	All sizes	Manual/semi-auto
, 5000, 0000, 0100	· · · · · · · · · · · · · · · · · · ·	papers, moisture barrier bags,		
		laminated foils, multiwalled paper/medical bags.		
IDO 7100	750:	<u> </u>	AH :	
IPS 7100, 7500	750 ipm	Heavy duty polys, multiwalled paper bags	All sizes	As above
IPS 14000	1200ipm	Poly's wax type bags, coated	All sizes	As above
		papers; moisture barrier bags laminated foils, multiwalled,		
		paper, medical bags		
		Co., Ltd, Richmond Hill, ON;		
SG LEE SG ABT	80 120	Laminate  Laminate	4" to 14" W 6" to 10" W	Premade Premade
REMIER TECH CHRONOS	120	Laminato	0 10 10 11	Tiomado
tonepak Pinch Bottom Bag		Open-mouth multiwall and		
J MACHINERY INC		woven PP bags		
acemaker Model 624 Drop	30 bags per minute	Wicketed Poly Bags	24" W x 24" Long	Seal & Blow off trim
ealer	30 hage per minute	Wickstod Poly Pogs	24" W v 24" Long	Blow has onen 9 milds
acemaker Model 402 Bag lower	30 bags per minute	Wicketed Poly Bags	24" W x 24" Long	Blow bag open & guide pro- into bag
REISER CANADA CO		**		•
Supervac GesmbH	Various E CRYOVAC FOOD DIVISION	All	All sizes	Manual and auto.
300-24	To 20 ppm	Cryovac shrink bags	To 24 in. wide	Automatic
600 Series	To 60 ppm	As above	To 18 in. wide	Automatic
610 Series	To 20 ppm	As above	To 14 in. wide	Automatic
800-E14E PEEDWAY PACKAGING MA	To 15 pp, ACHINERY	As above	To 14 in. wide	Automatic
Greenpack Model FC-8Z24	Variable	Designed to handle pre-made	110mm - 240 mm Width/150	Rotary Fill & Closing with
		pouches	mm - 350 mm Length	positive zipper open devise
TEEL TEN A DIV OF 077440			FACKADING SERVICES: PAXIOM (	GLOUD, VV-P-L Machinery Sa
TEELTEK A DIV OF 877418 ID Packaging Inc)	ONT LTD (In Canada: Impact S	ales, K-5 Machinery Inc, Koss	. uonuging corridos, rumom	
D Packaging Inc) teeltek ST-80	Fixed 590 ipm	Most	All	Manual feed, portable table
ID Packaging Inc) teeltek ST-80 teeltek ST80VS	Fixed 590 ipm Variable to 590 ipm	Most Most	All All	Manual feed, portable table Manual feed portable table
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST225 w Conveyor	Fixed 590 ipm Variable to 590 ipm 1000 ipm	Most	All	Manual feed, portable table Manual feed portable table Manual Feed
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST225 w Conveyor teeltek ST225 w Conveyor teeltek ST250 w Conveyor teeltek ST2215	Fixed 590 ipm  Variable to 590 ipm  1000 ipm  1000 ipm  1000 ipm	Most Most Most Most Most	All All All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST225 w Conveyor teeltek ST250 w Conveyor teeltek ST2215 teeltek ST100	Fixed 590 ipm  Variable to 590 ipm  1000 ipm  1000 ipm  1000 ipm  575 ipm	Most Most Most Most Most Most Most Most	All All All All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST2515 teeltek ST2105 teeltek ST2100 teeltek ST200	Fixed 590 ipm  Variable to 590 ipm  1000 ipm  1000 ipm  1000 ipm  575 ipm  575 ipm	Most Most Most Most Most Most Most Most	All All All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST225 w Conveyor teeltek ST2250 w Conveyor teeltek ST2215 teeltek ST2010 teeltek ST200 UPERVAC MASCHINENBAL	Fixed 590 ipm  Variable to 590 ipm  1000 ipm  1000 ipm  1000 ipm  575 ipm	Most Most Most Most Most Most Most Most	All All All All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST225 w Conveyor teeltek ST250 w Conveyor teeltek ST2510 w Conveyor teeltek ST2015 teeltek ST2010 teeltek ST200 UPERVAC MASCHINENBAL tupervac GesmbH NA NORTH AMERICA INC	Fixed 590 jpm Variable to 590 jpm 1000 jpm 1000 jpm 1000 jpm 1000 jpm 575 jpm 575 jpm GMBH (In Canada: Reiser (Ca	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual and auto.
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST225 w Conveyor teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST2015 teeltek ST2010 teeltek ST200 UPERVAC MASCHINENBAU tupervac GesmbH NA NORTH AMERICA INC NA Robag 3ci	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm J GMBH (In Canada: Reiser (Ca	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST225 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST215 teeltek ST210 teeltek ST200 UPFERVAC MASCHINENBAU upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm J GMBH (In Canada: Reiser (Ca	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual and auto.
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST2515 teeltek ST2515 teeltek ST200 UPERVAC MASCHINENBAL tupervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B108	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm GMBH (In Canada: Reiser (CaVarious 250 on single tube INERY CO 140/min. 110/min.	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual and auto.  VFFS  Intermittent Intermittent
ID Packaging Inc) teeltek ST-80 teeltek ST80VS teeltek ST80VS teeltek ST225 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST200 UPERVAC MASCHINENBAU upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B12 riangle B12 riangle B32	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm 25MBH (In Canada: Reiser (Ca Various 250 on single tube INERY CO 140/min. 110/min.	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual and auto.  VFFS  Intermittent Intermittent Intermittent
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST20VS teeltek ST20VC Conveyor teeltek ST250W Conveyor teeltek ST2015 teeltek ST2015 teeltek ST2010 teeltek ST2010 teeltek ST200 TUPERVAC MASCHINENBAL upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B12 riangle B32 riangle B32 riangle B32 riangle B35	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm J GMBH (In Canada: Reiser (Cavarious) 250 on single tube INERY CO 140/min. 110/min. 110/min. 90/min.	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual and auto.  VFFS  Intermittent Intermittent
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST80VS teeltek ST225 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST2215 teeltek ST200 UPERVAC MASCHINENBAU upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B102 riangle B35 wEIGHPACK SYSTEMS INC pdius Elite 1200 VFS	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm 26 MBH (In Canada: Reiser (Ca Various 250 on single tube INERY CO 140/min. 110/min. 190/min.	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual Auto  VFFS  Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automati
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST255 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST2215 teeltek ST201 teeltek ST201 teeltek ST200 tupervac Maschinenbat tupervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B102 riangle B35 welighpack SYSTEMS INC pdius Elite 1200 VFS	Fixed 590 jpm  Variable to 590 jpm  1000 jpm  1000 jpm  1000 jpm  575 jpm  575 jpm  J GMBH (In Canada: Reiser (Cavarius)  250 on single tube  INERY CO  140/min.  110/min.  110/min.  Up to 120/min  to 25/min - 1200	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual and auto.  VFFS  Intermittent Intermittent Intermittent Intermittent
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST250 w Conveyor teeltek ST200 teeltek ST200 teeltek ST200 TUPERVAC MASCHINENBAL tupervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B12 riangle B12 riangle B35 WEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wifty Bagger 1200, 3600	Fixed 590 jpm  Variable to 590 jpm  1000 ipm  1000 ipm  1000 jpm  575 ipm  575 ipm  J GMBH (In Canada: Reiser (Cavarious)  250 on single tube  INERY CO  140/min.  110/min.  90/min.  Up to 120/min  to 25/min - 1200 to 40/min - 3600	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual and auto.  VFFS  Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automat As above
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST255 w Conveyor teeltek ST225 w Conveyor teeltek ST225 w Conveyor teeltek ST2205 w Conveyor teeltek ST2205 teeltek ST201 teeltek ST201 teeltek ST201 teeltek ST200 teeltek ST200 NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B102 riangle B12 riangle B32 riangle B35 WEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wiffy Bagger 1200, 3600 ingo Bagger	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm J GMBH (In Canada: Reiser (Cavariable to 590 ipm 250 on single tube INERY CO 140/min. 110/min. 110/min. 110/min. 10 to 120/min to 25/min - 1200 to 40/min - 3600 up to 25/min without gas flush up to 15/min	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual and auto.  VFFS  Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automa
ID Packaging Inc) teeltek ST-80 teeltek ST-80 teeltek ST80VS teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST201 teeltek ST201 teeltek ST201 teeltek ST201 teeltek ST200 teeltek ST200 NA ROBAG MASCHINENBAL tupervac GesmbH NA NORTH AMERICA INC NA ROBAG 3ci Triangle B102 triangle B12 triangle B32 triangle B32 triangle B35 WEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wiftly Bagger 1200, 3600 wiftly Bagger 1200, 3600 tingo Bagger tingo Bagger tingo Bagger tingo Bagger XL ertek JR	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm 250 on single tube INERY CO 140/min. 110/min. 110/min. 2 Up to 120/min to 25/min - 1200 to 40/min - 3600 up to 25/min without gas flush up to 15/min	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual and auto.  VFFS Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automa As above Automatic or semi-automatic
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST255 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST2215 teeltek ST2200 UPERVAC MASCHINENBAU upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B102 riangle B35 wEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wifty Bagger 1200, 3600 ingo Bagger ingo Bagger ingo Bagger ingo Bagger ingo Bagger XL ertek JR	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm 26 MBH (In Canada: Reiser (Ca Various 250 on single tube INERY CO 140/min. 110/min. 110/min. 110/min. 120/min to 25/min + 1200 to 40/min - 3600 up to 25/min without gas flush up to 15/min Up to 70 cpm Up to 70 cpm	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual and auto.  VFFS Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automati As above  Automatic or semi-automati Automatic or semi-automati Automatic or semi-automati
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST80VS teeltek ST225 w Conveyor teeltek ST225 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST210 teeltek ST210 teeltek ST201 MPERVAC MASCHINENBAL upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B12 riangle B32 riangle B32 riangle B35 WEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wifty Bagger 1200, 3600 ingo Bagger ingo Bagger ingo Bagger xL ertek JR ertek JR ertek 750 ertek 1150	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm 250 on single tube INERY CO 140/min. 110/min. 110/min. 2 Up to 120/min to 25/min - 1200 to 40/min - 3600 up to 25/min without gas flush up to 15/min	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual and auto.  VFFS  Intermittent Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automa As above  Automatic or semi-automat
upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B12 riangle B32 riangle B35 WEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wifty Bagger 1200, 3600 ringo Bagger ringo Bagger ringo Bagger XL ertek JR ertek 750 ertek 1150 ertek 1150 ertek 1600 ertek 1600 ertek 2400	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm 575 ipm 26 MBH (In Canada: Reiser (CaVarious 250 on single tube INERY CO 140/min. 110/min. 110/min. 110/min. 120/min 125/min 1200 125/min 1200 125/min without gas flush 125 to pm 12	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Heavy Duty Manual Feed Manual Feed Manual and auto.  VFFS Intermittent Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automati
ID Packaging Inc) teeltek ST-80 teeltek ST-80VS teeltek ST80VS teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST250 w Conveyor teeltek ST2015 teeltek ST2015 teeltek ST2015 teeltek ST2010 teeltek ST200 Teeltek ST200 NA ROBAG SCHINENBAU tupervac GesmbH NA NORTH AMERICA INC NA ROBAG 3ci RIANGLE PACKAGE MACH riangle B102 riangle B32 riangle B32 riangle B35 WEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wifty Bagger 1200, 3600 tingo Bagger tingo Bagger tingo Bagger tingo Bagger tingo Bagger tertek JR ertek 750 ertek 1150 ertek 1150 ertek 1600	Fixed 590 jpm Variable to 590 jpm 1000 jpm 1000 jpm 1000 jpm 575 jpm 575 jpm 575 jpm 576 jpm 2 GMBH (In Canada: Reiser (Cavariable) 1000 jpm 1000 j	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Heavy Duty Manual Feed Manual and auto.  VFFS  Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automati
ID Packaging Inc) teeltek ST-80 teeltek ST-80 teeltek ST80VS teeltek ST255 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST2215 teeltek ST201 teeltek ST201 teeltek ST200 UPFERVAC MASCHINENBAU upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B108 riangle B35 wEIGHPACK SYSTEMS INC pdius Elite 1200 VFS wifty Bagger 1200, 3600 ingo Bagger ingo Bagger ingo Bagger XL ertek JR ertek 750 ertek 1150 ertek 1500 ertek 1600 ertek 2400	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm 575 ipm 26 MBH (In Canada: Reiser (CaVarious 250 on single tube INERY CO 140/min. 110/min. 110/min. 110/min. 120/min 125/min 1200 125/min 1200 125/min without gas flush 125 to pm 12	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Heavy Duty Manual Feed Manual Feed Manual and auto.  VFFS Intermittent Intermittent Intermittent Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automat
ID Packaging Inc) teeltek ST-80 teeltek ST-80 teeltek ST80VS teeltek ST255 w Conveyor teeltek ST255 w Conveyor teeltek ST225 w Conveyor teeltek ST2215 teeltek ST200 UPERVAC MASCHINENBAL upervac GesmbH NA NORTH AMERICA INC NA Robag 3ci RIANGLE PACKAGE MACH riangle B108 riangle B12 riangle B32 weightpack SYSTEMS INC pdius Elite 1200 VFS wiffy Bagger 1200, 3600 ingo Bagger ingo Bagger tertek JR ertek 750 ertek 150 ertek 150 ertek 2400 S Bagger	Fixed 590 ipm Variable to 590 ipm 1000 ipm 1000 ipm 1000 ipm 575 ipm 575 ipm 575 ipm GMBH (In Canada: Reiser (Ca Various  250 on single tube INERY CO 140/min. 110/min. 90/min.  Up to 120/min to 25/min + 1200 to 40/min - 3600 up to 25/min without gas flush up to 15/min Up to 70 opm Up to 40 opm Up to 40 opm Up to 40 opm Up to 20 opm Up to 35/min	Most Most Most Most Most Most Most Most	All	Manual feed, portable table Manual feed portable table Manual Feed Manual Feed Semi Automatic Manual Feed Heavy Duty Manual Feed Manual Feed Manual Feed Manual Feed Manual Feed Manual and auto.  VFFS Intermittent Intermittent Intermittent Intermittent Intermittent Automatic or Semi-Automat





### **Certain Fit**

At Plexpack we focus on one thing only — flexible packaging solutions that fit your needs. We build best-in-class standard and custom bagging, sealing, shrink wrap and bundling solutions. We work with you to deliver certain results tailored to your requirements.

More than 4,000 customers worldwide depend on our **Emplex Bag Sealers** and **Damark Shrink Wrappers** for packaging efficiency, product integrity, safe transport and attractive presentation.

The choice for bag sealing and shrink wrapping solutions has never been more certain. Begin building yours today.



1.855.635.9238 www.plexpack.com.

FOR MORE INFORMATION CIRCLE (30)

BAG PACKAGING	OPENING				<b>BARCODING &amp;</b>	BARCODE SCANN	IING EQUIPMENT			
MAKER AND MODEL	SPEED	TYPES AND MATERIALS	BAG SIZES	OPERATION	MAKER & MODEL		·	OPERATION (Fix	red mount FFA	TURES
MAKEK AND MODEL	OI LLD	of bags	DAG GIZEG	OI ERATION	MARCER & MODEL	Oomi An	DEE O'IMBOLOGICO	handheld, etc.)	ica mount, TEA	TOREO
A P M CORP ALL PACKAGIN		•			BC 5100 Bar Code Read		le 39, Interleaved 2 of 5,	Console & Scanner		s, verifies bar codes at up to
<u>APM SBP - 18</u> APM SBP - 14	Up to 24 ppm	Wicketted Non-wicketted	8-17 in. wide 4-12+ in. wide	Manual As above	Control System		de 128, UPC/EAN, e, Bobst Code			/min. easy installation, install on it machines
ABBEY PACKAGING EQUIPN	As above WENT LTD	Non-wicketted	4-12+ In. wide	As above		ROUP (In Canada: Charles			s Packaging Systems, P	ointe Claire, QC)
Bossar USA Inc. BCS PMP	60-120ppm	Various; Heat Seal	100x150 to 300x400	Full Servo Carousel machine	PSG SAMUEL PACKAGING	GROUP		All	Chec	k all items
(Pre-Made Pouch) Series				for filling & sealing PMP with Automatic Change over	Toshiba TEC	All		Table Top		
CAM PACKAGING SYSTEMS CAM; 412	35ppm	Polyethylene, polypropylene,	4"x5" up to 12"x16";addit	tional Semi auto and automatic	Sato Zebra	All All		As above As above		
OAW, 412	23ррпі	laminated, shrink (Polyolefin),	sizes upon request	donal Ocini auto and automatic	Datamax	All		As above		
		3 sided seal, zipper, Doypack (stand up pouch)			Microscan  Datalogic	All All		Fixed Handheld		
CHARLES DOWNER & CO LT PSG Leepack	TD Various	All	All	Pre-made bagging system	SOURCE ID INC (In Car	nada: Source ID, Toronto,		T I I I I I I I I I I I I I I I I I I I		
	ION (In Canada: Abbey Packag		All	Fie-made bagging system	Zebra, Toshiba,Sato, Date VALCO MELTON	tamax UPC, EAN,	128, code 39,PDF, RFID			
Formost Fuji GTS Bagger  M & M PACKAGING ASSOCIA	Varies	Poly	Varies		Code Readers MS-911	Code 39, Co	dabar, Code 128,	Integrated or Stand-	Alone Easy	Installation
Massman	90 ppm	Heat Sealable	Large Size Range	Semi & Fully Automatic		UPC/EAN/P	of 5, Code 93, harma, OMR, AR,			
R J MACHINERY INC Pacemaker Model 402 Bag	20 haga par minuta	Wicketed Poly Bags	24" W x 24" Long	Blow bag open & guide product	VIDEOJET TECHNOLO	Datamatrix,	Braille			
Blower	30 bags per minute	Wickeled Foly Days	24 W X 24 Long	into bag	Accusort Scanners	00120				
<ul> <li>REISER CANADA CO</li> <li>Supervac GesmbH</li> </ul>	40/min.	All	All sizes	Semi Automatic	VISUASCAN INC Sick CLV Series	Allsymbolog	ies	Hand held		
SEALED AIR CANADA CO CI	IE CRYOVAC FOOD DIVISION	7.41			Motorola	· · ·		Fixed & Handheld		
8189 taped bag loader Hor.	Based on infeed rate & operator efficiency	Cryovac shrink bags	To 16 in. wide	Manual	WEBER MARKING SY     Motorola - Various Model			Hand-held scanners		
BL100 Series Hor.	15 ppm	Cryovac shrink bags	To 14 in. wide	Automatic	ZEBRA TECHNOLOGIE	S CORP		Hand-neid Scaliners		
B125 Vertical B126 Vertical	20 ppm 20 ppm	As above As above	7-9" wide 10-14" wide	Automatic Automatic	Zebra High Performance	- XI Series All standard	symboligies	Tabletop printer		Link real-time connectivity and ol, 3.2 to 8.5 in. print widths.
SUPERVAC MASCHINENBAL	J GMBH (In Canada: Reiser (Ca									, , , , , , , , , , , , , , ,
Supervac GesmbH TOYO JIDOKI (In Canada: Ter	40/min chno Pak Packaging Systems	All Inc., Ste-Julie, Quebec)	All sizes	Semi automatic	BLISTER PACK					
TOYO JIDOKI `	15-250bom	Preformed pouches			MAKER & MODEL	PRODUCTS HAN			CKAGE SIZE MIN. TO	) SPEED
<ul> <li>VC999 CANADA LTD</li> <li>VC999 BL420</li> </ul>	20bpm	Taped shrink bags	Various	All automatic	HARPAK ULMA PACKA	AGING LLC	COMBINAT	IONS MA	Х.	
WEIGHPACK SYSTEMS INC.					ULMA - Univers		PVC, CPET, A			
VS Bagger	Up to 35/min	Pre-made wicked bags, zipper bags, bags with handles	6"-14" W 6" - 20" L	Automatic or semi-automatic	HIBAR SYSTEMS LIM     BP-600	ITED (In Canada: Inox Pun Batteries cigarette lie		urricane Pump Distri d blister package 4" x		, QC) 150 blister cards per min.
Zippy Bagger	Up to 35/min	as above	6"-14" W 6" - 20" L	as above		pens, hardware		a blister package + x		100 bilater carda per min.
Zippy XL Bingo Bagger	Up to 15/min Up to 25/min	as above Pouches, stand-up bags	10" - 20" W 10" - 22" L 10" - 20"W 10" - 22"L	as above as above	Seal Less Ceramic	CMF - Continuous N Filling	lotion			
Bingo Bagger XL	Up to 15/min.	Pouches, stand-up bags	14' - 20" W 14" - 24" L	as above	Seal Less Ceramic	IMF - Intermittant Mo	otion Filling			
Vertek Jr Vertek 750	Up to 70 cpm Up to 50 cpm	Roll stock Roll stock	1" - 5.5" W 2"-8"L 2" - 7.5" W	Automatic or Semi Automatic as above	• MULTIVAC CANADA R145	Food, Medical Cons	umer All heat sealab	le materials Up t	to 420x400mm	Up to 10 cpm
Vertek 1150	Up to 40 cpm	Roll stock	2.5" - 11.5"W 4"-18"L	Automatic or Semi Automatic	R245	Industrial As above	As above	<u> </u>	to 560x640mm	Up to 15 cpm
Vertek 1600 Vertek 2400	Up to 30 cpm Up to 20 cpm	Roll stock Roll stock	10" - 16"W 6" - 18"L 16" - 24"W 9"- 36"L	Automatic or Semi Automatic Automatic or Semi Automatic	R535	As above As above	As above As above		to 650x1300mm	Up to 22 cpm
r2b 1200	Up to 65/min	Roll stock	6" - 12" W; 8" - 18" L	As above	NJM PACKAGING Pharmaworks	Tablets, Capsules	PVC/ALU, ALU	J/ALU Ma	Blister format 130 x 80	
r2b 3600	Up to 120/min	Roll stock	3.5" - 8" W; 6"- 11"L	As above			i VO/ALU, ALU	uax	to 220 x 290 mm	
BANDSTRETCH					REISER CANADA CO     Repak	Various	All industry Sta	andards Vari	inus	Up to 15 cycles
MODEL	TYPE OF FILM	SINGLE OR	TYPE OF SEALING	SPECIAL FEATURES	UHLMANN PACKAGINO	G SYSTEMS L P				
BANDING SYSTEMS		COMBINATION			B 1880	Tablets/capsules, via ampoules,medical d		PET, Aclar, AU 280	x284mm	Up to 1300bpm
BA24/15 - Arch Size: 240m x	Plastic or Paper Band. Film	Both single and combination	Heat seal	Patented and unique vacuum	VC999 CANADA LTD	kits, syringes				
150mm	width: 28, 40, 48, 60, 75, 100 and 120mm	banding		arch which enables our systems to run the thinnest film	RS i-Series	PA/PE/PET/PVC	PE Sealant			
				in the industry (down to 1.4mil or 35micron or 0.035mm)	BLOWMOLDING	2				
BA32/20 - Arch Size: 320m x		Both single and combination	Heat seal	Patented and unique vacuum	MAKER AND MODE		MATERIALS	PRODUCTS MAI	DE DRY CVCI ES E	PER FEATURES
200mm	width: 28, 40, 48, 60, 75, 100 and 120mm	banding		arch which enables our systems to run the thinnest film	MAKER AND MODE	LITPE	HANDLED	MAX. SIZE	MIN.	EK FEATURES
				in the industry (down to 1.4mil or 35micron or 0.035mm)	• KRONESMACHINERY	CR LTD				
BA40/25 - Arch Size: 400m x 250mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Both single and combination banding	Heat seal	Patented and unique vacuum arch which enables our	Contiform 3		PET	From 0.1L bottles up 3.5L bottles	to Up to 81,000 bottle hour	ease of operation and
20011111	and 120mm	barrarrig		systems to run the thinnest film in the industry (down to 1.4mil						maintenance. Saving compressed air, saving
				or 35micron or 0.035mm)	Contiform 3		Heat Set PET	Un to 2 El hattles	Lin a FO FOO hattles	working time
BA48/30 - Arch Size: 480m x 300mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Both single and combination banding	Heat seal	Patented and unique vacuum arch which enables our	Contilorm 3		neal Sel PET	Up to 3.5L bottles	Up o 58,500 bottles hour	s per
	and 120mm			systems to run the thinnest film in the industry (down to 1.4mil	Contiform 3		Nitro Hotfill	Up to 3.5L bottles	Up to 63,000 bottle hour	s per
				or 35micron or 0.035mm)	Contiform	AseotBloc	PET	Up to 3.5L bottles lite		Sterile monobloc concept
BA64/35 - Arch Size: 640m x 350mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Both single and combination banding	Heat seal	Patented and unique vacuum arch which enables our						with preform decontamination, aseptic
00011111	and 120mm	barrarrig		systems to run the thinnest film in the industry (down to 1.4mil						blow module and aseptic filler/capper concept
				or 35micron or 0.035mm)	Contipure		Sterilization of Preforms		Depending on Con	tiform Safe and economical
BA80/35 - Arch Size: 800m x 350mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Both single and combination banding	Heat seal	Patented and unique vacuum arch which enables our	ErgoBloc	1	PET		Up to 81,000 pbh	sterilization Wet-section block. Block
	and 120mm	<b>.</b>		systems to run the thinnest film in the industry (down to 1.4mil	-9	_			ор 12 с 1,222 ран	moulds, labels, fills and caps up
				or 35micron or 0.035mm)	PET Bottle-to-Bottle	Turnkey system -	Post consumer PET	Output range of 500		0 kg/h Includes bottle sorting
BA96/35 - Arch Size: 960m x 350mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Both single and combination banding	Heat seal	Patented and unique vacuum arch which enables our	Recycling Plant	Compact Bottle-to-Bottle Recycling Lines for	Bottles	or 1,000 kg/h	or 1,000 kg/h	(colour and on conformance materials)
	and 120mm	•		systems to run the thinnest film in the industry (down to 1.4mil		Converters and Bottlers.				thru to clean PET flake material.
Custom Arch Cine Customs	Diantia as Danas Danai Film	Dath single and combination	Heaterel	or 35micron or 0.035mm	PreformCheck Air Wizard	d	Inspection of PET	To suit specific	Build to suit Contifo	orm Integrated at preform
Custom Arch Size Systems	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Both single and combination banding	Heat seal	Patented and unique vacuum arch which enables our	air-recovery		Preforms for defects	blowmolder applicati	ions	infeed rail recovery of low and high pressure air for
	and 120mm			systems to run the thinnest film in the industry (down to 1.4mil	PET-View Inspection		Camera inspection of PE	T To suit specific	Build to suit	reuse.  Integrated at blowmolder
COLISING BYCKVCING INC	(In Canada: Cousineau Packag	ing Inc \		or 35micron or 0.035mm)	Confiform FlexWave	Beverages - 8 cavity only	containers for defects PET microwave	blowmolder applicati		discharge starwheel Confiform FlexWave
8100 Series	Stretch	Single layer or multiple layer	Pat down, heat seal	Manual - automatic systems	Commonnininexwave	Develages - o cavity only	technology, multiple			Commonni i lexivave
GO PACKAGING				End closure available			colors			
Akebond OB-360 PHOENIX STRETCHWRAPPE	Poly or poly/paper		Heatseal	High speed, moderate price	BOTTLE CAPPI	ING, SEALING				
Breathe Easy stretch wrapping		multiple bands of film applied a	t heat seal	Pallet wrapping products that	MAKER AND MODE	L SPEED	TYPES OF CLOSURES	CAP max. diame	eter CONTAINER ma size	ax. FEATURES
• PLAN AUTOMATION INC		once		need breathing.	AESUS PACKAGING S	YSTEMS INC (In Canada: I		C)	5126	
Banding Systems	Plastic or Paper Band	Both single and combination	Heat seal	Patented and unique vacuum	DELTA Cap 1	up to 90 bpm	All screw on closures including CR	120 mm dia.	Up to 6-1/2"	Starwheel indexing with pre-spin cap station and
		banding		arch which enables our systems to run the thinnest film			o.uamy OIX			magnetic clutch on final torquing station.
				in the industry (down to 1.4mil or 35micron or 0.035mm)	ALEX E JONES & ASSO	OCIATES LTD				torquing station.
PPI TECHNOLOGIES GROUP Meurer	P (In Canada: Charles Downer & Polyethylene	& Co., Ltd, Richmond Hill, ON; A Both	Aesus Packaging Systen Heat	ns, Pointe Claire, QC) 60% stretch	PackWest - In-Line Capper	Up to 300cpm	Round, Metal, Plastic, Press On, Push On Cap,	Various sizes	Various Sizes	Best-in-class, are extremely rugged and
			Tiout	0070 000001	32,77		Laundry Pour Back Caps			versatile, available in Chemical Resistant,
BARCODING & BAR	RCODE SCANNING E									Explosion Proof
MAKER & MODEL	COMPATIBLE SY		,	FEATURES	PackWest - In-Line	Up to 300cpm	Round, Plastic, Press On	. Various sizes	Various Sizes	Arrangement Best-in-class, are
AHEARN & SOPER INC		handheld, e			Fitment Placer & Capping	g	Push On Cap			extremely rugged and versatile, available in
Accusort Mini-X Series II	1D (linear)	Fixed Mount		Omni directional bar code scanner, 300 sps Windows based configuration						Chemical Resistant, Explosion Proof
				sps windows based configuration software.	B	Had oos	D	M: :		Arrangement
AUTOMATED PACKAGING S  Autobag PI 412c Inline Printer	SYSTEMS INC (In Canada: Pac Multiple	k Pro Systems, Inc. Stouffville, Fixed mount	•	Thermal transfer, HR text, graphics &	PackWest - Torquer	Up to 300cpm	Round, Metal, Plastic, Laundry Pour Back Caps	Various sizes	Various Sizes	Best-in-class, are extremely rugged and
				barcodes speed up to 12 ips.						versatile, available in Chemical Resistant,
BARCODE GRAPHICS INC Axicon 6015, 6515 & 7015 Seri				ANSI/ISO 1D Barcode Testing and						Explosion Proof Arrangement
Barcode Verifiers	93, GS1-128, GS1 Dat ITF-14, Pharmacode			Reporting	PackWest - Rotary	Up to 400cpm	Round, Metal, Plastic,	Various sizes	Various Sizes	Best-in-class, are
Axicon 12000 Series Barcode \	Verifiers Data Matrix, GS1-Data			ANSI/ISO 1D & 2D Barcode Testing	Capper		Laundry Pour Back Caps			extremely rugged and versatile
TruCheck 100 & 200 Series Ba	standard 1D symbolog arcode UPC/EAN, Code 128,			and Reporting  ANSI/ISO 1D Barcode Testing and	Fowler ZALKIN - TM - 20	00 Up to 40 cpm	Screw Cap or Push On Cap			Electric Height Adjust, Steam or Nitrogen
Verifiers	93, GS1-128, GS1 Dat ITF-14, Pharmacode	i izė		Reporting	Fourier 741 KINL CA	Up to 1000 cpm	Screw Cap and Push on			injection
TruCheck 400 Series Barcode	Verifiers QR, Data Matrix, GS-D standard 1D symbolog			ANSI/ISO 1D & 2D Barcode Testing and Reporting	Fowler ZALKIN - CA Series Capper	.,,	Сар			3 to 24 head rotary capping machine
• HARLUND INDUSTRIES LTI	D			and reporting	Fowler ZALKIN - TM - 12	25 Up to 58 cpm	Aluminum Cap			Single Head Capper, available with Steam or
ID Tech 250 LPA ID Tech 150/220 RFID	1&2D RFID	Thermal Trans	fer		Fowler 7ALVINI TAKE	10 - 20 opm	Crow Can and Duck			Nitrogen injection
Microscan	as above	Fixed mount			Fowler ZALKIN - TM-3 Capper	10 - 20 cpm	Crew Cap and Push on Cap			Semi- Automatic Single head machine
RJS Hitachi PX-260U	as above as above	Hand held Inkjet			Fowler ZALKIN - TM - 15	Up to 40 cpm	Aluminum Cap			Single Head Capper, available with Steam or
Hitachi PX-460U	as above	as above			AROLUSA (In Come)	Chicholm Machiner Co.	Limited Alienara Fall	ON)		Nitrogen injection
Foxjet Easyprint	as above as above	as above Thermal transf	er		AROL Quasar	Chisholm Machinery Sale 50-900bpm	Corks	ON)	150mm	Straight/Mushroom
<ul> <li>MATTHEWS MARKING SYS</li> </ul>	STEMS				AROL Saturno AROL Kamma	50-900 50-900	Corks		150mm	Straight/Mushroom Plastic
Matthews Viacode T-Series	UPC-A, PDF147, Code			High resolution inkjet case coding. Up to 4" message per head. Remote	ANOL Vallilla	JU-3UU	Corks			Mushroom/T-Shaped
	& B, SCC14 Data matr			connectivity and effortless integration with ERP/MRP or WMS systems.	AROL Gemini	to 50bpm max	Corks			Natural Straight/Mushroom
				Replace adhesive labels or pre-printed	AROL Reverse	50-900	Al Roll On, ROPP			from Glass/PRB/De-Cap Plastic
Matthews Coditherm	EAN-13, EAN 8, EAN-			cartons. Brand on demand.  Digital thermal transfer printing of	AROL Eagle VA	to 50	Al Roll On			Glass/PET/PVC
	Interleaved, Code 39, ITF-14, Paraf, HIBC 43	Code 128 (A,C),		variable data onto rigid materials. Barcodes, graphics, serialization, date,	AROL Eagle VP AROL Eagle PK	to 50 to 50	Pre-Threaded			Glass/PET/PVC Glass/PET/PVC
	matrix, PDF 417	**		time, lot numbers, batch numbers. Up to 600 dpi.	BERTOLASO SPA (In C					SIGOSI EIII VO
NORDSON CANADA LIMITE	ED (In Canada: Timeco-Marten	Calgary, AB; Edmonton, AB; \								
		. ,								

## DELKOR D SERIES CASE PACKER PICK DIRECTLY FROM FILLER BED



### **COMPACT • SEAMLESS • DIRECT**

#### **Direct from the Source.**

The Delkor Flex Loader D Series picks containers directly from the filler and conveniently loads into a wide range of shipping cases, crates and trays. An excellent alternative for tight spaces & new installations. A simple, clean design with no product infeed allows the D Series to minimize floorspace requirements.

To learn more go to http://www.delkorsystems.com/equipment/delkor-d-series-flex-loader.





BOTTLE CAPPIN	IG, SEALING						BOTTLE D	RYIN
MAKER AND MODEL	SPEED	TYPES OF CLOSURES	CAP max. dia		CONTAINER ma size	x. FEATURES	MAKER & MO Paxton Drying Sy	
Bertolaso SPA	Up to 1000 bpm	All types of closures			0120	Single Head Cappers, Turrets, Free Standing Rotary Cappers to handle a wide range of caps,	Paxton Products models available	various
· CAPMATIC LTD						corks and crowns	application.  NEWMAPAK LTI	D
Capmatic Jolly Crimp	60 bpm 60 bpm 120 bpm	R.O.P.P. crimp As above	89 mm 38 mm 38 mm		1 gal. 1000 ml Monoblock	Pick & place Star wheel	Newmapak Ltd	
Capmatic Rebel 50/100 Capmatic Road Runner	60-120 bpm 60-200 bpm	Plug & cap all types All types	40 mm 80 mm		500 ml 120 mm	Continuous movement	PAXTON PRODU Compact, Oil-free Knives & Air Knife	Blow
180-4-6-8 Capmatic Road Runner 300 M-4-6-8-10-12	60-300 bpm	All types	120 mm		230 mm	motion As above	Systems  R E MORRISON	
Capmatic Road Runner Pharma		Aluminum seal	32mm		10mm	Continuous motion	Republic Blower S	
DJS ENTERPRISES DJS 6 Splindle Capper	Up to 350bpm 100 pbm 60-150 pbm	Screw caps Screw caps	8mm - 89 mm 10mm - 98mm			Conveyor end cap feeder Cap Elevator and	Adamark Air Knife Food Package/Pc Brand Model 302	ouch d
	Up to 50 Bottles per minute at a 100 count					Conveyor	SEPTIMATECH (	
Counter Model DJS-100A FEED SYSTEMS INC (In Model A6	Canada: Newmapak Ltd) to 300 pbm	13m to 120 mm all types	to 120 mm		to 2.5 gals	No change parts	OEM Change Par Screws, Stock Pa	rts, Fe arts,
	up to 600 bpm	13 mm to 120 mm all types	to 120 mm		up to 2.5 gals	No change parts	STANMECH TEC	HNOI
	40 to 360 cpm	Round Cans	200-601		102 to 914 Ht	Beverage		
Ferrum F6	210 to 625 cpm 250 to 750 cpm	Round Cans Round Cans	200-401 200-315		102 to 914 Ht 102 to 914 Ht	Beverage Beverage	CARTONIN	
	330 to 1,000 cpm 580-1,750	Round Cans Round Cans	200-214* (*Body 50-73mm	•	102 to 914 Ht 88-212mm	Beverage Beverage	MAKER AND MODEL	TY
Ferrum 400 Series FILAMATIC (In Canada: E	3-12 Head (60-1,200cpm model dependent)		200-401 (50-100	Umm)	to 914 ((255mm)	Food - Electronic Sync Filler Drive System	Pearson	<b>ASS</b> Au
	Up to 50 cpm	screw caps, plugs, stoppers	65 mm		gals	Servo torquing adj. gripper chuck	Packaging - CS Series Case Sealers	
GEBO CERMEX CANADA AIDLIN PREMIER	NINC 600cpm	Flap caps				Hopper Orientor Elevator, Patented Aidlin BIC	Pearson Packaging - Bl25 Bag Inserter	Aut
AIDLIN 24	2,000cpm	Flat caps plastic				"waterfall system" same as above	Pearson	Aut
KAPS ALL PACKAGING		lightweight or metal					Packaging - TF Series Tray Form	For
Kaps-All E4, A6, C8 Portable Spindle Cappers Automate - induction	5 to 300bpm  Up to 300bpm	Handles caps of all materials and most styles from 8mm to 120mm All styles	Caps max dia.: Container from vigallon Container from vigallon	vials to		No change parts  Waterless sealer	Pearson Packaging - UC 1	Aut 15 Un
sealer AM-250 • KRONESMACHINERY C	R LTD		gallon				Bag Uncuffer BEST PACKAGII	NG SV
Krones Crowners KK	Up to 1200 bpm 72,000 bph	Metal and Plastic Crown	Inquire Inquire		Inquire Inquire		Combi Case Erectors	
Krones roll-on closing	Inquire Custom Speed Range	Natural and sythetic cork ROPP	Inquire Inquire		Inquire Inquire		Combi Alphapak Pick & Place	
system Krones Rotomat Decapper	70,000 bottles/h	Metal and Plastic	Inquire		Inquire		Combi Drop Packer	D
NEW ENGLAND MACHIN	ERY INC 700 cpm	CT, CR, TE	110		1 gal	Hopper/elevator cap sorter, rotary chuck capper	BIVANS CORPO 50 Series	Hoi Ver
NJM PACKAGING UniCap 150	up to 150bpm	Screw & Snap Caps	3" dia		6 1/4" dia x 12" high		70 Series	Vei
Beltorque® In-Line Capper  PILLAR TECHNOLOGIES	up to 300bpm	Screw & Snap Cap	3" dia		7" dia x 12" high	Synchronized belts to tighten caps without damage to cap	BLUEPRINT AUT Remote Case Erectro (RCE)	ГОМА
	To 300 fpm plastic (foil laminate seals to plastic bottles)	Induction seals foil to seal	Up to 120 mm		No limit	Universal coil, deluxe coil support, remote control panel.	BOSCH PACKAGE Elematic 1000	GING Ho
WeightPack	Up to 100 bpm Up to 500 ppm	Screw & press-on Screw and ROPP	120mm 110mm		Up to 2 litre	Servo controled torgue	HC-CBI	Ca
R J MACHINERY INC Pressmatic	120 cpm	Press-on caps	89 mm			Also works as PS spot label station	BOSCH PACKAG	GING :
Air-operated cap tightener	50 cpm	Screw caps	89 mm		4 litre	Conveyor indexer c/w gripper	TTL-1	Had
Wirehooder Rekord Robino & Galandrino	(In Canada: Newmapak 4,000 up to 25,000bph 1,500 up to 3,000bph	Ltd.) Metal wirehood					TTF TTL TTC	Hot Top Hot
Wirehooder Vittoria Robino & Galandrino Cap Distributor Astra	Single up to 9,000bph, Multihead up to	н					TTL1	Top
Robino & Galandrino	21,000bph 2,000 up to 6,000bph						TTM-1	Top
Fenix SEPTIMATECH GROUP II		- 10 0 1 5 1					BRADMAN LAKI	Top inte
RXNT Change Parts, Standard SPEEDWAY PACKAGING		-eed Screws, Stock Parts					HS	Car
	to 30 bpm	CT, CRC CT, CRC, ROPP	120 mm 89mm		150 mm 120mm	Efficient table top capper Positive container handling		me
SureKap SK6000 inline Speedway CT90CA	to 150 bpm up to 36 bpm	CT, CRC, Snap Cap CT, CRC	89mm 120mm		6" wide 150mm	Portable, SS frame In line capping	1100	0
Y-FANG ET-R6  BOTTLE CLEANI	60/min	Conduction				Conduction Sealer	HSS	Car Ere driv
MAKER AND MODEL	PRODUCTS	OPERATION	١	SPEED		FEATURES		
BERTOLASO SPA (In Car Bertolaso SPA	nada: Newmapak Ltd) Rotary Bottle Rinsers	bottles by there invert them for	e necks and	Up to 1000	bpm	Can rinse using Sterile Air, Inert Gas, Steam, Water, Product,	IL120 / IL180 / IL250	Thr
CAPMATIC LTD CleanStar SS		process  Vacuum aspira filter	ator with HEPA					
DESCON CONVEYOR SY Low level gripper rinser	STEMS PET, Glass, Metal	Fully Automatic	0	50-1200bp	m	Clean design, fully automatic operation, quick changeover	RA60 / RA90 /	Ca
FEED SYSTEMS INC (In Model AC-35	Canada: Newmapak Ltd) All types	Straight line co	ntinuous	up to 150 t	ppm	no change parts, inonizing, inverting and positive	RA120	righ
KAPS ALL PACKAGING S Kaps-All Clean-N-Vac AC-		Remove dust, o matter. Use co	mbination	Slow-medi	um and high speed	Bottle range from 4" dia 7" dia. high	SF120	Sin
Kaps-All Clean-N-Vac AC (	65	ionized air and vacuuming. Remove dust, o matter. Use con ionized air and	dirt and foreign mbination	Slow-medi	um and high speed	6.5" dia. to 12" dia. high		Clo
MCBRADY ENGINEERING Model 100	G INC Any Ridged containe	vacuuming.		100 bpm		25 in. line space required	SL80/802	En
NEWMAPAK LTD Newmapak Ltd	Inline Rinser Inverter		_	Up to 350	opm	Rinse with Ionized Air, water,		- Se
OMEGA DESIGN CORP (						chemical, etc		
RAR Rotary Air Rinser	Glass or plastic Glass or plastic Canada: Fakort Machine	In line Rotary		Up to 150 Up to 300	\	Uses ionized air Uses ionized air	SL904/906	En
PAXTON PRODUCTS (In Compact, Oil-free Blowers, Knives & Air Knife Drying Systems	Air	High speed dry	ying. Airflows to ressures to 130"		,	Advanced, energy efficient design, FDA compliant		- fu
• PLAN AUTOMATION IN Bevco 150	C Rinsers, Combiners, Lowerators	Continous		Up to 600	срт			
R E MORRISON EQUIPMI Adamark Air Knife Cleaning Systems	ENT INC	er Blower driven a static eliminatio		As required	i	Oil-free warm dry HEPA quality air, compact blower	SL50	En
SEPTIMATECH GROUP II								
RXNT Change Parts, Standord Change Parts, Feed Screws, Stock Parts								
RXNT Change Parts, StandoEM Change Parts, Feed	;							

MAKER & MODI		DUCTS	OPERATION	;	SPEED	FEATUR	ES
Paxton Drying Syste	and co	ves, spyder manifolds one air delivery systen					
Paxton Products va	rious	g systems					
models available to application.	suit						
NEWMAPAK LTD Newmapak Ltd	Air Kni	fe Drying system	Self contained s	system that is	up to 600 bp	Independe	nt system that
Newmapak Liu	All Kill	ie Dryllig system	used to dry bott		ър 10 000 Бр	mounts ont	o existing line or line design
		ckert Machines, 384	1 Portage Rd., Niag				, ,
Compact, Oil-free B Knives & Air Knife D				ing, airflows to ressures to 130"	1500 per min.		energy efficient A compliant
Systems R E MORRISON EC			H2O(g)				<u> </u>
Republic Blower Sy		bottles, food packs	Air knife drying		Cans up to 1,400 pm; b		
Adamark Air Knife D		ottles complete			680 pm; food trays to 6	Model 301	mpact, low noise complete dryer
Food Package/Pour		vorized stand alone u tunnel exit dryer of	nit Continuous end	closed drying a	as required		th enclosure ned conveyorized
Brand Model 302		ges/pouches	unit	, ,	•	system with	n VFD belt drive losure base air knif
SEPTIMATECH GR	OUP INC					enclosed w	ith drip pan
RXNT Change Part	s, Standard						
OEM Change Parts Screws, Stock Parts	5,						
STANMECH TECH	Unhea	ted Air Knife Drying		,	All speeds	Energy effi	cient, cost effective
	Systen Heated	ns d air knife drying syste	ems				
CARTONING							
MAKER AND	TYPE	OPERATION*	STYLE	CARTON SIZE	SDEED	FILLING	FEATURES
MODEL		OI ERATION		OAKTON OIZI	. 0, 225	TILLING	TEATOREO
ALEX E JONES & A	ASSOCIATES LTD Automatic	C,S	RSC, CSSC(AFM),	Various Sizes	From 25 cpm to 40		Best in class, Hot
Pearson Packaging - CS Series Case	, anomalic	J,U	FOL	7 011000 01265	cpm		melt or Tape closure, PackML
Sealers	Automatic D	In I	DOC LICO	Various C'	He to OF t	Morriel	Compliant
Pearson Packaging - BI25	Automatic Bag Inserter	In, L	RSC, HSC,	Various Sizes	Up to 25 bpm	Manual or Automatic filling	Fully automated Bag Inserter for
Bag Inserter			EL (E)		11 . **=		bulk packaging lines
Pearson Packaging - TF	Automatic Tray Former	F	Flat Blank	Various Sizes	Up to 35 Trays per minute	Manual or Automatic filling	Best in class, Hot melt closure,
Series Tray Former						,	Flexible and fast change-over
Pearson	Automatic Bag	C, S	RSC, HSC,	Various Sizes	Up to 15 bpm	Manual or	features Fully automated
Packaging - UC 15 Bag Uncuffer	Uncuffer	~, =	,,		10 10 phill	Automatic filling	Bag Uncuffer for bulk packaging
	2 CVCTEMO						lines
BEST PACKAGING Combi Case	SMILLE	Custom per			Up to 30cpm		
Erectors Combi Alphapak		application Custom per			Up to 12cpm	Fully automatic	Small foot print
Pick & Place Combi Drop		application Custom per			Up to 17cpm	Fully automatic	p.m.s
Packer ·	ATION	application			op to 17 opin	. any automatio	
BIVANS CORPORA 50 Series	Horizontal or	F, O, C	Continuous	7/8x3/8x1-1/4 to	60	Manual	Modular carton
	Vertical			5x3-1/2x12			erector/former, portable, easy
70 Series	Vertical	F, O, C, L	Continuous		120	Autoload optional	changeover Fast speed for
·							either manual or autoload
	MATION INC (In C	Canada: Flexi-Pack N			15onm/orest and	Std Auto	
Remote Case Erectro (RCE)			In-line or right-angle	varied	15cpm(erect and tape seal)	Std. Auto changeover,	
						double-stripping from other blanks	
BOSCH PACKAGII Elematic 1000	NG SYSTEMS AG F Horizontal	PAAL (In Canada: C Indexing	harles Downer & Co 6, 9 & 12	o. Ltd., Richmone 70-260mm L	d Hill, ON) to 90/min		Quiet, gentle
HC-CBI	Cartoner		inch vers. hotmelt	40-130mm W			operaton Touch screen
	Juntille		or tuck-in	110-350mm H			operation. Moderr servo drives.
	NG SYSTEMS AG	SIGPACK (In Canada		Co. Ltd., Richmo			
TTL-1		Cartoning Toploading	3 seal		800 products/min. 120 trays/min		Gentle handling by feeding wheel
TTF TTL	Hot melt, Hor Top Load	F	3 seal	Various Various	30-120 cartons/min 1000 loads/min		Single & dual Two axis robot
TTC	Hot melt, Hor	C	3 seal	Various	120 cartons/min		Tray turning with
TT: 4			0 1		7001 17:45		servo controlled tray aligning
TTL1	Top Load integrated	F, L, C	2 seal	Various	700 loads/min 45 cartons/min		Compact & Flexible
TTM-1	Top Load integrated	F, L, C	3 seal	Various	1000 loads/min 80 cartons/min		Gentle handling by feeding wheel
TTM-2	Top Load integrated	F. L, C	3 seal	Various	1500 loads/min 150 cartons/min		Gentle handling by feeding wheel
BRADMAN LAKE I	NC	Facatan an anation	0-4	MC-I-		Outtable for	-
HS	Carton / Tray Erector -	Erector operating up to 60 strokes	Carton/tray former	wide range	Erector operating up to 60	Suitable for: Bakery and Biscuit,	
	mechanical	per minute. Glue, turn-over-end and				Chocolate and Confectionery,	name is synonymous with
		four corner lock options.				Frozen Foods, Dry Foods, Consumer	
						and Healthcare Products.	
HSS	Carton / Tray Erector - servo	Erector operating up to 75 strokes	Carton/tray former	Wide range	up to 75 strokes per minute	Suitable for: Bakery and Biscuit,	As above
	driven	per minute. Glue, turn-over-end and			· · · · ·	Chocolate and Confectionery,	
		four corner lock options.				Frozen Foods, Dry Foods, Consumer	
		Sp. 1010.				and Healthcare Products.	
IL120 / IL180 /	Three flaps carton		Straight line carton	Wide range	up to 120 / 180 or	Suitable for:	As above
IL250	closer - in-line	closer with flexible fingers carton	closer		250 cpm.	Bakery and Biscuit, Chocolate and	
		control and turn correction system				Confectionery, Frozen Foods, Dry	
						Foods, Consumer and Healthcare	
RA60 / RA90 /	Carton Closer -	Right angled three	Three flaps carton	Wide range	up to 120 cartons	Products. Suitable for:	As above
RA120	right angled	flap carton closer combining high	closer		per minute	Bakery and Biscuit, Chocolate and	
		speed and space saving design.				Confectionery, Frozen Foods, Dry	
						Foods, Consumer and Healthcare	
SF120	Single Flap Carton	Inline flightless	Single Elen Code	Wide range	up to 120 cartons	Products. Suitable for:	As above
J1 14U	Closer - fully	closer with large	Single Flap Carton Closer	rviue range	up to 120 cartons per minute.	Bakery and Biscuit, Chocolate and	
	automatic	size range and speeds up to 120				Confectionery,	
		cartons per minute.				Frozen Foods, Dry Foods, Consumer	
						and Healthcare Products.	
SL80/802	End Load Cartoner - semi-automatic	semi-automatic	End Load Cartoner	Wide range	up to 80 cartons per minute	Suitable for: Bakery and Biscuit,	As above
		hand load cartoner			· · · · ·	Chocolate and Confectionery,	
						Frozen Foods, Dry Foods, Consumer	
						and Healthcare Products.	
SL904/906		r High speed servo	End Load Cartoner	Wide range	up to 180 or 225	Suitable for: Bakery and Biscuit.	As above
	- fully automatic	driven continuous motion cartoners.			cartons / minute.	Chocolate and	
						Confectionery, Frozen Foods, Dry	
						Foods, Consumer and Healthcare	
				Wide range	up to 50 cartons	Products. Suitable for:	As above
SI 50	End Flan Seeler	A small footprint	Fnd Load Cartoner		מו וט טט טמו נטווס		
SL50	End Flap Sealer - hand fed	A small footprint, inexpensive end flap sealer ideal for	End Load Cartoner	vvido rango	per minute	Bakery and Biscuit, Chocolate and	
SL50		inexpensive end flap sealer ideal for small production		wide range		Chocolate and Confectionery,	
SL50		inexpensive end flap sealer ideal for		vide lange		Chocolate and	

PRODUCTS

OPERATION

SPEED

FEATURES

CARTONIN	G						
MAKER AND MODEL	TYPE	OPERATION*	STYLE	CARTON SIZE	SPEED	FILLING	FEATURES
SW702	Sleever - fully automatic	Wrap-around sleever	Wrap-around cartoner	Wide range	speeds up to 120 sleeves / minute	Suitable for: Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods, Dry Foods, Consumer and Healthcare Products.	As above
SL902/903	End Load Cartoner - fully Automatic	Fully-automatic machines with speeds	End Load Cartoner	Wide range	speeds up to 90 or 130 cartons per minute		As above
CAPMATIC LTD Capmatic Carton Star 200	Horizontal	Continuous	Hot melt or closing flap	A - 20-95mm B - 12-70mm C - 70-230mm	300	All types	Pharma Design
Capmatic Carton Star 100	Horizontal	Intermittent	Hot melt or closing flap		100	All types	Pharma Design
CartonStar V106	Horizontal			Sm-Med	100cpm		
ContonStar V108 CELPLAST PACK Arpac Masters	Vertical  AGING SYSTEMS Case & tray	Box, case & tray		Various Various	60cpm Various		www.arpac.com
	erectors	erector		various	various		www.arpac.com
TMI	Horizontal & Vertical cartoners	Fully automatic & Hand Load	All	All	Up to 1,400 min	Scales, volumetric, auger	Fast changeovers Flexible no change bucket design
CONSOLIDATED HC 120	TECHNOLOGIES IN		Hor	Wide renge	to 120 cpm	Manual	St-ST construction
1C-3200		D.C.S. O,ln,L,C,S	Hor. as above	Wide range as above	to 80cpm	Manual Auto	as above
IC-4100		F,O,In,L,C,S	as above	as above	to 300cpm	as above	as above
/DC 2900 ri-Seal Former		IN,L,C,S	Vert.	as above Variable	to 120 Variable	Auto Manual or Robot	as above Compact Monohu
SF 60	EMS INC (In Canada	Abbar Deel	Familian 47.4 N				Frame
Delkor Trayfecta Series Formers	Forms cartons, cases, and trays		1.4 forming heads	Up to 42" x 50" blanks	Up to 200 cpm		Simple 3-minute tool-less changeover. Ability to share tooling between machines. Ultra rigid & precise forming assembly allows machine to run paperboard and corrugated materials.
Delkor Capstone Series Closers	Tri-Seal, Harness Style, Flange-Seal, Cabrio Case	Servo-driven		Up to 15" wide	Up to 150 cpm		Delivers perfectly square cartons wi Intelligent Positioning technology
Delkor C-Series Robotic Loader	Collation - based robotic cell	Multiple servo-axis collator with delta robot	Top-Load	Up to 15" wide	Up to 500 packages per minute		Automatic clearing of defective products keeps th loader running through various product defects. Stainless steel construction & available with full washdown specs
Delkor V-Series Robotic Loader	Vision-based delta robotic cell	Single or multiple delta robots	Top-Load	Up to 15" wide	Up to 250 packages per minute		washdown specs Available with multi-pick tooling for high speeds, washdown available, integrates with Delkor Trayfecta Formers and Delkor Capstone Closers for a complete Delkor system.
ECONOCORP INC Mini Monoseal	(In Canada: Arpak Flap Gluer	Packaging; Marpa C, S	k Packaging Syster Carton flaps	1 x 1in. to 12 x 4	ochinery Solutions) Operator dictated	Manual	Simple & portable
S-System 2000	Horizontal	F, I, C, S	End-load	in. 1x3/4x2-1/2 to 2x4x12 in.	25 cpm	Manual or auto load	Stainless steel
conoseal Spartan		F, I, C, S	Folding & corrugated	2x1x5 to 10x4x12 in.	40 cpm	Auto load	Mechanically driven, stainless
'egasus	Horizontal Flexible	F, O, I, C, S	End load	2x3/4x5 to 8x3x12 in.	120 cpm	Auto or Manual	
ELEXI PACK MAC conocorp Twin Seal, E-2000, Spartan, Pegasus, cono-60 & T System	CHINERY SOLUTION End Load/Top Load Systems	IS INC F,O,In,C, S	Semi Auto, Intermittent & Continuous Motion	Varies per model	Up to 120 cpm		SS Construction, Economical solutions, Small Footprint
HARLUND INDU	ISTRIES LTD						
conocorp		Semi Automatic					
<b>iarpak ulma p</b> Rama	ACKAGING LLC Batpack	Sleever			up to 200/min		Fully electronic
LAPAK INC	Daipuon	5.50101			SP 10 200/111111		. any olootronio
	MAN (In Canada: Pro				400	Toules !	Leal C/ C
Kliklok FransFormer Kliklok ECT-625	Former	F	Topload-Glue &/or Lock Topload-Glue	16"Lx to 8"W	120 cpm 65 cpm	Topload Topload	Lock &/or Glue Ergonomic Remarkable Carte
MINION LO 1-020	i Utitidi	1	i opiodu-Gide	I OF LIU IU	OU OUIII	i ODIOGU	Tromainable Odill

MAKER AND	TYPE	OPERATION*	STYLE	CARTON SIZE	SPEED	FILLING	FEATURES
IODEL liklok Genesis	Former	F	Topload-Lock	16 3/4"L to 9 3/4"W	75 cpm	Topload	Fast & Large
liklok KFW	Former	F	Topload-Lock	13"L to 8"W	90 cpm	Topload	Carton Range Multi-head
liklok SR4W	Former	F	Topload-Lock or	28"L to 12"W	60 cpm	Topload	Workhorse Multi-head Large
liklok Vari-Right	Closer	C,S	Glue Tri Seal	15"L to 12"W to	120 cpm	Topload	Carton Infinite Variable
liklok	Closer	C,S	Tri Seal	5"D 15"L to 12"W to	200 cpm	Topload	Compact Variable Fast
ari-Straight liklok Vari-Pitch	Closer	C,S	Tri Seal, Tuck,	5"D 12"L to 12" W to	120 cpm	Topload	Straight Line Flap Tuck or Sea
liklok Enterprise	Horizontal	In,C	Flange Endload	5"D 11"L to 3 15/16"W to 13 1/2"D	150 to 200 cpm	Endload	Bag-n-Box, Articl Bucket, Centerlir
liklok Celox	Horizontal	In,C	Endload	11"L to 3 15/16" W	250 to 325 cpm	Endload	Design Frozen Entree
liklok Celox HP	Horizontal	In,C	Endload	to 12"D 14"L to 4 1/4" W to		Endload	High Performano Pizza Large
liklok SFR	Horizontal	In,C	Endload	15"D 10 1/4"L to 3 15/16"W to 13	135 cpm	Endload	Carton Format Small Footprint Flexible Infeed
liklok Eco Sleever	Horizontal	In,C	Endload	3/16"D 11 13/16"L to 8 11/16"W to 2	100 cpm	Endload	Open Ended Sleeve - Ready
liklok Certiwrap	Horizontal	L,S	Wraparound	15/16"D 10 5/8"L x 19	150 cpm	Wrap	Meals Wide Range of
50 liklok Certiwrap		•		5/8"W			Products
) )	Horizontal	L,S	Wraparound	10 5/8"L x 19 5/8"W	80 cpm	Wrap	Economical
KRONESMACHII ariocart C-40	RSC corrugated cartons			Inquire	8 - 40 cartons/min		
ariocart C-50	RSC corrugated cartons			Inquire	15 - 50 cartons/min		
ariocart CM-40	RSC corrugated			Inquire	8 - 40 cartons/min		
ariocol carton lid	RSC corrugated cartons			Inquire	60 - 120 packs/min		
ANGEN PACKAG	ING INC	F.O.I. O.O.			400		On an decima
-1000	Autoload Hor.	F,O,In,C,S	end load		180 cpm		Open design, Carton Pre-brea Servo Driven, Variety of Infeed
hinook	Autoload Hor.	F,O,In,C,S	end load		500 cpm		Stainless Steel, Continuous Moti Rotary Carton Feeder, Servo
1-M	Manual Hor.	F,O,C,S	end load		120 cpm		Driven Continuous or intermittent motion tuck or glue, rotal
I & M PACKAGIN osch/Massman	G ASSOCIATES LT	D FOCS	Top & Side	Large Range		Wide Variety of	Turn Key Lines
ASSMAN AUTOR lassman utomation	MATION DESIGNS I	LC				Options	
EMBERTON & AS	SSOCIATES INC	F 0 1 1 0 0					
ineberry HSF	JFACTURING INC Servo	F, O, In, L, C, S  Leaflet insertion,	Vertical or	Up to 28"	Up to 500 per		
eries Friction eeder		Collation systems	Horizontal		minute		
PLAN AUTOMAT ouglas Machine	Horizontal	Intermittent		2" - 15" Pitch	200 cpm	Automatic loading	
ROPACK PROCE ropack	SSING & PACKAG Robotic Loader	ING SYSTEMS INC	Top Load End Load	110mm x 80mm x 25mm 508 x 330mm x	to 160 cpm		ABB Robot, A-B Controls
CUNCIDED DAC	(ACING FOUIDMEN	IT CO INC. (In Con-	ada. Carth Dannari	250mm			
CCL	Vertical	F, O, Fi, C, S	ada: Garth Dangerfi Interm	Wide range			
PEEDWAY PACK PM-553S	AGING MACHINER Case Sealer	YY		max.19.7W19.7 H	2400 carton per		Side belt drive
PM-554TS	Case Sealer			max 19.7W 19.7 H	hour		Top and side be
PM-553SFTB	Case Sealer			6" and up L x 4.75" - 19.5" W X 3.34" -	2400 cartons per		Side Belt Drive
PM-557F	Case Sealer			19.5H Max. 19.7W/H X	66'/min		Side Belt Drive
PM-558F	Random Case Sealer			27.6L L300 - 500 x W 200 - 500 x H	66'/min		Side Belt Drive
PM 562M	Mini Case Sealer			160-500mm Max 7.9" w/h - any	1200 cartons per		Side Belt Drive
SHMA INNOVAT shma	Vertical & horizontal	Semi & Fully Automated	er & Co. Ltd., Richmo Tuck Glue, Cable & Flip-tops,etc.		Up to 1000 cpm	Volumetric scales, robotics etc.	SSconst.
RIANGLE PACKA	Cartoners AGE MACHINERY C Horizontal Bag-In			Up to 9"L x 7"W	100cpm	belt load	Small footprint
RINAMICS INCO	RPORATED Horizontal Cartoner	· O,I,C,S	Knocked down	x13"D various	to 120 cpm	Manual & auto load cartoner	coding, gluing
FR2000ML, AL, ALX							Upgradable to A



### touch the future

#### Inspiring ideas for success

drupa is the **must-attend event in 2016**: Starting point of highly promising visions. Focus of future technologies. Meeting point of ideas that electrify the markets.

Innovative business models and best-practice examples will show the growth potential of the future: print, packaging production, green printing, functional printing, multichannel and 3D printing.

daily news, trends, innovations blog.drupa.com



May 31 - June 10, 2016 Düsseldorf/Germany www.drupa.com

Share **y** f in **X** 

Canadian German Chamber of Industry and Commerce Inc.
Your contact: Stefan Egge
480 University Avenue \_Suite\_1500 Toronto, ON, M5d 120
Tel. (416)598-1524\_Fax (416)598-1840
messeduesseldorf@germanchamber.ca
For Travel Information: LM Travel/Carlson Wagonlit









## Compliance today and tomorrow







Domino. Do more.

MODEL	TYPE	OPERATION* ST	YLE CARTON SIZ	ZE SPEED FILLI	ING FEATURES
MODEL T2060	Top loader	F,O,In,L,C,S Top	p load 250x210x15mm max	m 80cpm Autom	natic cGMP compliant
CASE PACK	AGING		mux		
MAKER & MODE		CASE SIZE RANGE	SPEED	OPERATION	FEATURES
3M CANADA INC a20		6"-no limit L x 6"-21.5"W x4.75"- 21.5" HWx21.5"H max	Up to 30 cpm	Semi-Automatic, Adjustable	Bottom belt drive; 2" AccuGlide II+ taping heads
a70		6"-no limit L x 6"-21.5"W x 4.75"-21.5"H	up to 30 cpm	Semi-Automatic, Adjustable	Upper & Lower belt drive; 2" AccuGlide II+ taping heads
70		6"-no limit L x 6"-21.5"W x 4.75"-21.5"H	up to 15 cpm	Fully Random	Upper & Lower belt drive; 2" AccuGlide II+ taping heads
a80		6"-no limit L x 6"-21.5"W x 4.75"-21.5"H 6"-no limit L x 6"-21.5"W x	up to 30	Semi-Automatic, Adjustable	Side belt drive; 2" & 3"AccuGlide II+ taping Heads
a80-b		4.75"-21.5"H	up to 30	Semi-Automatic, Adjustable	Bottom seal only; side beltdrive; 2"AccuGlide II+ taping heads
200a		6"-no limit L x 6"-21.5"W x 4.75"-28.5"H	up to 40 cpm	Semi-Automatic, Adjustable	Bottom belt drive; 2" & 3" AccuGlide 3 taping heads
7000A/A3		6"-no limit L x 6"-21.5"W x 3.5"-28.5"H	up to 40 cpm	Semi-Automatic, Adjustable	Upper & Lower belt drive; 2" & 3" AccuGlide 3 taping heads
7000R		6"-no limit L x 6"-21.5"W x 3.5"-28.5"H	up to 30 cpm	Semi-Automatic, Adjustable	Stainless Steel; Upper & Lowe belt drive; 2" & 3" AccuGlide II- taping heads
8000A/A3		6"-no limit L x 7"-25.5"W x 4"-36"H	up to 40 cpm	Semi-Automatic, Adjustable	Large Cases; Upper & Lower belt drive; 2",3" & 6" AccuGlide
ABB INC BUSINES	S UNIT RO	BOTICS			3 taping heads
RB 260 RB 360				Material handling, case packaging, pick and place As above	30 kg payload, 1.50m reach, IP67 protection 3 kg payload, 15600mm
ALEX E JONES & A	ASSOCIATE	ES LTD		AS above	working area, IP69 protection
Hartness - Model 28 Bottle and Can pac	300 Servo		Up to 40cpm	Fully Automatic, Servo	Pack cases or trays, 2oz up to 2.5 gallon containers
Edson Packaging - I		3 6" to 20"	Up to 10 cpm Up to 22 cpm	Semi-automatic Fully Automatic	Pneumatic and Servo Pneumatic and Servo, 5 minut
3500 Hartness - GlobalPa	ack	Various	60+ cpm	Continuous	change-over High speed continuous rotary
Hartness - Model 83 Bottle and Can page		Various	Up to 30 cpm	Fully Automatic	motion Pack cases or trays, 2oz up to 2.5 gallon containers
Edson Packaging - I Hartness - CM/HTW	Model 3200	3.5 Various Sizes	Up to 22 cpm Up to 60 cpm	Fully Automatic Continuous Motion	Pneumatic and Servo Best in class, hot melt closure
			- E - A Abril	2020 INDUOT	flexible and fast change-over features
BEST PACKAGING BM 7000a	SYSTEMS	6" - no limit L 6.5 - 25W x 4.25 -	Up to 40cpm	Semi-Automatic	Adjustable top & bottom drive
7000r random		28H 6" - no limit L x 6.5 - 22W x	Up to 19cpm	Fully	Random top & bottom drive
300a		4.25 - 26H 6' - no limit L x 4.25 - 22W x 3.5 - 28H	Up to 40cpm	Semi-automatic	Adjustable side belt drive
BIZERBA CANADA	A INC	450X450mm	140ppm	Horizontal	Fully integrated solutions
CPS CLP		Various 600X500X500mm	120ppm	Gravity or Vacuum Horizontal	Quick change-over Available for metal detection,
BLUEPRINT AUTO		IC (In Canada: Flexi-Pack Mac	hinery Solutions; Techno Pak)		checkweighing, case labelling
Robotic Top Loader		Varied	Up to 100ppm; up to 300 ppm with BPA Smart-Trak Collation	Top loading of secondary containers	Easily adapted to large changes in package and container styles. Higher speed
			es Downer & Co. Ltd., Richmon		with less maintenance.
Elematic 1000 SL C	ase packer	150-400mm L 150-500mm W 50-350mm H	to 25/min.	Servo drives, modern IPC control, most components automated. low blank mag.	Large blank magazine as a standard (profeeder). Blank dimensions: min. 200x300mm
				height, designed for 24/7 operation	max. 1100x700mm
Elematic 2000 Serie	es	60-250mm L 150-600mm W 60-240mm H	15-50/min	Wrap around vertical	Packaging, Flexibility, ideal for RRP, Wrap around or tray with
	NG SYSTEM		harles Downer Co. Ltd., Richm	nond Hill, ON)	llid
TBL BRADMAN LAKE I	NC	Top loading, case packaging, RSC	30 cpm		
SLCP/BLCP Case F automatic side/botto	Packer-fully	Wide range		Top, side or bottom load case packers for pre-formed case	Wide range features
NR2 Coss Barling		Wide range	un to 10 casco/micute	applications. Glue or tape closure.	Wide range feetures
WR2 Case Packer - wraparound WX600 / MX1200 C		Wide range Wide range	up to 10 cases/minute.  up to 24 cpm	Wrap around case packer - Compact footprint Robotic top load case packer	Wide range features  Innovative, modular, robotic,
robotic top load		do rango	ар ко 2-т ории		case packer featuring extensive size range
RTSW / ITSW / SR\ Wrapper - fully auto		Wide range			A range of automatic, single and twin reel machines with
MX600CE - Case E	rector - fulls	Wide range	up to 30 cases/minute	Compact footprint, erects and	integral collators and / or feed conveyors.  Wide range features
automatic				seals bottom flaps of RSC and HSC cases	
WR3 / WR4 / WR5 ( Packer - wraparoun		Wide range	up to 30 cases per minute	Produce finished cases in 3, 4, and 5 indexing stages	machine because it performs
				respectively.	fewer processes at each stage It can collate and load product
CHARLES DOWNE Bosch Sigpack Syst	R & CO LT				into wranground cases or trave
gpaon Oyol	tems	<b>D</b> Various	Up to 40 cases/min	Robotic	
Bosch PAUD	iems		Up to 40 cases/min Up to 25 cases/min	Robotic  Vertical & or horizontal	5 min changeovers, very flexible Robotic, quick change, very
Bosch Paal		Various Various	<u> </u>		5 min changeovers, very flexible
Bosch Paal CONSOLIDATED T Robotic Case Packe	ECHNOLO	Various Various Various GIES INC Wide range	Up to 25 cases/min Up to 50 cases/min 16cpm	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe 20R	ECHNOLOGER SCF 20L	Various Various Various GIES INC Wide range Wide range	Up to 25 cases/min Up to 50 cases/min 16cpm 22cpm	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe 20R Side Load Case Pac Wrap Around Case/	ECHNOLOGE SCF 20L er Unicell cker SLP25 Tray packer	Various Various GIES INC Wide range Wide range Wide range Wide range	Up to 25 cases/min Up to 50 cases/min 16cpm 22cpm 20 Cases per minute	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe 20R Bide Load Case Pack Wrap Around Case/ DELKOR SYSTE Delkor Spot-Pak Pa	ECHNOLOGE SCF 20Ler Unicell cker SLP25 Tray packer MS INC (In 0	Various Various Various GIES INC Wide range Wide range Wide Range	Up to 25 cases/min Up to 50 cases/min 16cpm 22cpm 20 Cases per minute	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe 20R Bide Load Case Pack Wrap Around Case/ DELKOR SYSTE Delkor Spot-Pak Pa	ECHNOLOGE SCF 20Ler Unicell cker SLP25 Tray packer MS INC (In 0	Various  Various  Various  GIES INC  Wide range  Wide range  Wide Range  Vide range  Canada: Abbey Packaging Equ	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel d Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available
Bosch PAUD Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe Robotic Case Packe Side Load Case Pack Wrap Around Case/ DELKOR SYSTEI Delkor Spot-Pak Pa System	ECHNOLOGE SCF 20Ler Unicell cker SLP25 Tray packer MS INC (In 0	Various  Various  Various  GIES INC  Wide range  Wide range  Wide Range  Vide range  Canada: Abbey Packaging Equ	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel  4 Fast tool-less changeover in less than 10 minutes, washdown, clear print-registered film, available with tray/shrink and case-packing flexibility for a
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe 20R Bide Load Case Pack Wrap Around Case/ DELKOR SYSTE Delkor Spot-Pak Pa	TECHNOLOGY FERRET SCF 20L FOR Unicell Coker SLP25 Tray packer MS INC (In 0 ckaging	Various  Various  Various  GIES INC  Wide range  Wide range  Wide Range  Vide range  Canada: Abbey Packaging Equ	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel  Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe 20R Side Load Case Pac Wrap Around Case/ DELKOR SYSTEI Delkor Spot-Pak Pa System	TECHNOLOGY FERRET SCF 20L FOR Unicell Coker SLP25 Tray packer MS INC (In 0 ckaging	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel  4 Fast tool-less changeover in less than 10 minutes, washdown, clear orprint-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP an standard cases. Fast tool-less changeover in less than 10
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe Robotic Case Packe 20R Side Load Case Pac Wrap Around Case/ DELKOR SYSTEI Delkor Spot-Pak Pa System  Delkor Flex Loader	TECHNOLOGY FERRET SCF 20L FOR Unicell Coker SLP25 Tray packer MS INC (In 0 ckaging	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel  4 Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP and standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe Robotic Case Packe 20R Side Load Case Pac Wrap Around Case/ DELKOR SYSTEI Delkor Spot-Pak Pa System  Delkor Flex Loader	TECHNOLOGY FERRET SCF 20L FOR Unicell Coker SLP25 Tray packer MS INC (In 0 ckaging	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm  20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  d Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP an standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe Robotic Case Packe Side Load Case Pack Wrap Around Case/ DELKOR SYSTEI Delkor Spot-Pak Pa System  Delkor Flex Loader	TECHNOLOGY FERRET SCF 20L FOR Unicell Coker SLP25 Tray packer MS INC (In 0 ckaging	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel  4 Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with traylshrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP an standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with jam-proof robotic collation stylians.
Bosch Paal  CONSOLIDATED T  Robotic Case Packe Robotic Case Packe Robotic Case Packe Robotic Case Packe Rote Load Case Pai  Prap Around Case!  Delkor Systel  Delkor Systen  Delkor Flex Loader	TECHNOLOGY FERRET SCF 20L FOR Unicell Coker SLP25 Tray packer MS INC (In 0 ckaging	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm  20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel  5 fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP an standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with iam-proof robotic collation styl. Loads cups, tubs, and FFS packages into SRP and
Bosch Paal CONSOLIDATED T Robotic Case Packe Roboti	ECHNOLO er SCF 20L er Unicell cker SLP25 Tray packer MS INC (In (ckaging)	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  d Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP and standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with jam-proof robotic collation styl. Loads cups, tubs, and FFS
Bosch Paal  CONSOLIDATED T  Robotic Case Packe Robo	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  Stainless Steel  d Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP an standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with iam-proof robotic collation styl. Loads cups, tubs, and FFS packages into SRP and standard shippers. Directly
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Rob	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  stipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 30 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel Stainless Steel  5 Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with traylshrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP an standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with iam-proof robotic collation styl. Loads cups, tubs, and FFS packages into SRP and standard shippers. Directly picks product from filler.
Bosch Paal CONSOLIDATED T Robotic Case Packe Roboti	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 60 cases/min  Up to 60 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  Stainless Steel  d Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP an standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with iam-proof robotic collation styl. Loads cups, tubs, and FFS packages into SRP and standard shippers. Directly picks product from filler.  Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe Robotic Case Packe Side Load Case Pack Bide Load Case Pack For Paround Case Delkor System  Delkor Spot-Pak Pa System  Delkor Flex Loader Delkor MSP-200  Delkor D Series  DUS ENTERPRISE: DUS Carton Sealers	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 60 cases/min  Up to 60 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  5 tainless Steel  6 Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with traylshrink and case-packing flexibility for a true multi-format line.  Loads cups, tubs, bottles, and sleeved products into SRP and standard cases. Fast tool-less changeover in less than 10 minutes.  Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover luftra flexible system with jam-proof robotic collation styll.  Loads cups, tubs, and FFS packages into SRP and standard shippers. Directly picks product from filler.  Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain drive; interlocked safety gates or doors; Essy access panels
Bosch Paal CONSOLIDATED T Robotic Case Packe Roboti	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide  Up to 20" wide  Up to 20" wide  About 12" L X 8.5" W X 9.25"D  Min. 8" L X 6" W X5"D	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 60 cases/min  Up to 60 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load  Top-Load	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  Stainless Steel  Stainless Steel  Stainless Steel  The stain of the stainless Steel  Stainless Steel  Stainless Steel  Stainless Steel  Stainless Steel  The stainless Steel  Stainless Steel  Stainless Steel  Stainless Steel  Stainless Steel  The stainless Steel  Stainles
Bosch Paal CONSOLIDATED T Robotic Case Packe Ride Load Case Packe Ride Load Case Packe Robotic Case Packe Ride Load Case Packe Robotic Case Packe	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ Up to 20" wide  Up to 20" wide  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 60 cases/min  Up to 60 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load  Top-Load  Top-Load  Top and bottom sealers  Automatic	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  5 fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP and standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with jam-proof robotic collation styl. Loads cups, tubs, and FFS packages into SRP and standard shippers. Directly picks product from filler.  Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain drive; interlocked safety gates or doors; Easy access panels around the machine Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain
Bosch Paal CONSOLIDATED T Robotic Case Packe Ride Load Case Packe Ride Load Case Packe Robotic Case Packe Ride Load Case Packe Robotic Case Packe	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ  Up to 20" wide  Up to 20" wide  Up to 20" wide  Up to 20" wide  About 12" L X 8.5" W X 9.25"D  Min. 8" L X 6" W X5"D	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 60 cases/min  Up to 60 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load  Top-Load  Top-Load  Top and bottom sealers  Automatic	5 min changeovers, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC RRP, Wraparound, RSC Robot, Stainless Steel  5 fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP and sleeved products into SRP and standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with jam-proof robotic collation styll. Loads cups, tubs, and FFS packages into SRP and standard shippers. Directly picks product from filler.  Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain drive; interlocked safety gates or doors; Easy access panels around the machine Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain drive; interlocked safety gates or doors; Easy access panels around the machine Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain drive; interlocked safety gates or doors; Easy access panels around the machine
Bosch Paal CONSOLIDATED T Robotic Case Packe Ride Load Case Packe Ride Load Case Packe Robotic Case Packe Ride Load Case Packe Robotic Case Packe	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  GIES INC  Wide range  Wide range  Wide range  Canada: Abbey Packaging Equ Up to 20" wide  Min. 7" LX 4" W X 5" D  Max. 12" L X 8.5" W X 9.25" D  Min. 8" L X 6" W X 5"D  Min. 14" L X 10" W X 5"D	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  sipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 60 cases/min  Up to 60 cases/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load  Top-Load  Top-Load  Top and bottom sealers  Automatic	flexible RRP, Wraparound, RSC Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel
Bosch Paal CONSOLIDATED T Robotic Case Packe Robotic Case Packe Robotic Case Packe Side Load Case Packe Side Load Case Packe Delkor Around Case Delkor System  Delkor Flex Loader Delkor MSP-200  Delkor D Series  DUS ENTERPRISE DJS Carton Sealers EAGLE PACKAG Boxxer 2118	ECHNOLOGE SCF 20L or Unicell Cker SLP25 Tray packer MS INC (In 6 ckaging Series	Various  Various  Various  GIES INC  Wide range Wide range Wide range Wide range Up to 20" wide  All to 20" wide  Up to 20" wide  Up to 20" wide	Up to 25 cases/min  Up to 50 cases/min  16cpm 22cpm 20 Cases per minute  Ilipment Ltd) Up to 60 bundles/min  Up to 80 cases/min  Up to 30 cases/min  Up to 60 cases/min  1,000 p/h  40/min	Vertical & or horizontal  Fully automatic servo  Fully Automatic Top Load  Manual or Automatic  Intermittent  Fully Automatic  Loads flat corrugated pads and shrink-bundles unit to form a complete shipper  Top-Load  Top-Load  Top-Load  Top and bottom sealers  Automatic  Automatic	5 min changeovers, very flexible Robotic, quick change, very flexible Robotic, quick change, very flexible RRP, Wraparound, RSC Robot, Stainless Steel  Stainless Steel  Stainless Steel  d Fast tool-less changeover in less than 10 minutes, washdown, clear or print-registered film, available with tray/shrink and case-packing flexibility for a true multi-format line. Loads cups, tubs, bottles, and sleeved products into SRP and standard cases. Fast tool-less changeover in less than 10 minutes. Loads flexible pouches into the Cabrio Case SRP as well as standard interleaved shippers. Highly automated changeover Ultra flexible system with iama-proof robotic collation styl. Loads cups, tubs, and FFS packages into SRP and standard shippers. Directly picks product from filler.  Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain drive; interlocked safety gates or doors; Easy access panels around the machine Erecting corrugated case with glue; Heavy duty, welded stee frame; Quick size change over package; Mechanical chain drive; interlocked safety gates or doors; Easy access panels around the machine

MAKER & MODEL Boxxer 4235	CASE SIZE RANGE Min. 10" L x 6" W X 9"D Max 24" L x 20" W X 24.5"D	SPEED 22/min.	OPERATION Automatic	FEATURES Erecting corrugated case with glue; Heavy duty, welded steel frame; Quick size change over package; Mechanical chain drive; interlocked safety gates
Boxxer 4839	Min. 20" L x 18" W X 10"D Max. 26" L x 22" W X 17"D	22/ min	Automatic	or doors; Easy access panels around the machine Erecting corrugated case with glue; Heavy duty, welded steel frame; Quick size change over package; Mechanical chain
Boxxer Auto Lock	Min. 10" Lx6" W x 9" D - Max 20" Lx12" Wx16" D Knock Down - Min. 16" L X 12" W - Max. 20"L X 12" W	20/min.	Automatic	drive; interlocked safety gates or doors; Easy access panels around the machine Erecting corrugated cases self-locking, fold & tuck styles - no glue/no tape; quick size change-over, Heavy duty,
	X 16"D - Knockdown: 28"W x 32"D			welded steel frame; Interlocked safety gates or doors; Low
Boxxer FOL	Min. 10" Lx6"Wx8"D Max.15.5"Lx7.5"Wx11"D	18/min	Automatic	maintenance mechanical drive Erecting corrugated case with glue; Heavy duty, welded steel frame; Quick size change over package; Mechanical chain drive; interlocked safety gates
Boxxer T-12	Min. 11"Lx7.5"Wx6"D Max 24"Lx15.75"x19"D	12/min	Automatic	or doors  Erecting corrugated case with tape; Quick change-over; Interlocked safety gates or doors; low maintenance mechancial drive; Venturi vacuum used in case erection;
Boxxer T-4036	Min.11"Lx9"W X 6"D Max. 24"L x 16"w X 20"D	18/min	Automatic	Small footprint Erecting corrugated case with tape; Heavy duty, welded steel frame; Quick size change over package; Mechanical chain drive; Interlocked safety gates or doors; Easy access panels
Poplok TSF	Wide range of sizes	15/min	Automatic	around the machine Tuck styles - no glue/no tape; 2, 4 or multi-fold & tuck available; Form large or small trays with or without a lid; Quick size adjustment - no mandrel
Poplok	Wide range of sizes	20/min.	Automatic	required; top sheet feed Tuck styles - no glue/no tape; 2, 4 or multi-fold & tuck available; Form large or small trays with or without a lid; Quick size adjustment - no mandrel
Vassoyo 3029	Min. 9"L x 7" W X 1.5"D Max 22"L X 21" W X 6" D	40/min.	Automatic	required; Quick change-over Erecting corrugated tray with glue; Quick size change-over; Compact footprint; High Speed - up to 40 trays minute; Mechanical low maintenance
Vassoyo 3934	Min. 14" L x 6" W X 1.5" D Max 32" L x 28" W X 8" D	40/min.	Automatic	drive: large tray size range. Erecting corrugated tray with glue; Quick size change-over; Compact footprint: Hig Speed - up to 40 trays minute; Mechanical low maintenance drive: large tray size range.
Vassoyo Clamshell  VassoyoAir	Min. 12" L x 8" W X 2" D Max 18" L x 12" W X 6" D	30/min.	Automatic	Erecting corrugated tray with glue; Quick size change-over; Compact footprint: Hig Speed - up to 40 trays minute; Mechanical low maintenance drive: large tray size range.  Erecting corrugated tray with
Showcase	Max. 23" Lx15" X11"D	22/11111.	Automatic	glue; retractable mandrels; Quick size change-over; compact footprint; large tray size range - run large or small trays
VassoyoAir	Min. 14"Lx10"Wx2"D Max.32"x28"Wx8"D	22/min.	Automatic	Erecting corrugated tray with glue; Quck size change-over; Compact footprint; large size range- run large or small trays, with or without lids
Boxxer Case Packer	For bags, containers, jugs, cartons			
1000	ERY LTD (In Canada: Alex E J	3-5cpm	Semi-Automatic	Pneumatic or servo
3200 3300 ELLIOTT MFG CO INC (In Car Elliott Model 9110 Servopac	3.5" - 20" 6" - 20" nada: Chisholm Machinery Sale Min: 8"Lx6"Wx5"H; Max:	3-22cpm 3-10cpm es Limited) Up to 30 cpm	Fully Automatic Fully Automatic Top load	Pneumatic & Servo Drive Pneumatic & Servo Drive Servo driven, fully
pick and place case packer	23"Lx16"Wx16"H  LTD (In Canada: Fanuc Robot	· ·	Top load	programmable, gentle product handling.
LR Mate Series M6iB	up to 6kg payload up to 6kg payload		Picking, Packing and Assembly  Picking and Packing 0.08 mm	5 or 6 degrees of free dom, +/-0.04 mm repeatability, tabletop size 6 degrees of freedom, +/-
LUAND.		T 5000/	repeatability, large work envelope	
M16iB Flexi Pack Machinery Soi		To 520°/sec	Picking and Packing	As above
Blueprint Automation - Gravity Packer		Up to 300 ppm	Drop Packing	Compact, Efficient, Fast Changeover
Robotic Series - HPP, VPP & Swing	Varies	Product Dependent	Pick and Place, Horizontal, Vertical and Both H&V	High payload, Smart Trak
Delta Case Packer	Varies			Collation AB Controls
		Product and Pattern Dependent	Delta Robot case Packer	Compact, Fast, ABB, Fanuc and BPA Robots
GO PACKAGING 3M-Matic	6' x 6' x 4.75" minimum	Dependent 40 case/min	Automatic	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head
GO PACKAGING 3M-Matic Lantech C-1000	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum	Dependent  40 case/min 15 case/min	Automatic Automatic	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes
GO PACKAGING 3M-Matic Lantech C-1000  Lantech C-300  GO 601	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum	Dependent 40 case/min	Automatic	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case
GO PACKAGING 3M-Matic Lantech C-1000  Lantech C-300  GO 601  HARLUND INDUSTRIES LTD  Econocorp	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum	Dependent  40 case/min 15 case/min	Automatic Automatic Automatic	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top
GO PACKAGING 3M-Matic Lantech C-1000  Lantech C-300  GO 601  HARLUND INDUSTRIES LTD ECONOCOTP HARPAK ULMA PACKAGING RAMA RM	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum	Dependent 40 case/min 15 case/min 10 case/min  Varied 13-20	Automatic Automatic Automatic Semi-automatic	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601 HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 835 Packers	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum	Dependent 40 case/min 15 case/min 10 case/min  Varied 13-20	Automatic Automatic Automatic Semi-automatic Semi Automatic	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective Side belt drive and top compression rollers  Wraparound & RSC  Air transfer Positive handling, all sizes and
GO PACKAGING 3M-Matic Lantech C-1000  Lantech C-300  GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 835 Packers Model D-1000 Decaser Global Pack 3500	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A	Dependent 40 case/min 15 case/min 10 case/min  Varied 13-20 ssoc.) 30 cpm	Automatic Automatic Automatic Semi-automatic Semi Automatic Wraparound Bottles & cans	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer
GO PACKAGING 3M-Matic Lantech C-1000  Lantech C-300  GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 835 Packers Model D-1000 Decaser Global Pack 3500  KRONESMACHINERY CR LT	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A Full range wide range TD Inquire	Dependent  40 case/min  15 case/min  10 case/min  Varied 13-20 ssoc.) 30 cpm  60+  10 - 25 Output packs per min.	Automatic Automatic Automatic Semi-automatic Semi Automatic Wraparound Bottles & cans Auto	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes  Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer  Positive handling, all sizes and shapes, minimal space needed
GO PACKAGING 3M-Matic Lantech C-1000  Lantech C-300  GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARPAK ULMA PACKAGING MACHESS INTERNATIONAL 835 Packers Model D-1000 Decaser Global Pack 3500  KRONESMACHINERY CR LT Modulpac Variopac Pro	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A. Full range wide range	Dependent  40 case/min  15 case/min  10 case/min  Varied 13-20  ssoc.)  30 cpm  30 cpm  60+	Automatic Automatic Semi-automatic Semi Automatic Wraparound Bottles & cans Auto Continuous Continuous motion	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles Places cans, containers into paperboard or corrugated
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601 HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 835 Packers Model D-1000 Decaser Global Pack 3500 • KRONESMACHINERY CR LT Modulpac Varioline Packer	6' x 6' x 4.75" minimum 7 7/8' x 5 7/8" x 5 7/8" minimum 7 7/8' x 5 7/8" x 5 7/8" minimum 6' x 5'' x 4" minimum 6' x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A Full range wide range TD Inquire Inquire Inquire	Dependent  40 case/min 15 case/min  10 case/min  10 case/min  Varied 13-20 ssoc.) 30 cpm 30 cpm 60+  10 - 25 Output packs per min. 30 - 100 packs/min  30 - 80 pack/min	Automatic Automatic Automatic Semi-automatic Semi-automatic Wraparound Bottles & cans Auto Continuous Continuous motion Continuous motion Intermittent motion	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles Places cans, containers into
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 835 Packers Model D-1000 Decaser Global Pack 3500  KRONESMACHINERY CR LT Modulpac Varioline Packer	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6' x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A Full range wide range TD Inquire Inquire Inquire	Dependent  40 case/min  15 case/min  10 case/min  10 case/min  Varied 13-20  ssoc.)  30 cpm  30 cpm  60+  10 - 25 Output packs per min.  30 - 100 packs/min  30 - 80 pack/min	Automatic Automatic  Semi-automatic  Semi-automatic  Semi Automatic  Wraparound  Bottles & cans Auto  Continuous  Continuous motion  Continuous motion	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes  Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer  Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles  Places cans, containers into paperboard or corrugated packs  Servo motor controlled  Cam controlled  Handles all steps from the individual container to the
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601 HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTHESS INTERNATIONAL 335 Packers Model D-1000 Decaser Global Pack 3500 KRONESMACHINERY CR LT Modulpac Variopac Pro Varioline Packer Robot Series Contipac Linapac II Bilitzpac ErgoBloc KUKA ROBOTICS CANADA L	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum 6" x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A Full range wide range TD Inquire	Dependent  40 case/min 15 case/min  10 case/min  30 cpm  30 cpm  30 cpm  40 cpm  30 - 100 packs/min  30 - 80 pack/min  Inquire Inquire Inquire Inquire Inquire Inquire Inquire Inquire	Automatic Automatic Automatic Semi-automatic Semi-automatic  Semi Automatic Wraparound Bottles & cans Auto Continuous Continuous motion Intermittent motion Intermittent motion Intermittent motion Intermittent motion	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles Places cans, containers into paperboard or corrugated packs  Servo motor controlled Cam controlled Handles all steps from the
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601 HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 335 Packers Model D-1000 Decaser Global Pack 3500 • KRONESMACHINERY CR LT Modulpac Varioline Packer  Robot Series Contipac Linapac II Bilitzpac ErgoBloc  KUKA ROBOTICS CANADA L* KR AGILUS  LANGEN PACKAGING INC LRC-500	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum 6" x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A Full range wide range TD Inquire Inquire Inquire Inquire Inquire Inquire Inquire Inquire D TD Variable	Dependent  40 case/min 15 case/min 10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  30 cpm  30 cpm  30 cpm  30 cpm  30 - 100 packs/min  10 - 25 Output packs per min. 30 - 80 pack/min  10 - 80 pack/min  10 case/min  10 case/	Automatic Automatic Automatic Semi-automatic Semi-automatic Wraparound Bottles & cans Auto Continuous Continuous motion Intermittent motion Intermittent motion Intermittent motion Inquiry Case packing, material handling Top load robotic packaging (trays, cases)	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles Places cans, containers into paperboard or corrugated packs  Servo motor controlled Cam controlled Handles all steps from the individual container to the finished  5 and 6-axis, 6 - 10kg payload, 700 - 1100mm reach  Collision guard, path optimization, variety of opt. Add-on features incl. Palletizing
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 835 Packers Model D-1000 Decaser Global Pack 3500  KRONESMACHINERY CR LT Modulpac Variopac Pro Varioline Packer  Robot Series Contipac Linapac II Blitzpac ErgoBloc  KUKA ROBOTICS CANADA L' KR AGILUS  LANGEN PACKAGING INC LRC-500 BORA	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum 6" x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A Full range wide range D Inquire	Dependent  40 case/min 15 case/min 10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  30 cpm  30 cpm  60+  10 - 25 Output packs per min. 30 - 100 packs/min  30 - 80 pack/min  Inquire Inquire Inquire Inquire Inquire PET  Contact KUKA Robotics for a free cycle time analysis with your product	Automatic Automatic Automatic Semi-automatic Semi-automatic  Semi-automatic  Wraparound Bottles & cans Auto Continuous motion Continuous motion Intermittent motion Intermittent motion Intermittent motion Intermittent motion Inquiry  Case packing, material handling Top load robotic packaging	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes  Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer  Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles  Places cans, containers into paperboard or corrugated packs  Servo motor controlled  Cam controlled  Handles all steps from the individual container to the finished  5 and 6-axis, 6 - 10kg payload, 700 - 1100mm reach  Collision guard, path optimization, variety of opt.
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 835 Packers Model D-1000 Decaser Global Pack 3500  KRONESMACHINERY CR LT Modulpac Variopac Pro Varioline Packer  Kobot Series Contipac Linapac II Blitzpac ErgoBloc  KUKA ROBOTICS CANADA L' KR AGILUS  LANGEN PACKAGING INC LRC-500 BORA  M & M PACKAGING ASSOCIA MASSMANI/ABC MARRQ PACKAGING SYSTEMS	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6" x 5" x 4" minimum 6" x 5" x 4" minimum  C" x 5" x 4" minimum  LLC Various (In Canada: Alex E. Jones & A Full range wide range Inquire	Dependent  40 case/min 15 case/min 10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  30 cpm  30 cpm  30 cpm  30 cpm  30 - 100 packs/min  10 - 25 Output packs per min. 30 - 80 pack/min  10 - 80 pack/min  10 case/min  10 case/	Automatic Automatic Automatic Semi-automatic Semi-automatic Wraparound Bottles & cans Auto Continuous Continuous motion Intermittent motion Intermittent motion Intermittent motion Inquiry Case packing, material handling Top load robotic packaging (trays, cases)	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes  Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer  Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles  Places cans, containers into paperboard or corrugated packs  Servo motor controlled Cam controlled Cam controlled Handles all steps from the individual container to the finished  5 and 6-axis, 6 - 10kg payload, 700 - 1100mm reach  Collision guard, path optimization, variety of ot. Add-on features inct. Palletizing Integrated case erector, Ladtenia sizes erector, Ladtenia sizes and path optimization, variety of ot. Add-on features inct. Palletizing Integrated case erector, Ladtenia sizes are case rector.
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 335 Packers Model D-1000 Decaser Global Pack 3500  KRONESMACHINERY CR LT Modulpac Variopac Pro Varioline Packer  Robot Series Contipac Linapac II Bilitzpac ErgoBloc KUKA ROBOTICS CANADA L' KR AGILUS  LANGEN PACKAGING INC LRC-500 BORA  M& M PACKAGING ASSOCIA Massmanl/ABC MARQ PACKAGING SYSTEMS MARQ Series erector/sealer 220	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6' x 5" x 4" minimum 6" x 5" x 4" minimum  Cluc Various (In Canada: Alex E. Jones & A. Full range wide range Inquire	Dependent  40 case/min 15 case/min 10 case/min 10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 case/min  10 - 25 Output packs per min. 10 - 25 Output packs per min. 10 - 80 pack/min  10 - 80 pack/min  Inquire Inquire Inquire Inquire Inquire Inquire Inquire 200-500 ppm  10 cases/min  Med. to High Up to 1200 cph	Automatic Automatic Automatic Semi-automatic Semi-automatic  Semi Automatic  Wraparound Bottles & cans Auto Continuous Continuous motion Continuous motion Intermittent motion Intermitten	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles Places cans, containers into paperboard or corrugated packs  Servo motor controlled Cam controlled Cam controlled Cam controlled Cam controlled 1 Handles all steps from the individual container to the finished  5 and 6-axis, 6 - 10kg payload, 700 - 1100mm reach  Collision guard, path optimization, variety of opt. Add-on features incl. Palletizing Integrated case erector, loading and sealer
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601 HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTHESS INTERNATIONAL 335 Packers Model D-1000 Decaser Global Pack 3500 KRONESMACHINERY CR LT Modulpac Variopac Pro Varioline Packer  Robot Series Contipac Linapac II Bilitzpac ErgoBloc KUKA ROBOTICS CANADA L' KR AGILUS  LANGEN PACKAGING INC LRC-500 BORA M & M PACKAGING ASSOCIA MASSMANIABC MARQ PACKAGING SYSTEMS MARQ HPA top & bottom case sealer	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6' x 5" x 4" minimum 6" x 5" x 4" minimum  Cluc Various (In Canada: Alex E. Jones & A. Full range wide range Inquire	Dependent  40 case/min  15 case/min  10 case/min  10 case/min  10 case/min  10 case/min  Varied 13-20  ssoc.)  30 cpm  60+  10 - 25 Output packs per min.  30 - 100 packs/min  30 - 80 pack/min  Inquire Inqui	Automatic Automatic  Automatic  Semi-automatic  Semi-automatic  Semi Automatic  Wraparound  Bottles & cans Auto  Continuous motion Continuous motion Intermittent motion Intermittent motion Intermittent motion Inquiry  Case packing, material handling  Top load robotic packaging (trays, cases)  Top Load Case Packer  Semi & Fully Auto.	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes  Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer  Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles  Places cans, containers into paperboard or corrugated packs  Servo motor controlled  Cam controlled  Handles all steps from the individual container to the finished  Collision guard, path optimization, variety of opt. Add-on features incl. Palletizing Integrated case erector, loading and sealer
GO PACKAGING 3M-Matic Lantech C-1000 Lantech C-300 GO 601 HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 335 Packers Model D-1000 Decaser Global Pack 3500  * KRONESMACHINERY CR LT Modulpac Variopac Pro Varioline Packer  Robot Series Contipac Linapac II Bilitzpac ErgoBloc  KUKA ROBOTICS CANADA L' KR AGILUS  LANGEN PACKAGING INC LRC-500 BORA M & M PACKAGING ASSOCIA Massman/ABC MARQ Series erector/sealer 220 MARS MARQ HPA top & bottom case sealer	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" 7 7/8" x 5 7/8" x 5 7/8" minimum 6' x 5" x 4" minimum 6" x 5" x 4" minimum 6" x 5" x 4" minimum  Cluc Various (In Canada: Alex E. Jones & A Full range wide range TD Inquire Inquire Inquire Inquire Inquire Inquire Inquire Inquire D  Variable 7x6x5 to 25x20x20 TES LTD Large S INC 6X5.25X3.5 to 27X18.5X18 8x8x5 to 22x22x20 in.  SIGNS LLC 8x5x3 to 30x24x24 in.	Dependent  40 case/min  15 case/min  10 cases/min  10 cases/min  Med. to High  Up to 1800 cph  To 17 cpm	Automatic Automatic Automatic Semi-automatic Semi-automatic Wraparound Bottles & cans Auto Continuous Continuous motion Continuous motion Intermittent motion Intermittent motion Intermittent motion Inquiry Case packing, material handling Top load robotic packaging (trays, cases) Top Load Case Packer Semi & Fully Auto. Automatic Automatic Fully automatic bottom loader	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles Places cans, containers into paperboard or corrugated packs  Servo motor controlled Cam controlled Handles all steps from the individual container to the finished  Collision guard, path optimization, variety of opt. Add-on features incl. Palletizing Integrated case erector, loading and sealer  230 VAC, sets up cases on demand Runs on 110/220 VAC, 60 or 102 in. length, tape or hot melt glue  Mild steel or Stainless steel construction. Very compact frame, servo driven motions
GO PACKAGING 3M-Matic Lantech C-1000  Lantech C-300  GO 601  HARLUND INDUSTRIES LTD Econocorp HARPAK ULMA PACKAGING RAMA RM HARTNESS INTERNATIONAL 335 Packers Model D-1000 Decaser  Global Pack 3500	6' x 6' x 4.75" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 7 7/8" x 5 7/8" x 5 7/8" minimum 6' x 5" x 4" minimum 6" x 5" x 4" minimum 6" x 5" x 4" minimum 6" x 5" x 4" minimum  10  LLC Various (In Canada: Alex E. Jones & A Full range wide range TD Inquire Constant Const	Dependent  40 case/min 15 case/min 10 cases/min 10 cases/min 10 cases/min 10 cases/min 10 cases/min 10 cases/min	Automatic Automatic Automatic Semi-automatic Semi-automatic  Semi Automatic  Wraparound Bottles & cans Auto Continuous Continuous motion Continuous motion Intermittent motion Intermittent motion Intermittent motion Inquiry  Case packing, material handling  Top load robotic packaging (trays, cases)  Top Load Case Packer  Semi & Fully Auto. Automatic Automatic	Compact, Fast, ABB, Fanuc and BPA Robots  3M AccuGlide Taping Head Handles wide range of case sizes  Cost effective  Side belt drive and top compression rollers  Wraparound & RSC  Air transfer  Positive handling, all sizes and shapes, minimal space needed  Handles wraparound, trays, pads, U Board, bundles  Places cans, containers into paperboard or corrugated packs  Servo motor controlled  Cam controlled  Handles all steps from the individual container to the finished  5 and 6-axis, 6 - 10kg payload, 700 - 1100mm reach  Collision guard, path optimization, variety of opt. Add-on features incl. Palletizing Integrated case erector, loading and sealer  230 VAC, sets up cases on demand  Runs on 110/220 VAC, 60 or 102 in. length, tape or hot melt glilled size of stainless steel construction. Very compact

CASE PACKAGING				
MAKER & MODEL	CASE SIZE RANGE	SPEED	OPERATION	FEATURES
Continuous		To 60 cpm	As above	A-B PLC, PV HMI, Servos, Robust design
<b>OMA PACKAGING (In Canad</b>	a: Newmapak Ltd)			-
OMA Packaging	Typical RSC Cases	up to 25 cases per minute	Pick and Place style packer	Compact, efficient, price competitive
PEARSON PACKAGING SYS	TEMS (In Canada: Alex E. Jone	es and Assoc.)		
MP35 Multipacker	21"L x 17"W	35 cpm	Loads four 6-pack carriers, six 4-pack carriers, or three 8-pack carriers into trays/cases	In-line or crossflow feed of carriers & cases
MP50 Multipacker	14.25-15.5L, 8.75-11.3W, 15" open depth max	50 cpm	High speed multipacker for beverage & brewing	
<ul> <li>PLAN AUTOMATION INC</li> </ul>			-	
Douglas Machine	4" x 18"	Up to 60 cpm	Intermittent and continuous	All Servo
PPI TECHNOLOGIES GROUP	(In Canada: Charles Downer &	& Co., Ltd, Richmond Hill, ON	I; Aesus Packaging Systems, Poi	
Meurer	All	50 cpm	Fill and load	End of line
PREMIER TECH CHRONOS Premier Tech Chronos Robotic		Up to 20 picks/minute		- simple operation; no flap
Case Packer				holder needed thanks to robotic motion - designed to meet the most stringent safety standards currently on the market
ROBOPAC SA (In Canada: C	artier Packaging, Saint-Césaire	e, QC)		, , , , , , , , , , , , , , , , , , , ,
SuperBox Case Erector	L 250 mm - 600 mm W 170mm - 410mm H 90mm - 500 mm	,,	Automatic Cardboard Case Erector	Standard Feed Storage Unit Capacity: 50/60 Standard tape
SATURN PACKAGING EQUIP	PMENT			
Case-It	20'-20"	to 25cpm	Various	
SCHNEIDER PACKAGING EC	QUIPMENT CO INC (In Canada	: Garth Dangerfield)		
HCP-10F	As required	10cpm	Automatic horizontal load	Small size, visual status display of any product, economical
HCP-30	As required	30cpm	As above	High speed
VCP-25	As required	30 cpm	Automatic top load	Vertical Top or Bottom load
TP-35	As required	35cpm	Automatic side load	High speed tray
SPEEDWAY PACKAGING MA	ACHINERY			
SPM-553S	4.7	66'/min	Semi-automatic	Side belt drive
SPM-563	10"-20"L x 8"-16"W x 4"-20"H		Semi-automatic	Top & side belt drive
SPM-563P	L: 250-500mm W: 200-400mm H: 100-500mm		Semi-automatic	Side belt drive

MAKER & MODEL	CASE SIZE RANGE	SPEED	OPERATION	FEATURES
STANDARD KNAPP INC (In C	Canada: B & T Sales Inc.)			
939 drop packer	As required	50 cpm	Packs bottles, cans and 6-packs	Cushion lift table; self-adjustin lane guides
Tritium tray packer	As required	120 cpm	Loads pack and loose cans & bottles into trays	Wraparound type
Tritium Shrink wrapper	As required	120 cpm	Shrinkwraps trayed products	
Continuous motion case packers	As required	Up to 70 cpm	Loads PET or glass bottles into cases or trays	Gentle handling, simple design
TRINAMICS INCORPORATED				
Top Load, Side Load, Wrap Around, Bottom load		40 cases per minute		
VIBAC CANADA INC				
Complete line of Case Sealing Products				
<ul> <li>WEIGHPACK SYSTEMS INC</li> </ul>				
V-25	Up to 100 lbs	Up to 30/min		
V-1	Up to 2 lbs	Up to 60/min		
V-9	Up to 10 lbs	Up to 45/min		
AW-9	Up to 10lbs	Up to 15/min		
AW-1	Up to 2.5 lbs	Up to 15/min		
WEXXAR PACKAGING MACH	INERY LTD			
WEXXAR WF Series case former-bottom sealers	Min. 8x6x4 in.; max. 22x16x13 in. (over/under sizing optional)	Up to 30 cpm	Fully automatic with PLC and 10 min. or less size change	Various models for bottom closure with cold glue, hot mel or P.S. tape
WEXXAR/BEI Sealers		Up to 65 cpm	Fully automatic, with unique features and 2 min. size change	Various models for top and bottom or top only sealing with cold glue, hot melt or P.S. tape
YAMATO CORPORATION				g, or 1 101 tap
FCP	20"L x 22"W x 22"D	Up to 150/min	Servo	Vertical and horizontal pack pattern. Easily handles stand-up pouches. Multi-axis design. No-tool changeover.
	Canada: Yaskawa Canada, Inc	c., Mississauga, ON)		
MH24 Robot	X	High	Wide variety	24 kg, 6-axis, 3,088 mm reach
MH12 Robot	X	High	Wide variety	12 kg, 6-axis, 2,511 mm reach





### Hitachi Industrial Equipment

Hitachi Industrial Equipment Systems Co., Ltd. Hitachi America, Ltd.





MAKER & MODI HP20, HP50 HP50-		SIZE RANGE	SPEED	OF Hig	PERATION ph	FEATURI Up to 50 kg	payload
MPK50	4 axis			Hig	,	Up to 2,525 Up to 50 kg	mm reach payload Up to
CHECKWEI	GHING					1,893 mm i	each
MAKER AND	SPEED CAPACITY NG EQUIPMENT LT	ACCURACY TOLERANCE	WEIGHT CAPACITY	REJECT MECHANISM	RECORD CONTROL	SPECIAL FEATURES	CHANGE OVER
nritsu Industrial iolutions USA Inc. SVh High ccuracy Series	600ppm	+/- 0.01g	0.4g-3kg	Various	Yes	Combined Metal Detector, Variable Speed, Touch Screen, GMP/HACP, Ethernet and USB, High Accuracy,	Tool-Free
nritsu Industrial iolutions USA Inc. iSVi Washdown ieries	330ppm	+/- 0.1g	6g-15kg	Various	Yes	Force Balance Combined Metal Detector Washdown, Variable Speed, High Accuracy, Touch Screen, GMP/HACCP,	Tool-Free
nritsu Industrial solutions USA Inc. SVf Versatile series	400ppm	+/- 0.2g	6g-25kg	Various	Yes	Ethernet and USB Combined Metal Detector, Variable Speed, Touch Screen, GMP/HACCP, Ethernet and USB	Tool-Free
	ASSOCIATES LTD Varies dependent on product	Varies dependent on product	Up to 5 Kg			Available for various applications, such as mixing and blending. Can be paired with VFFS, HFFS or multiple point discharge packaging machinery	Tool-Less
Atom	Varies dependent on product	Varies dependent on product	Up to 5 Kg			As above	Tool-Less
BIZERBA CANADA Bizerba CWM Beries	250 ppm	0.1g-20g	750g-60kg	Air Blow Pusher	Yes	Touchscreen integrated with	
CWE	400 ppm	0.1g-5g	20g-15,000	Drop down sorter Air Blow Pusher Drop down sorter	Yes	Touchscreen integrated with metal detector	
COMBISCALE LI	Up to 70/min		Up to 55 lbs				
CS 1.5L CS 2.5L	Up to 120/min Up to 120/min		Up to 7 lbs Up to 18 lbs				
rimoWeigher rimoWeigher rimoWeigher	200+/min 200+/min Up to 80/min		Up to 7 lbs Up to 18 lbs Up to 55 lbs				
COUSINEAU PACI Matrix Scales							
Eagle PI Systems	nada: Plan Automa Up to 120mpm and 1500ppm		0 - 150lb	Air Knife, Piston Arm, Drop Nose, Etc.	EagleTrace Server, SQF, CVS, etc.	Packaged or Raw Product Inspection: Automatic product inspection and rejection for: contaminants, check-weighing and defects. Patented MDX Dual Energy X-ray for unparalleled detection of low-density contaminants such as: plastic, rubber,	Recipe Driven,
SPEDA (In Conce	da, Wast Saaling Da	okazina Sundico 8	- Equipment Conc	and ON		bones, stones, glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.	
S5000 Series - conomical Weigh	da: Heat Sealing Pa Up to 65 packs per minute		ւ Equipment, Concւ	ord ON) Lateral exhaust, flipper sorting, Camera Control Inspection	Wide range of editing, manual and automatic updating, data recording and exporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15'Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer /	Minimal time due to automatic adjustment of product guides, printer, label position, and label
S5000 Series - conomical Weigh rice Labeler  S6000 Series - /eigh Price abeling Machine or Heavy	Up to 65 packs per	1g	& Equipment, Conce	Lateral exhaust, flipper sorting, Camera Control	editing, manual and automatic updating, data recording and	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print,	Minimal time due to automatic adjustment of product guides, printer, label
:S5000 Series - conomical Weigh trice Labeler  :S6000 Series - Veigh Price abeling Machine or Heavy lackages :S7000 Series - Veigh Price	Up to 45 packs per minute	1g		Lateral exhaust, flipper sorting, Camera Control Inspection	editing, manual and automatic updating, data recording and exporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15'Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options  Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation
S5000 Series - conomical Weigh rice Labeler  S6000 Series - leigh Price abeling Machine or Heavy ackages S7000 Series - leigh Price abeling Robot	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs	1g	Max 80kg	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera	editing, manual and automatic updating, data recording and exporting  As above	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options  Same as above plus completely modular and expandable, low pressure wash down, automatic	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation As above
S5000 Series - conomical Weigh rice Labeler  S6000 Series - leigh Price abeling Machine or Heavy ackages S7000 Series - leigh Price abeling Robot	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC	1g	Max 80kg	Lateral exhaust, filipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, filipper sorting, Camera Control Inspection	editing, manual and automatic updating, data recording and exporting  As above  As above	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above
S5000 Series - conomical Weigh rice Labeler  S6000 Series - leigh Price abeling Machine r Heavy ackages S7000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Machine ARPAK ULMA P, IGI EAT & CONTROI	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  Up to 150 packs per minute  L CAKAGING LLC Various  L CANADA INC	1g	Max 80kg	Lateral exhaust, filipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, filipper sorting, Camera Control Inspection  As above	editing, manual and automatic updating, data recording and exporting  As above  As above	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above
S5000 Series - conomical Weigh rice Labeler  S6000 Series - feigh Price abeling Machine or Heavy ackages S7000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Machine ARPAK ULMA P, IGI  IGI  IEAT & CONTROI thida DACS-G	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC Various	1g	Max 80kg Max 10kg	Lateral exhaust, filipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, filipper sorting, Camera Control Inspection  As above	editing, manual and automatic updating, data recording and exporting  As above  As above	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products
SS000 Series - conomical Weigh rice Labeler  SS000 Series - Veigh Price abeling Machine or Heavy ackages ST000 Series - Veigh Price abeling Robot  SS000 Series - Veigh Price abeling Robot  SS000 Series - Veigh Price abeling Machine IARPAK ULMA P, DIGI IEAT & CONTROI shida DACS-G  Shida DACS-WN Checkweighers  KRONESMACHIN	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC Various L CANADA INC to 600 ppm  to 330 wpm	1g 1g 0.5g to +/0.1g	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range	Lateral exhaust, filipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, filipper sorting, Camera Control Inspection  As above  Various  Various  Soft push, continuous motion or case divider. Designed to suit	editing, manual and automatic updating, data recording and exporting  As above  As above	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity
SS000 Series - Control of the Contro	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC Various L CANADA INC to 600 ppm  to 330 wpm	1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  : Ross Packaging)	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Soft push, continuous motion or case divider.	editing, manual and automatic updating, data recording and exporting  As above  As above	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch screen, Allen	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells
SS000 Series - conomical Weigh rice Labeler  S6000 Series - leigh Price abeling Machine r Heavy ackages S7000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Machine ARPAK ULMA P. IGI EAT & CONTROI hida DACS-WN heckweighers  KRONESMACHIR heckmat  OMA SYSTEMS I CW 3000, 6000, heavy weight  METTLER TOLEI 3000	Up to 45 packs per minute  Up to 45 packs per minute  Up to 150 packs per minute  Up to 150 packs per minute  ACKAGING LLC Various to 330 wpm  NERY CR LTD Inquire  NC (In B.C. & Alta. 350/450 ppm 300	1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  Ross Packaging) +0.6 g  System Limited, Oa	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range 300-50,000g  300 gr 6000 gr	Lateral exhaust, filipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, filipper sorting, Camera Control Inspection  As above  Various  Various  Soft push, continuous motion or case divider. Designed to suit application	editing, manual and automatic updating, data recording and exporting  As above  As above  Enet & OPC washdown	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or
S5000 Series - conomical Weigh rice Labeler  S6000 Series - teigh Price abbeling Machine r Heavy ackages S7000 Series - teigh Price abbeling Robot  S8000 Series - teigh Price abbeling Robot  S8000 Series - teigh Price abbeling Robot  S8000 Series - teigh Price abbeling Machine ARPAK ULMA P, IGI EAT & CONTROI hida DACS-WN heckweighers  KRONESMACHIN heckmat  DMA SYSTEMS I DW 3000, 6000, heavy weight  METTLER TOLEI 3000 METTLER TOLEI 3000 Eneckweigher Series Modular  Series Modular	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC Various L CANADA INC to 600 ppm  to 330 wpm  NERY CR LTD Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  DD INC (Shawpak 3	1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  Ross Packaging) +0.6 g  System Limited, Oa	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range 300-50,000g  300 gr 6000 gr	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Various  Soft push, continuous motion or case divider. Designed to suit application  to suit	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch screen, Allen	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen
S5000 Series - conomical Weigh rice Labeler  S6000 Series - feigh Price abeling Machine r Heavy ackages S7000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Machine ARPAK ULMA P. IGI EAT & CONTROI hida DACS-G  Mida DACS-WN heckweighers  KRONESMACHIN heckmat  METTLER TOLEI 3000 heckweigher Series Modular heckweighers C Series Ompact	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC  Various  L CANADA INC  to 600 ppm  to 330 wpm  NERY CR LTD  Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  DO INC (Shawpak 3400 ppm	1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  Ross Packaging) +0.6 g  System Limited, Oa 200 mg	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range 300-50,000g  300 gr 6000 gr	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Soft push, continuous motion or case divider. Designed to suit application to suit  Option	editing, manual and automatic updating, data recording and exporting  As above  As above  Enet & OPC washdown  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch screen, Allen	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less  Ill models 1 min or less  Ill models 1 min or less
S5000 Series - conomical Weigh rice Labeler  S6000 Series - leigh Price abeling Machine r Heavy ackages S7000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Machine ARPAK ULMA P. IGI EAT & CONTROI shida DACS-WN heckweighers  KRONESMACHIN heckweigher Series Modular heckweigher C Series ompact heckweighers D Series heckeighers	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC Various  L CANADA INC to 600 ppm  to 330 wpm  NERY CR LTD Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  DO INC (Shawpak 400 ppm  300 ppm  100 ppm  200 ppm	1g  1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  Ross Packaging) +0.6 g  System Limited, Oa 200 mg  200 mg  1g  300 mg	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range  300-50,000g  300 gr 6000 gr  kville, ON) 10 kg 6 kg 3 kg 6 kg	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Various  Soft push, continuous motion or case divider. Designed to suit application  to suit  Option  Option  Option	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting  Wide range of reporting  Limited reporting  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15'Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, soro Construction, various printer / applicator options As above  Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based fouch screen, Allen Bradley Controls	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less
S5000 Series - conomical Weigh rice Labeler  S6000 Series - leigh Price abeling Machine r Heavy ackages S7000 Series - leigh Price abeling Robot  S8000 Seri	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC  Various  L CANADA INC  to 600 ppm  to 330 wpm  NERY CR LTD  Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  DO INC (Shawpak 3400 ppm  300 ppm  100 ppm	1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  : Ross Packaging) +0.6 g  System Limited, Oa 200 mg 200 mg 1g	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range 300-50,000g  300 gr 6000 gr  ikville, ON) 10 kg 6 kg 3 kg	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Soft push, continuous motion or case divider. Designed to suit application to suit  Option  Option  Option	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting  Wide range of reporting  Limited reporting  Wide range of	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation.  15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options Same as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch screen, Allen	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less
S5000 Series - conomical Weigh rice Labeler  S6000 Series - leigh Price abeling Machine r Heavy ackages S7000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Robot  S8000 Series - leigh Price abeling Machine ARPAK ULMA P. IGI  EAT & CONTROI shida DACS-WN heckweighers  KRONESMACHII heckweighers CW 3000, 6000, heavy weight  METTLER TOLEI 3000 heckweigher C Series compact heckweighers D Series heckweighers D Series heckweigher heckweigher heckweigher Lo Series heckweigher	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC  Various  L CANADA INC  to 600 ppm  to 330 wpm  NERY CR LTD  Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  300 ppm  100 ppm  100 ppm  200 ppm  400 ppm	1g  1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  Ross Packaging) +0.6 g  System Limited, Oa 200 mg  200 mg  1g  300 mg	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range  300-50,000g  300 gr 6000 gr  kville, ON) 10 kg 6 kg 3 kg 6 kg	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Various  Soft push, continuous motion or case divider. Designed to suit application  to suit  Option  Option  Option	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation. 15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options As above  System designed syandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch screen, Allen Bradley Controls  Custom Metal	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less
SS000 Series - conomical Weigh rice Labeler  S6000 Series - feigh Price abeling Machine r Heavy ackages S7000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Robot  S8000 Series - feigh Price abeling Machine ARPAK ULMA P, IGI  EAT & CONTROI hida DACS-WN heckweighers  KRONESMACHIN heckweighers  CW 3000, 6000, heavy weight  METTLER TOLEI 3000 heckweighers CW solon, 6000, heavy weight  METTLER TOLEI 3000 heckweighers Series Modular heckweighers Cseries ompact heckweighers D Series heckeighers heckweigher letal Detector ombination igh Load and End f Line heckweighers here weigher heckweighers	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC  Various  L CANADA INC  to 600 ppm  to 330 wpm  NERY CR LTD  Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  300 ppm  100 ppm  100 ppm  200 ppm  400 ppm	1g  1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  : Ross Packaging) +0.6 g  System Limited, Oa 200 mg 200 mg 1g 300 mg 200 mg	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range 300-50,000g  300 gr 6000 gr  ikville, ON) 10 kg 6 kg 3 kg 6 kg 10 kg	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Various  Soft push, continuous motion or case divider. Designed to suit application  to suit  Option  Option  Option  Option  Option	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation. 15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options As above  System designed syandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch screen, Allen Bradley Controls  Custom Metal	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less
SS000 Series - conomical Weigh rice Labeler  S6000 Series - Veigh Price abeling Machine r Heavy ackages S7000 Series - Veigh Price abeling Robot  S6000 Series - Veigh Price abeling Robot  S7000 Series - Veigh Price abeling Robot  S7000 Series - Veigh Price abeling Machine IARPAK ULMA P, ISIO  IBAT & CONTROL Shida DACS-WN Checkweighers  KRONESMACHII CW 3000, 6000, theavy weight  METTLER TOLE( 3000)	Up to 45 packs per minute  Up to 45 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC  Various  L CANADA INC  to 600 ppm  to 330 wpm  NERY CR LTD Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  100 ppm  200 ppm  400 ppm  200 ppm  400 ppm  80 ppm	1g  1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  : Ross Packaging) +0.6 g  System Limited, Oa 200 mg 200 mg 1g 300 mg 200 mg 200 mg 200 mg	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range 300-50,000g  300 gr 6000 gr  kville, ON) 10 kg 6 kg 3 kg 6 kg 10 kg	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Various  Soft push, continuous motion or case divider. Designed to suit application  to suit  Option  Option  Option  Option  Option	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting  Wide range of reporting  Limited reporting  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation. 15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less
SS000 Series - conomical Weigh rice Labeler  SS6000 Series - Veigh Price abeling Machine or Heavy ackages SS7000 Series - Veigh Price abeling Robot  SS6000 Series - Veigh Price abeling Robot  SS6000 Series - Veigh Price abeling Machine IARPAK ULMA P, DIGI IEAT & CONTROI shida DACS-G  Shida DACS-WN Checkweighers  KRONESMACHIN CW 3000, 6000, theavy weight  METTLER TOLEI S3000 Checkweighers CS Series CONTROI STEPPEN Modular CHECKWEIGHERS CONTROI STEPPEN MODULAR CONTROI STEPPEN MODULAR CS SERIES CONTROI SERIES CHECKWEIGHERS CONTROI SERIES CONTR	Up to 45 packs perminute  Up to 45 packs perminute  Up to 120 packs perminute  Up to 150 packs per minute  ACKAGING LLC  Various  L CANADA INC  to 600 ppm  to 330 wpm  NERY CR LTD Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  300 ppm  100 ppm  200 ppm  400 ppm  400 ppm  400 ppm  500 ppm  400 ppm  500 ppm  400 ppm  400 ppm  600 cpm	1g  1g  1g  1g  0.5g  to +/0.1g  to +/0.1g  Per application  Ross Packaging) +0.6 g  System Limited, Oa 200 mg  200 mg  1g  300 mg  200 mg  200 mg  200 mg  1mC +0.1 gram	Max 80kg  Max 10kg  600-1500/300-60,0 00g multi-range 300-50,000g  300 gr 6000 gr  6kville, ON) 10 kg 6 kg 10 kg 100 kg 600 g  up to 6,000g (e=2.0g)  12 kg	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Various  Soft push, continuous motion or case divider. Designed to suit application  Option  Option  Option  Option  Option  Option  Pusher, air blowing nozzle, diverger  n/a	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation. 15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options System designed to suit customer application  Product memory, PC based touch screen, Allen Bradley Controls  Serialization track and trace  Lighly modern technology with an optimum efficiency. SPC	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less Electronic
SS000 Series - conomical Weigh rice Labeler  S6000 Series - Veigh Price abeling Machine or Heavy ackages S7000 Series - Veigh Price abeling Robot  S6000 Series - Veigh Price abeling Robot  S7000 Series - Veigh Price abeling Robot  S7000 Series - Veigh Price abeling Machine AARPAK ULMA P, OICH AIRPAK ULMA P, OICH Checkweighers  KRONESMACHIN Checkweighers  CW 3000, 6000, A heavy weight  METTLER TOLEI 3000  Methoekweighers  C Series Modular heckweighers  METTLER TOLEI 3000  METT	Up to 45 packs per minute  Up to 150 packs per minute  Up to 120 packs per minute  Up to 150 packs per minute  ACKAGING LLC Various  L CANADA INC to 600 ppm  to 330 wpm  NERY CR LTD  Inquire  NC (In B.C. & Alta. 350/450 ppm 300 ppm  100 ppm  200 ppm  400 ppm  200 ppm  400 ppm  400 ppm  500 ppm  400 ppm  400 ppm  400 ppm  400 ppm  500 ppm  ADA  up to 170 m/min  EERING COMPANY 6000 cpm  6000 cpm	1g  1g  1g  1g  1g  1o.5g  to +/0.1g  to +/0.1g  Per application  Ross Packaging) +0.6 g  System Limited, Oa 200 mg  200 mg  200 mg  200 mg  200 mg  200 mg	Max 80kg  Max 10kg  600-1500/300-60,0 600g multi-range 300-50,000g  300 gr 6000 gr  ikville, ON) 10 kg 6 kg 3 kg 6 kg 100 kg 600 g  up to 6,000g (e=2.0g)	Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Pop up reject system, Lateral exhaust, flipper sorting, Camera Control Inspection  As above  Various  Various  Various  Various  Various  Option  Option	editing, manual and automatic updating, data recording and exporting  As above  As above  As above  Enet & OPC washdown  Wide range of reporting	glass, etc. EagleTrace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcode reader. Unmatched Canadian service and parts support from PLAN Automation. 15 Touch Screen Interface, SS Construction, no compressed air, small foot print, various printer / applicator options SS Construction, various printer / applicator options SS Construction, various printer / applicator options SAme as above plus completely modular and expandable, low pressure wash down, automatic printer bridge and product guides As above  System designed to suit customer application  Product memory, PC based touch screen, Allen Bradley Controls  Serialization track and trace  Highly modern technology with an optimum efficiency	Minimal time due to automatic adjustment of product guides, printer, label position, and label rotation  As above  As above  Versatile, multi-range weighing capacity 100 products memory, dual load cells  Touchscreen  All models 1 min or less  All models 1 min or less

MODEL Weigh Right IO-1F	CAPACITY	TOLERAN		WEIGHT CAPACITY	MECHANISM	RECC CON1		SPECIAL FEATURE	S	5-10mins
Weigh Right IQ-1E PPI TECHNOLOGI PPI NOW		To 1 gram nada: Charles +/-0.01%	Down	10lbs. er & Co., Ltd, Richr 1 lb	nond Hill, ON; Aesus	<u>n/a</u> <b>s Pack</b> Yes	aging Syste	ms, Pointe C	laire, Q	5-10mins C) Under 30 minute:
PREMIER TECH C	HRONOS				100	.03		Detector		endor do minute:
Premier Tech Chronos E Series High Speed Net Weigh Scales	Up to 35 weighments/min (simple configuration)	+ 0.5 to 1.4 c	Z.	20 lb to 110 lb				Gravity or be feeder Servomotor- led feed gate	control	
E Series Net Weigh Scales	Up to 20 weighments/min (simplex configuration)	+ 0.5 to 3.5 c		10 lb to 110 lb				Gravity, belt, gravity-vibrat screw, or vib feeder	ory,	
THERMO FISHER Thermo Scientific™ VersaWeigh™Che ckweigher			nding	r Scientific, Burling Maximum 10,000 grams	gton, ON) Rejects custom per application	Tracke	r option			
Thermo Scientific™ Versa 8120 Food Chain Checkweigher	6-167 meters/min	0.5-1.5g dep on application		Maximum 11000 grams	Rejects custom per application	Tracke	r option			
Thermo Scientific™ Teorema Checkweigher	Up to 160 meters/min	application		Maximum 1500 grams	Air Flipper, Air Bopper rejects	Tracke	r option			
Thermo Scientific™ Versa Frame 44/44HD Heavy-Duty	Up to 164 meters/min	15-25 g depe on application		Up to 110 lbs	Air Pusher, Swing Gate, Lift-N-Push rejects			In-line weigh cases, bags, large packag	and	
Checkweigher Thermo Scientific™ Versa GP Checkweigher	210-350PPM	0.1-1g deper on application		Maximum 2500 grams	Rejects custom per application			Weigh your small-to-large packages, Se footprint adju	mall	
Thermo Scientific™ Versa Rx	300-550PPM	0.05g dependent on application		2-500 g	Rejects custom per application			Weighs pharmaceutitubes, bottles pouches or c with track & t	s, artons	
VC999 CANADA XtraVac CW7220 Checkweigher	LTD 30-70 bag / min (adjustable)	±1-4 g		0.01 ~ 9.999kg		commu port RS	unication S485	Belt size and weighing ran can be custo	ge	
WEIGHPACK SY PrimoLinear V-25	Up to 15/min.			Up to 50 lbs						
PrimoLinear V-Mini PrimoLinear V-5	Up to 45/min.			Up to 0.5lbs Up to 5 lbs						
Star Auger 100 Star Auger 200	Up to 90/min. Up to 70/min.			Up to 1 lbs UP to 5 lbs						
PrimoCombi 0.5L	Up to 140/min 200+/min			Up to 0.5 lbs Up to 7 lbs						
PrimoCombi 2.5 L	200+/min Up to 80/min			Up to 18 lbs Up to 55 lbs						
YAMATO CORPO! Series	480ppm	+/- 0.15g			Air, diverter, drop or push			IP-67 washd (IP-69K optic Auto tuning. verification. Optional prin	n). Reject	
CODING MA Waker and M	ARKING, IMP ODEL APPLICA		SPE	ED .	PRINT AREA		PACKAGE	SIZE	FEAT	URES
	ASSOCIATES LTE Model Programab Transfer Pr	le Thermal	up to	400mm per second	Continuous 2"x1.97" Intermittent 2"x1.18"		Unlimited		control accura use of directly package	e ribbon advance for the most te and economic ribbon. Prints onto flexible ing, labels, bags
Norwood Marking - AK-15 BEST PACKAGING	·	Imprinting	Up to	150ppm	2" x 2"		Unlimited		Intermi cost rib	aps and more. ttent motion, Lov bon usage, Clea UPC code.
Squid Ink JetLine	None conta	ct DOD inkjet			.75' or .5" W 7- dot character		Various		Touch interfac	screen user e
Squid ink PZ Pilot F Squid Ink AutoPilot CODING PRODUC	Hi-Resoluti	on	167'/n 135'/n						Entry L	evel
AT IJet	Smart codii technology quick and c on product	ng with HP Suited for lean printing surfaces in the tical, chemical		180 m/min with a tion of 300 dpi	print height up to 12.	.5mm	unlimited		operati animat simple	multi tasking ng system with ed graphics for operation. Has a photo sensor.
Linx 5900	Small Char printer		6.83 n	neters per second	10.7 mm		Unlimited		Ideal fo	
Linx SL102 Laser p	rinter 10 watt scri		minute	00 meters per	407mm		Unlimited Unlimited		market require colour	t tube life on the , no factory air d for cooling, touch screen button start up,
	printer			·					easy cl module upto 10 cleanin	nange service e, touch screen a 00 starts between g
Linx SL302 Scribino Laser	fast lines, a	x codes on nd even on k materials	over 2 minute	:50 meters per	407 mm		Unlimited		graphic	werful 30W lase nigh quality text s and Data Matr onto awide range erials
Linx SL 501 Laser markiing system	high-speed application beverage, l	s in the prewing and	over 7 minute	00 meters per	135mm		Unlimited		Ideal for where require	or high speed line complex codes a d or for products e hard to mark
	food indust	nes. acter printer			170 mm		Unlimited		for thos	eld operation ide se without ors and manual
AMI Hand Held Prir	iller Small Char								convey	uon
DIAGRAPH (In Qu Linx	ebec: Visuascan I Non Contac	nc.)	1200	FPM			Various		produc	uous carton and t coding
DIAGRAPH (In Qu Linx DOMINO PRINTI	ebec: Visuascan I Non Contac NG SOLUTIONS IN Ink Jet cod	nc.) ct IC ng designed to t and simplify			up to 4 lines of print; characters per line				Continuproduce  Dominor printer printer operate to use and go task. (2 quickly action. stays coink-you	ous carton and coding o's A320i ink jet offes a service fiplus: (1) The or interface is ea just enter the jc on to the next (2) Simplified disp puts the printer
AMI Hand Held Prin  DIAGRAPH (In Qu Linx  DOMINO PRINTII A320i Ink jet	ebec: Visuascan I Non Contar NG SOLUTIONS IN Ink Jet cod reduce cos	nc.) tt  IC ng designed to t and simplify ion line.	max 3			255	Unlimited		Contining produce Contining produce Contining produce Contining printer printer operate to use and go task. (2 quickly action. Stays c. The A4 capabil the ger i-Tech versatil Special Contining Special Contining Special Continues Continu	Jous carton and a coding of the coding of th
DIAGRAPH (In Qu .inx DOMINO PRINTI A320i Ink jet	ebec: Visuascan I  Non Contat  NG SOLUTIONS II  Ink Jet cod reduce cos the product	nc.)  IC  Ing designed to a and simplify ion line.	max 3	25m/min	characters per line up to 4 lines of print;	255 255 255	Unlimited		produce  Continuproduce  Dominiprinter printer operate to use and go action, stays continue action, stays continue gerical action, stays continue gerical action, special ink for the ASS.	Jous carton and tooding  o's A320i ink jet offes a service fiplus: (1) The or interface is ea just enter the jc on to the next jo Simplified disp puts the printer of the p

CODING MARKI	•	00550	DDINT ADEA	DA 01/4 05 0175	FFATUREO
MAKER AND MODEL D620i	APPLICATION  Ideal for high speed beverage packaging or serialisation requirements, both human readable and 2D data matrix coding.	SPEED 2000 characters per second; 600 m/min; 1970 ft/ min	PRINT AREA 50 x 50 up to 180 x 180 mm (character height from 0.6mm to size of mark field)	PACKAGE SIZE Unlimited	FEATURES Increased power and speed, combined with an optional IP65-rated version, result in the D620 laser, that is equal to the most demanding applications and environments. RapidScan makes our lasers 20% faster for high-speed applications than other scribing lasers.
V120i	The smart upgrade to digital coding - and the most cost effective solution for flexible packaging in its class.	Intermittemnt - 400mm/s; Continuous 10 mm/s - 750 mm/s	Intermittent - 32mm x 55mm; Continuous 32mm x 500mm	Unlimited	Domino's i-Tech Ribbon Drive offers 4 ribbon save settings including 'Economy Mode' which allows you to use up to 60% less ribbon per print - without affecting print quality.
V230i	For general purpose digital TTO coding with reduced total cost of ownership labels, the V220i delivers the coding performance you expect, without the costs.	Up to 400mm p/second	x 55 & 53mm 53 x 55mm; Continuous - 32mm - 32 x 500 & 53 - 53 x 500mm		The V230i prints high resolution codes, text an images onto flexible foils, films and labels. Unlike other thermal transfer coders, the V230i uses intelligent Technology to meet all your general purpose coding needs while keeping your costs as low as possible. The i-Tech Ribbon Drive uses up to 60% less ribbon per print and virtually eliminates downtime related to ribbon break due to its unique dancing arm tension control. Ribbon change is also quick and infrequent thanks to cassette loading of larger than standard ribbon rolls.
V320i	The V320i prints large area, high resolution codes, text and images on flexible foils, films and labels.	Intermittment - 700mm/s; Continuous 10 mm/s ¿ 1400 mm/s	(1) 53mm Version: Intermittent - 53mm x 115mm; Continuous 53mm x 2700mm and (2) 128mm Version: Intermittent - 28mm x 115mm; Continuous 128mm x 1000mm	Unlimited	With the largest ribbon rolls in the industry and unique ribbon save features, the V320i also delivers the lowest cost of ownership of all thermal transfer printers.

MAKER AND MODEL	APPLICATION	SPEED	PRINT AREA	PACKAGE SIZE	FEATURES
1230i Corner Wrap	For Accurate & reliable corner wrap labelling - Print & Apply	12-15 labels per minute	Label sizes - up to 150 x 254mm		The M-Series Corner Wrap i-Tech units are flexible and reliable automated Print & Apply tamp solutions. Incorporating the latest i-Tech features, the innovative corner wrap functionality and high labelling speed allow it is keep pace with most certon erector and filling lines.
A230i Pallet Labeller	For flexible, safe and easy to use pallet labelling - Print & Apply	12-15 labels per minute	Max print width - up to 168 mm; max distance to product 450mm	Unlimited	The M230i Pallet Labelli is compact in size, yet rugged and industrialised. Thanks to its innovative design the applicator can easily be set up to label one, two, or three sides of the pallet, giving you the flexibility to meet both current and future requirements. Incorporating the latest i-Tech features, the innovative corner wrap functionality and high labelling speed allow it to keep pace with mos carton erector and filling lines.
G-Series	Industrial thermal inkjet printers		G100 Model - 25.4 mm/1" (2x12.7mm); G200 Model - 50.8mm/2" (4x12.7mm); G300 Model - 50.8mm/2" (4x12.7mm)	Unlimited	Whether your line is simple or complex, the G-Series range has the capability to integrate easily, with up to four pri headsmanaged by a single controller.
C6000 Plus	High resolution Large character inkjet for outer cases, trays and sacks	up to 800 m/mm; 263 ft/min	Max print height of 70mm (2.76°)	Unlimited	Prints multiple line text, on-line graphics and all major barcodes, includin GS1 compatible codes. Storage of 100 x 8 line messages up to 200 characters per line; Connectivity centralize control of factory-wide printing; central messag storage





Performance Controlled Marking and Coding from Matthews Marking Systems



MPERIA™, Matthews' universal print platform, complete with our VIAjet™ print technologies, allows customers to control multiple print technologies across multiple production lines, integrate with order processing, populate data fields without human entry errors, and interface with new or existing databases – all from a single controller.

- Seamless integration with ERP/WMS systems and databases
- Scalable: control one printer or several on multiple production lines
- VPN Interface allows for remote connectivity and support

VIAjet™ print technologies include:

VIAjet™ L-Series THERMAL INK JET

VIAjet™ T-Series HIGH RESOLUTION PIEZO INK JET

VIAjet™ V-Series DROP-ON-DEMAND VALVE INK JET



888-622-7183 www.matthewsmarking.com

Flexographic Thermal Transfer Contact Wet Ink HARLUND INDUSTRIES Hitachi PB-260U Hitachi PX-260U Hitachi PX-460U Little David Microjets Little David Versajet Foxjet Easyprint Hitachi RX2 - Basic & Standard	da: Greydon Canada, Moi HP Printing Ink Jet Traversing System S LTD Small character printing High speed small character as above Large character DOD Large char DOD Carton InkJet Printer High Resolution	ntréal, Québec) All Application Specific All Application Specific All Application Specific Call Call			existing handling system for digital imprinting or can be in the format of a monochrome digital press.
Hitachi PB-260U Hitachi PX-260U Hitachi PX-460U Little David Microjets Little David Versajet Foxjet  Easyprint Hitachi RX2 - Basic & Standard KWIK LOK CORP (In Cai 883 Smart Date Thermal	Small character printing High speed small character as above Large character DOD Large char DOD Carton InkJet Printer High				
Hitachi PX-460U Little David Microjets Little David Versajet Foxjet  Easyprint Hitachi RX2 - Basic & Standard KWIK LOK CORP (In Cai 883 Smart Date Thermal	character  as above Large character DOD Large char DOD Carton InkJet Printer High	call	call	all	Low fluid use
Little David Microjets Little David Versajet Foxjet  Easyprint Hitachi RX2 - Basic & Standard KWIK LOK CORP (In Cai 883 Smart Date Thermal	Large character DOD Large char DOD Carton InkJet Printer High		call	all	Low fluid use, touch screen, ip55 -2 line of hi-speed text
Little David Versajet Foxjet  Easyprint Hitachi RX2 - Basic & Standard  KWIK LOK CORP (In Cal 883 Smart Date Thermal	Large char DOD Carton InkJet Printer High	call	call	all all	as above, 4 lines text Compact
Easyprint Hitachi RX2 - Basic & Standard KWIK LOK CORP (In Car 883 Smart Date Thermal		call	call	all all	Compact TRUE Windows OS,
Hitachi RX2 - Basic & Standard KWIK LOK CORP (In Car 883 Smart Date Thermal		can	caii	all	network controllers, pigmented ink
KWIK LOK CORP (In Car 883 Smart Date Thermal	Electronic foil printing Small Character Printing	call call	call call	all all	Many Lowest fluid usage
	nada: British Canadian Im			N/A	
894 Squid Ink Turbo	As above	100/min.	1,2, or 3 lines As above	N/A N/A	Thermal printer, Smart Date Ink (non smear)
Printer Model 1011E	As above	120/min.	As above	N/A	Cold foil
LABEL AIRE INC (In Can Hot stamp coder	nada: Ahearn & Soper) Printing labels & tags	400 lpm	4x4 in.		
LEADING EDGE INKJET Large & small character		up to 4 m/s	3 mm & up	3 mm & up	
Linx 4900	Non contact inkjet printing for traceability information	7.28 m/s or 1430 fpm	nada Ltd., Flamborough, C up to 2 lines of print or 8.8 mm in height	variable	Single button start up and shut down, mistake proof ink and solvent replenishment, auto power down with print head and conduit flush and on screen diagnostics
Linx CJ400	Non contact inkjet printing for traceability information	2.6 m/s or 510 tpm	up to 3 lines of print or 8.8 mm in height	variable	Touch screen programming, easy change service module, light weight with carry handles for portability
Linx CJ400 Carton coder	Non contact inkjet printing for traceability information ideal for tray packs and cartons		1 line of print 20 mm in height	variable	Easy change service
Linx 7900	Non contact inkjet printing for traceability information		up to 5 lines of print or 13.8 mm in height	variable	Single button start up and shut down, mistake prook ink and solvent replenishment, auto power down with print head and conduit flush.
Linx 7900 Spectrum	Non contact inkjet printing for traceability information	7.28m/s or 1430 fpm	up to 5 lines of print or 13.8 mm in height	variable	The Spectrum printer was designed to run pigmented inks and has the same features as the Link 7900.
Linx 7900 Solver	Non contact inkjet printing for traceability information		up to 5 lines of print or 12 mm in height		Same as the Linx 7900 with up to 40% savings in solvent consumption reducing operating costs.
Linx SL101	10 watt non contact laser printing	1.83 mps or 360 fpm	295 x 407 mm	variable	Tube life of 45000 hours, no factory air required, ideal for glass marking using VisiCode technology, fast and easy code changes with option of usin barcode scanner.
MARKEM IMAJE INC Markem-Imaje 9000	Continuous ink-jet printing	1300 fpm (396 m/min)	0.04 to 1.79" (1-20 mm)	No limit	Compact, Low TCO, up to
Series Markem-Imaje 1000 Series	Thermal Ink-Jet	660 fpm (200 m/min)	0.04 to 8" (1-203 mm)	No limit	8 lines of codes, ethernet Flexible print-head, low TCO with bulk ink delivery modules, low maintenance
Markem-Imaje SmartDate Series	Thermal Transfer	1200 fpm (365 m/min)	Up to 5" (128 mm)	No Limit	Fast, ribbon to 1100m, large print area
Markem-Imaje Laser Series	CO2 and Fiber Laser Printing	1800 Character/s	.04 to 19.7" (1-500mm)	No limit	Modular design, Best Warrenty, Beam
Markem-Imaje 6000 Series	HotMelt Ink-Jet	682 fpm (208 m/min)	0.1 to 1" ( 3-25.4 mm) height x 14" (35.6 cm) length	No limit	Orientation Unit Store up to 50 messages and up to 8 lines of text. Delivering clean, clear prints without solvents. Real time date and lot coding for identification and tracking of fast moving consumer goods in the food, personal care and pharma industries.
Markem-Imaje 2000 Series	Print & Apply Labelling	125 case/min	6"x16" (150 X 400mm)	No limit	Modular, compact, easy integration, one print
Markem-Imjae 5000	High Resolution Piezo	580 fpm (178 m/min)	2.56" per head	No limit	engine  Hot Melt instant dry inks,
Markem-Imaje 4000 Series	Case coding  Large Character Valvejet	295 fpm (90 m/min)	5/16 to 2.5" (8-64mm)	No limit	GS1 compliant, Up to 4 print heads per controller Up to 4 print heads per controller, prints more than 22,000 Unicode characters, up to 5,000 characters. Great for multi-side case coding for
Markem-Imaje Software Solutions	Packaged coding & Traceability			No limit	up to 2-3 shifts.  Reduce packaging costs, optimizing product coding activities and meeting regulatory compliance.  Link, manage and operate all printers throughout the
	: Videojet Technologies C Barcode printer	anada) 60 fpm	Code 1 2 of 5. Code		plant.
LCP Symbol Jet  LCP/ML8	Ink-jet coder	200 fpm per line, max 8	39-42 characters		Direct to carton UPC symbologies 24-hr clock calendar;
		lines	A		large characters; bar-coding
LCP DLi  Marsh Unicorn	As above	As above	As above, max. 2 lines 1 line		Prints logos, large or double lines Counting logic
Mini-Mark	As above	20-250 fpm	,v		3/32 in. 7x7 matrix or 1/16 in. 5/5 matrix
Hi-Res Overture LT, Overture LX	As above Ink-jet coder	250 fpm 250 fpm	40in. Max length for message	Various	3/16 to 1in. High resolution printing,
Overture ES	Ink-jet coder	200 fpm	40in. Max message 40 in.	Various	bar codes & graphics  Hi-res printing, bar codes
ML8, Patrion P5000A, P2500A	Hi-Res Labelling	250 fpm			& logos, low cost  Hi-res graphics, barcoding  Label Applications
MATTHEWS MARKING Continuous Inkjet		over 1000 fpm	Up to 5 lines/.05" - 61"		Easy to use interface
High Resolution Inkjet	Secondary (case coding)	276 fpm	Characters 4" from each		High res. graphics and
Laser	Primary package coding	•	head/unlimited stitching Up to 200 mm x 200 mm		high speed permanent
Drop-On-Demand	Secondary coding	780 fpm	3/32" - 5" character sizes		coding Rugged, reliable
OMEGA DESIGN CORP ( Intelli-Sort	(In Canada: Packaging Eq Plastic bottles	uipment Solutions Inc.) 50-300 cpm			printheads  Print, verify, data on bottom of bottle. Brite Stock. Automatic
Intelli-Pack	Bottles or cartons	variable			operation.  Case aggregation system for serialized cartons or bottles. Semi to automatic
Label Sync 450  PLAN AUTOMATION IN	Bottles	variable			operations Syncing line codes with serialized codes. Automatic operation.

MAKER AND MODEL Domino	Ink-Jet, Laser, Thermal Transfer	Up to 800 ppm	PRINT AREA Variable	PACKAGE SIZE	FEATURES
SAMUEL PACKAGING G		1000'/min	Unlimited	All	Xaar & HP technology
titronics dea-Jet	CIJ	1000/min 1000'/min 800'/min	1/2" high Unlimited	All All	CIJ DOD
PEEDWAY PACKAGING	G MACHINERY			All	
ackleader ST-351 ideojet 6320 - RH or LH		up to 180 cpm Intermittent Motion	30mm x 20mm 53mm wide x 200mm long		Requires compressed ai
likai D03	Thermal Transfer	40 meters/min	32mm(W) x 80mm (L)		Intermittent & continuous combined - 32mm, 300DPI - requires
ideojet 6210 - RH or LH	Thermal Transfer	Intermittent Motion	30mm x 32mm		comressed air
SQUID INK MANUFACT		200 ft/min	.25" to .75"	Variable	24-hour clock, Julian
NO.	Edigo Ondidotto	200 10111111	.20 0.70	Valuatio	date, counter, lot counter dot size adjustment, prin delay, character width adjustment, photocell on/off, invert print, revers
SQ/2 Scorpion	Large Character	200 ft/min	.25" to .75"	Variable	print, purge routine. Counter, lot counter, 24-hour clock, shift code
					Julian date, 3-letter moniname, 3-letter weekday name, expiration date, expiration month, expiration day, expiration year, expiration Julian.
/ector XII	Large Character	200 ft/min	.25" to 1.75"	Variable	Counter, lot counter, 24-hour clock, shift code Julian date, 3-letter mon name, 3-letter weekday name, expiration date, expiration month, expiration day, expiratior
PZ Pilot	Hi-Resolution	200 ft/min	.06"7"	Variable	year, expiration Julian.  Bar codes, logos, text, lo codes, shift codes, time date, repeat print, revers
<sup>o</sup> Z Pilot Pro	Hi-Resolution	167 ft/min	.06"-2.1"	Variable	print. Time & Date, Item, Shift Codes, Bar Codes, Fonts Auto Configuration, Number of Messages - 2GB flash memory, Graphics, Languages - User selectable between English, Spanish, and
utoPilot	Hi-Resolution	135 ft/min	.06"7"	Variable	Chinese. Time & Date AM or PM,
					Shift Codes, Bar Codes, Variety of Fonts, Logos 1GB storage, Languages English, Spanish, and Chinese versions available.
TERLING MARKING PR 1-15	RODUCTS INC Reciprocating imprinter	225 impressions pm	Varies	No limit	Can print on top, bottom & sides of product as we as print on web material
Rapide	Reciprocating imprinter using hot ink rolls	As above	As above	As above	As above
VIDEOJET TECHNOLO 3S, 1220	GIES CIJ	Up to 800fpm	.08 to .4	Variable	Airles, patent self clean,
520, 1620	CIJ	Up to 1,066fpm	As above	As above	no mess, no waste, IP 5 As above
720	CIJ - Pigment	As above	.08 to .5	As above	Airless patent self clean no mess, no waste, IP66
120	Laser	10 watts	Varies	As above	High resolution permanent codes
320 Iltech Smarts	Laser As above	30 watt 60 watt	As Above As above	As above As above	As above As above
430 larsh 8000	Laser Hi Resolution	50 watt Up to 250fpm	As above As above	As above As above	As above Bar coding, Hi resolution
350 360	Hi Resolution Hi Resolution		Varies Varies	As above As above	High quality - 4 lines High quality - 4lines
larsh Unicorn lataflex TTO	DOD Thermal transfer	As above 800mm/sec	Varies As above	As above As above	DOD low cost ownership touc
XCEL Series	CIJ	25-170 ft/min.	1/32 - 1/4in	Variable	screen High quality micro-sized
li-Resolution XCEL Series 273se	CIJ - Dual Head	110-916 ft/min	1/8 - 1/4 in. char heights	Variable	codes 3 lines of print each from
rintoPro	Array non-contact ink jet	Up to 967 ft/min	Up to 4.9 in print band	Variable	2 printheads codes High resolution
ideojet Dataflex	system Thermal transfer	Mode dependent	Mode dependent	Variable	Intermittent & continuous modes from one unit
130	Fibre laser	Up to 60fpm to 1600 char/sec/line	Variable	Variable	Fibre High Speed laser
ideojet 43S xcel 2000	Small character ink jet as above	916 ft/min	0.08 to 0.4" print heights  1/6 to 1/3" print heights	Variable Variable	Automatic printhead cleaning to 4 lnes of print
eries 1220	Continuous Inkjet	Up to 533 ft/min	Up to 3 lines	Variable	9,000 hour run life; smar cartridge fluid delivery system; IP55 washdown
Series 1520	As above	Up to 914 ft/min	Up to 5 lines	Variable	12,000 hour run life; Make-up consumption as low as 2.4ml/hr
Series 1620	As above	Up to 960 fpm	Up to 5 lines	Variable	14,000 hour core life; no plantair required; dust protection
Series 1710	As above	Up to 888 fpm	Up to 5 lines	Variable	Modular core design; easy maintenance; advanced printhead cleaning for pigmented
Series 2300 (3 models)	Hi Res large character	Barcoder: 1-108 fpm; Text: up to 433 fpm	Up to 2.7"	All cartons	inks  Replace pre-printed boxes/labels with hir-res text, barcordes & logos. Micropluging for high
/ISUASCAN INC					point quality and clean operation
inx Technologies WEBER MARKING SYS	All STEMS OF CANADA	1200 FPM			
BestCode 82 Continuous nkjet Printer (CU)		Print speeds up to 600 ft./min	Print 1 or 2 lines of text	Varies	10.4¿ Colour LCD Touch Screen IP55 Rating 4,00 hour filter life
BestCode 86 Continuous nkjet Printer (CU)	Print best by, lot code, sell by, expiration codes and other identifying marks and codes.	Print speeds up to 1,500 ft./min		Varies	10.4¿ Colour LCD Touch Screen IP55 Rating 4,00 hour filter life
BestCode 88 Continuous nkjet Printer (CU)	Print best by, lot code, sell by, expiration codes and other identifying marks and codes.	Print speeds up to 1,500 ft./min	Print 1-4 lines of text	Varies	10.4¿ Colour LCD Touch Screen IP65 Rating 8,00 hour filter life
OOD Inks: Porous Surfaces	Porous applications.			Varies	
OD Inks: Non-Porous Surfaces	Non porous applications.			Varies	
ebra ZT200 Label rinter	Manufacturing - Work-in-process, product ID/serial numbers, packaging labels, receiving/put-away labeling Transportation & Logistics - Order picking/packing, shipping/receiving, compiliance labeling Healthcare - Orders, specimen labels, asset-tracking, unit-of-use labeling Retail - Shelf-labeling, returns, item tags Government -		Up to 4.09"x39"	Varies	203 or 300 dpi; direct thermal and thermal transfer
	Asset-tracking, logistics				
		Up to 14"/sec.	Up to 4" x 150"	Varies	203 or 300 dpi; direct
Zebra 110Xi4 Label Printer Zebra 140Xi4 Label	Asset-tracking, logistics labeling, warehousing	Up to 14"/sec.	Up to 4" x 150"  Up to 5.04"x150"	Varies	203 or 300 dpi; direct thermal and thermal transfer 203 dpi dierct thermal an

# ONE SIZE DOESN'T FITAL

Squid Ink's new family of **CoPilot Printing Systems** offers 3 different print heights for your different applications.





Up to 0.7" Print Height





Up to 1.4" Print Height





Up to 2.1" Print Height

Squid Ink's CoPilot 128 is a proven choice for printing small character codes or barcodes on egg cartons, PVC pipe, corrugate cases or more. The CoPilot 382 is ideal for replacing costly print and apply labels or printing GS1 barcodes on the side of a box. The CoPilot 256 fits right in between, making Squid Ink's CoPilot family the ideal solution for your specific coding and marking applications.

For more information visit www.squidink.com or call 1-800-877-5658 for your local Authorized Squid Ink Distributor today.









MAKER AND MODE	ING, IMPRINTING	SPEED	PRINT AREA	PACKAGE SIZE	FEATURES	MAKER & MODE		AD WEIGHING ACCURACY	WEIGHT	CONFIGURATION	SPECIAL	CHANGE OVER
Zebra ZT400 Label Printer	Same	ZT410 Up to 14" (356mm) per second at 203 dpi Up to 10" (254mm) per	Print Width Up to 4.09" (104mm) - ZT410 Up to 6.6" (168mm) -	Varies	203 or 300 dpi; direct thermal and thermal transfer	Multipond GmbH 9600 Series	CAPACITY Up to 120wpm	TOLERANCE <1.0g	CAPACITY 5g to 10kg	S 10 to 24 Heads	FEATURES High Speed/Accuracy Mixing, Counting,	, Tool-less
		second at 300 dpi Up to 4" (102mm) per second at 600 dpi	ZT420 Print Length Up to 39" (991mm)			ALEX E JONES & A					Customized solutions for difficult applications	
		ZT420 Up to 12" (300mm) per second at 203 dpi Up to 10" (254mm) per second at 300 dpi				Hayssen - Radial Combination Weigher		on Varies dependent on product	Up to 5 Kg		applications, such as mixing and blending. Can be paired with VFFS, HFFS or	I ool-Less
Zebra ZM400 Label Printer	Same	Up to 10"/sec (depending on printer's resolution)	Up to 4.09"x150" (depending on printer's resolution)	Varies	203 or 300 dpi; direct thermal and thermal transfer						multiple point discharge packaging machinery	
Zebra 105SLPlus Label Printer	Same	- 203 dpi: 12" (305mm) per second - 300 dpi: 10" (254mm) per second	Up to 4" x 150" (depending on printer's resolution)	Varies	203 or 300 dpi; direct thermal and thermal transfer	Hayssen - Atom	Varies dependent of product	on Varies dependent on product	Up to 5 Kg		Available for various applications, such as mixing and blending. Can be paired with VFFS. HFFS or	Tool-Less
Zebra 170Xi4 Label Printer	Same	Up to 12" per second	Up to 6.6"x150"	Varies	203 or 300 dpi; direct thermal and thermal transfer						multiple point discharge packaging machinery	
Zebra 220Xi4 Label Printer	Same	Up to 10" per second	Up to 8.5"x150"	Varies	203 or 300 dpi; direct thermal and thermal transfer	AUTOMATED PACK Autobag Linear	AGING SYSTEMS II to 45 bpm	NC (In Canada: Pack Pro	Systems, Inc. Stout 8 lbs	fville, ON) 1-4 heads	Available in stainless	n/a
Zebra ZM600 Label Printer	Same	203 dpi - 10" (254 mm)/sec 300 dpi - 8"" (203	Up to 6.6"x102" (depending on printer's resolution)	Varies	203 or 300 dpi; direct thermal and thermal transfer	• COMBISCALE LLC	Up to 70/min Up to 120/min		Up to 55 lbs		steel. Fully automatic	
Datamax I-Class Mark II Label Printers	Same	mm)/sec" Up to 12" per second (depending on printer's	Up to 4.16"x99" (depending on printer's	Varies	203, 300 or 600 dpi. Direct thermal; optional	CS 1.5L CS 2.5L PrimoWeigher	Up to 120/min 200+/min		Up to 7 lbs Up to 18 lbs Up to 7 lbs			
Datamax M-Class Mark I Label Printer	I Same	resolution).  Up to 10"/sec (depending on printer's resolution)	resolution)	Varies	thermal ; transfer 203 or 300 dpi. Direct thermal: optional thermal	PrimoWeigher PrimoWeigher	200+/min Up to 80/min		Up to 18 lbs Up to 55 lbs			
Datamax H-Class Label Printer	Same	Up to 12"/sec (depending on printer's resolution)	(depending on model and	Varies	ztransfer 203, 300, 406 or 600 dpi. Direct thermal; optional	Ishida CCW-RV	to 210 wpm	1g	to 8,000g		IP66, 67 & 69K waterproof, self-draining surfaces	200 presets
Zebra R110Xi4 RFID Label Printer-Encoder	Same; can print and encode a variety of UHF	- 14"/356mm per second 203dpi		Varies	thermal ¿transfer 203, 300 or 600 dpi.	Ishida CCW-R	to 400 wpm	various	various		auto set-up, wireless control	200 presets
	radio frequency identification smart labels for a multitude of	- 12"/305mm per second 300 dpi - 6"/152mm per second -								head	applications: dry, washdown, USDA	
Zebra RZ Series RFID	applications Same; can print and	600 dpi - 203 dpi: 10"/254mm per			203, 300 or 600 dpi.	Ishida CCW-R RH/VII	to 120 wmp	to < 0.5g <0.5g - 1g	800g to 400g		USDA Dairy-Accepted Digital metering High speeds, gentle	200 presets
Label Printer-Encoder	encode a variety of UHF radio frequency identification smart labels	second - 300 dpi: 8"/203mm er second	- RZ400: 4.09"/104mm - RZ600: 6.6"/168mm			218/224/228-WB Ishida CCW-R-218WB-OV	to 280 wmp	<0.5g - 1g	400-800g	double weigher	handling products Optimized for twin-bagmaker	200 presets
	for a multitude of applications		Print length - RZ400: with 203 dpi: 157"/3,988mm; with 300 dpi 73"/1,854mm			CCW-R-210WB-OV					interface saves floor space, 200 product presets	
			- RZ600: with 203 dpi: 102"/2,590mm; with 300			Ishida CCW-R-GS (gentle slope)	to 130 wpm	•.5g - 1g	to 4000g	Large and small capacity models	Gentle handling	200 presets
QuadraColor Inkjet Label Printer	I It can print on-demand high-resolution color	Up to 12 ips (304.88mm/second)	dpi 45"/1,143mm Label media width - 2" to 9.5" (50.8mm to	Varies	Up to 1600 x 1600 dpi. Robust unwind/rewind;	Ishida CCW-R-214WB (screw feeder)	to 45 wpm	•.5g - 1g	to 1,600g		Dual screw feeders move fresh meats, pasta, other sticky foods; IP66	200 presets
	labels that are perfect for the food, bakery, produce and other industries that		241.3mm)		rollsize up to 12 inches	Ishida CCW-RV-232E	3 up to 440 wpm	0.1gram	up to 400g or 800g	IP69K, high-speed	washdown up to 8-part blend	No tools needed
Epson SecurColor TM-C3400 Inkiet Color	use short-runs of labels. Same	Print Speed (max.) 360 dpi x 180 dpi,	Print Speed (max.) 360 dpi x 180 dpi.	Varies	360 dpi x 180 dpi, 360 dpi x 360 dpi, 720 dpi x 360	Ishida CG-R circular weigher	up to 240 wpm		100g - 1,000g and 1,000g - 3,000g	Compact circular	weighing Granular, dry product fits single and twin	No tools needed
Label Printer		High-speed mode - 69mm/sec. (104mm prin	High-speed mode t - 69mm/sec. (104mm prin	t	dpi	Ishida CCW-RV	to 120 wpm	•g01g	to 40g	14 head	tube bagmakers Ultra-low target	No tools needed
			width) (2.7"/sec. (4.1" print width) - 83mm/sec. (72mm print			NICRO     VC999 CANADA L     XTravac Model HPM		0.3 to 0.8 Gr	25 to 500 Gr		weights  All stainless steel, all	
		width) (3.3"/sec. (2.8"" print width) - 94mm/sec. (56mm print				line (high precision)					options available and plateforms, different surface finish	
		width) (3.7"/sec. (2.2"" print width) 360 dpi x 360 dpi, Fine	width) (3.7"/sec. (2.2" print width) 360 dpi x 360 dpi, Fine			Xtravac HPM line (large size ) Xtravac SMW line	up to 120 WPM	1 - 3 Gr 0.5 - 2 gr	up to 750Gr 25 to 500 gr		Up to 2.5 liter bucket, different surface finish Different surface	1
		mode	mode t - 35mm/sec. (104mm prin width) (1.4"/sec. (4.1"	t		(standrad weigher) YAMATO CORPORA				Single and multi-point	finish, stainless steel	
		print width) - 42mm/sec. (72mm print width) (1.7"/sec. (2.8"" print width)	print width) - 42mm/sec. (72mm print width) (1.7"/sec. (2.8" print width)			Omega	200 weighments/m	liti		discharge	cells can withstand 150kg of force, tapered body design, polygonal-shaped	1
		width) (1.9"/sec. (2.2"" print width)	- 47mm/sec. (56mm print width) (1.9"/sec. (2.2" print width)			Alpha	120 weighments/m	in		Single and twin	weigh buckets Digital filtering, spring-less buckets	
Epson ColorWorks GP-C831 Inkjet Color Label Printer	Same	Printable area up to 8.0" 22"	Draft mode - 16.5 pages per minute	Varies	720 dpi x 720 dpi maximum	CONTROLLE	RS - LOGIC			•		
			Normal mode - 13.6 pages per minute Super fine mode - 7.0			MAKER & MODE     BOSCH REXROTH     Rexroth MLC Control	CANADA	Igh Performance	SPEED 5 micro	seconds per 1,000 instruct	FEATURES	
WIEDENBACH (In Cana Wiedenbach CS 407	Small character continous	s 800 m/m	pages per minute  Variable	Variable	Prints up to 4 lines,		OA LIMITED (In Cana n Controls P	ada: Timeco-Marten, Cal recise adhesive placemer	gary, AB; Edmonton at & real-time EPC 30:	AB; Winnipeg, MB) 300 m/min (984ft/min) EP	C Select EPC 15 f	or time-based progra
(Pigmented) Wiedenbach CS 405 (Dy	inkjet printer e as above	800 m/m	as above	as above	integrated keypad, auto self-flushing head Prints 1, 2 or 3 lines,		<u> </u>	attern adjustment capabili		/min (500 ft/min)	distance-based variable line	speeds or EPC 30 f program for constan
based)					software controlled, automatic self flushing head, 1 or 2 print heads	LogComm Pattern Co Verification System a screen		rogram patterns and verify attern/placement	y adhesive 1200m/r (3937ft/r		production repo codes, cellopha	ntrol and trigger input rting, detect & verify ne windows, security
COLD GLUE AF	PPLICATORS				Prints up to 4 lines	EcoBead Pattern Ger OptiBond Solutions		asily configures bead size	and 5ms min	imum on time	tags etc. 40 preset progra adhesive savino	ams with 30-40-50-60
MAKER & MODEL	ADHESIVE	USES	PATTEI	RN/SIZE	OPERATION	UNITRONICS V1210-T20BJ (Unitro	nics) U	lp to 1,000 IO points	9 micro	sec per 1K of typical applic		n screen with integra
HMA SYSTEMS ITW Dynacold Applicator		High Speed Ap				V1040-T20B (Unitron	ics) U	lp to 1,000 IO points	9 micro	sec per 1K of typical applic	PLC cation 10.4" Colortouc PLC	n screen with integral
Dynacold	da: HMA Systems (Bramp Cold resin	High speed ca envelope		and non-contact	Automatic, long life seals and cycle life	SAMBA		O options: Digital, Analog, ligh-Speed	including 15 micro applicati	sec per 1K of typical on		with onboard IO. Fre Software. Available
NORDSON CANADA I LA Series Liquid Adhesiv Pumps	LIMITED (In Canada: Time ve Low to high viscosity and sealants	co-Marten, Calgary, AB; E y adhesives Folding carton & sack, envelo	dmonton, AB; Winnipeg, corrugated bag Extrusion	MB)	Piston pump	Vision130 (Unitronics	) u	p to 256 IO points	20 micro applicati	sec per 1K of typical	2.4" Graphical E keypad and onb	Display, alpha-numer loard IOs: Complete
Rhino 5 Gal 55 Gal Bulk Delivery System	High viscosity adhes sealant, mastics, va	sives, Manual, autom		gun, pressure	Piston pump	VALCO MELTON     MCP-4 Adhesive Pati		Control up to 4 glue valves	for complex		Control  Full-color displa	y screen and
ROBATECH CANADA Robatech Equipment SORT PRODUCTION PR	PVA, acrylics cold g	lue High speed			Use on folder gluers	MCP-6 Adhesive Pati	tern Control F	r multiple glue patterns ull-featured 6 channel adh ontrol system	esive 240 m/m	in (800 ft/min)	Full-color displa	hical user interface. y screen and hical user interface.
Vansco • VALCO MELTON						MCP-8 Adhesive Patr	tern Control 8 ir	channels of gluing with up ndividual glue patterns			Full-color displa easy-touse grap	y screen and hical user interface.
Contact Extrusion Series  Non-Contact Extrusion S	formulas	converting, prin	nt finishing bead, ribb	d, single or multiple oon pattern d, single or multiple	Various; all electric, air-operated Various; all electric,	O1120/VC Gluing & C	a	control gluing, inspect glue nd monitor product codes nit		ters/min	Large, easy to u operator interfa	ise touch screen ce
Spray Series	formulas Low to Medium visc	converting, printing converting c	nt finishing bead, spo paper Fine (nan		air-operated Various; all electric,	CONVEYORS	;					
VANSCO PRODUCTS III	formulas  NC (In Canada: Sort Prod Cold glue	converting, prii uction Products Ltd.) Horizontal flap	, , ,	<u> </u>	air-operated  Automatic/manual	MAKER & MODE		SIZE	OPERA	ATION	FEATURES	
35 Series 39 Series	Cold glue Cold glue	High speed Labelers	Single/du 1 1/8 to 7	al/spray	Automatic Automatic	Hartness - Global Lar	ner U	Jp to 200 feet per minute		aner quietly and efficiently ontainers to their respective		ight containers, on flow, smallfootprin
	- MULTIHEAD WE	IGHING				Hartness - Dynac 640	00 1	50-225 Linear Flat, Helica		e FIFO accumulation conv	accumulation, d	pressure less iverse, flexible produ
	APACITY TOLI	URACY WEIGHT ERANCE CAPACI		ATION SPECIAL FEATURE	CHANGE OVER	Smalley Manufacturin	ng V	'arious	Conveyo	ifts, Horizontal Motion or, Pack-Off, Storage	handling Sanitary Design fabrication, proj	, Custom design, ect management
ABBEY PACKAGING Ed Multipond GmbH 400 50 Series		0.5g to 50	g 28 and 36 Hea	ads High Speed/ Mixing, Cour	Accuracy, Tool-less	Hartness - Dynac 700		80-540 Linear Flat, 2-6 Le esign			As above	
				Customized for difficult applications		BEST PACKAGING Netaflex Model 226, 2	<b>SYSTEMS</b> 275, 375 1	4", 18", 24", 30" W x up to	62' L Gravity 8	R Power	Expandable	
	p to 450wpm <0.1g	0.5g to 50	0g 10 to 36 Head		Accuracy, Tool-less	BOSCH PACKAGING Doboy	S	C (In Canada: Charles E lingle belt, double belt, V-t lat/Yoke			Designed to bag	g closing line
Multipond GmbH U 1000/1000S5 Series				for difficult applications		BOSCH REXROTH     Vario Flow Chain Cor	CANADA	extreme 1,000 Capacity			•	range of conveyor
1000/1000S5 Series	n to 200	4.4		Mixing, Cour	Accuracy, Tool-less	Vario Flow S - Stainle Rexroth Vario-Flow	ess Steel 1	,250 N			UIIdIIIS.	
1000/1000S5 Series	p to 200wpm <0.5g	10g to 1.5	g 10 to 36 Head	Customized	5010110115							<del></del>
Multipond GmbH U 2400/2400S5 Series				Customized for difficult applications	Accuracy, Tool-less	Capmatic table top co		'aries		cans, boxes	S.S., derlin chai	
Multipond GmbH U 2400/2400S5 Series				Customized for difficult applications Is High Speed/ Mixing, Cour Customized	Accuracy, Tool-less		vor V	/aries /aries	Bottles, Cartons,			n n, unscrambling, rou
Multipond GmbH 2400/2400S5 Series  Multipond GmbH U 2400/2400S5 Series  Multipond GmbH U 3800 Series				Customized for difficult applications.  Is High Speed/ Mixing, Cour Customized for difficult applications.  Is High Speed/ Mixing, Cour Customized for difficult Customized Customized Customized	Accuracy, Tool-less solutions  Accuracy, Tool-less titing,	Capmatic table top co	AGING INC		Cartons,		S.S. construction container  Air, high speed filing/deceleration	n, unscrambling, rou
Multipond GmbH 2400/2400S5 Series  Multipond GmbH 2400/2400S5 Series  Multipond GmbH 3800 Series  Multipond GmbH U	p to 200wpm <0.5g	100g to 5l	g 10 to 24 Head	Customized for difficult applications applications.  Is High Speed/ Mixing, Cour Customized for difficult applications.  Is High Speed/ Mixing, Cour Mixing, Cour	Accuracy, Tool-less solutions  Accuracy, Tool-less titing,	Capmatic table top or Capmatic belt convey COUSINEAU PACK/ Cousins, Almac DESCON CONVEYO	AGING INC	/aries	Cartons,	pack off	S.S. construction container  Air, high speed filing/deceleration merging/indexing incline/decline, incline, incli	n, unscrambling, rou single on, accumulation, sei g, vacuum, vertical,

COMBINATION - MULTIHEAD WEIGHING

CODING MARKING, IMPRINTING



### SmartDate tra Ribbon

The new generation of SmartDate® ribbon. More Benefits, Same Price.

Raise your coding standards with the Markem-Imaje SmartDate **Xtra Ribbon.** Why keep on using your existing ribbon when you can get the Xtra benefits? Billions of codes, thousands in savings. Join the movement.

Have an older SmartDate coder? Switch to the new SmartDate X40/60 printer and achieve incremental benefits.

Call us about our ongoing Upgrade Promotion at 1-800-267-5108.

#### Markem-Imaje SmartDate Xtra Ribbon







#### **SmartDate** Xtra Ribbon

- 83%\* more packs coded per roll equals less production downtime
- 25% more adhesion, leading to higher smudge resistance
- One ribbon to cover all your needs today and tomorrow
- Fully compatible with all Markem-Imaje SmartDate coders



# Save Space and Increase Throughput.



## High Capacity Spirals are in response to our customers' need to go higher and handle more weight.

They can handle double the weight capacity of our regular spirals at speeds up to 200 FPM.

Optionally these spirals allow loads to enter or exit the High Capacity Spirals at intermediate elevations. New special induction and divert conveyors have individually adjustable conveying surfaces to match the spiral pitch, assuring a smooth and reliable operation.

For application assistance or more information, give us a call or visit **www.ryson.com**.

Visit us in Booth 4847 at MODEX



300 Newsome Drive • Yorktown, VA 23692 Phone: (757) 898-1530 • Fax: (757) 898-1580

**VERTICAL CONVEYING SOLUTIONS** 

OORNER MFG CORP		OPERATION	FEATURES
100 Series	Built to Order	Varies	Small or light weight product movement, low pr height, clean room certified
2200 Series			Small to medium part handling, tight transfers, precision part movement, automated and manu
3200 Series			precision part movement, automated and manuassembly  High speeds, long runs, inclines and declines,
2200 Series SmartFlex			precision part movement, mainline packaging Tight transfers, accumulation, curves, jogs, inc
2200 Series SmartFlex Pallet Systems			and declines, long lengths, complex configuration  Modular design, accurate positioning and routing
2200 Series Precision Move Pallet Systems			pin tracking system, cushioned pallet stops  Dual belt pallet system, pin tracking system, co and merge modules
AquaGard 7100 Series			Sanitary conveyor, inclines and declines, multi- curves, fast belt speeds
AquaGard 7200 Series			Stainless steel frame, low profile, easy to clear washdown ready
AquaGard 7300 Series			Flat and cleated belts, low-profile, washdown r streamlined design
AquaGard 7350 Series			FDA approved components, straight, curves at z-frames, powered transfer option
AquaGard 7360 Series			Stainless steel open frame design, heavy load FDA appoved components
AquaPruf 7600 VBT (Vertical Belt Technology)  AquaPruf 7400 Series			90 degree elevation change, open frame desig staggered sidewall belt Open frame design, tool-less cleaning, straigh
AquaPruf 7600 Series			curved, and z-frame models  Sanitary design, flat belt, cleated, z-frame models
AquaPruf 7400 ULTIMATE			High pressure washdown environments, tool-le cleaning, open-frame design
AquaPruf 7600 ULTIMATE			High pressure washdown environments, tool-le cleaning, open-frame design
ECKERT MACHINES INC Dorner Mfg.	Various models available to meet customers' ne	eds	Aluminum or stainless steel frames, various six
EDSON PACKAGING MACHINERY LTD (In Cal		1	and belting materials available based on applications of the markets
	1-X, 1-2, 2-4, 2-5 ABF Systèmes Inc. Boucherville, QC; PharmaCos	Laner Machinery Inc Saint-Laurent, QC)	Conveying of the product
FlexLink table top conveyor, UC Industries belt conveyor, Hitrol case conveyor and sortation	om Colon Limited Many B. C. C.		
FRAZIER & SON (In Canada: Chisholm Machin Frazier & Son Bucket Conveyors/Elevators	nery Sales Limited, Niagara Falls, ON) 4"x8"	90-120 cu. ft./hr	Single/multiple discharges, various configurati
Frazier & Son Bucket Conveyors/Elevators	6"x10"	180-240 cu. ft./hr	bucket materials & washdown designs Single/multiple discharges, various configurati bucket materials & washdown designs
Frazier & Son Bucket Conveyors/Elevators	9"x20"	585-780 cu.ft./hr	Single/Multiple discharges, various configurati bucket materials and washdown designs
GARVEY CORPORATION nfinity Series	Varies	Quiet clean stainless steel	UHMWPE tracks provide smooth quiet ride wi
9000 Series	Varies	Modular	cleanability Stainless steel, table top chain
3600 Series nfinity Series FIFO	Varies Varies	as above First-in, first out	Painted cold rolled steel Table fills inside out with no backpressure
nfinity Series 3D GEBO CERMEX CANADA INC	Varies	Accumulates, orients & discharges flow wrapped packages, bags, trays & cartons	Accumulation between upstream & downstream achines with no backpressure.
GO PACKAGING Prime Conveyor HARTNESS INTERNATIONAL (In Canada: Alex	Various	Gravity or Fully automatic	
		0: 1 6: 5:50	E
Dynac 6100 Dynac 6200	150 -225 linear fat. helical design	Single file, FIFO accumulating conveyor  As above	Fully automatic, pressure less accumulation, diverse, flexible product handling As above
Dynac 6100 Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC			diverse, flexible product handling As above As above
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC FastBack Blending Conveyor	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion	diverse, flexible product handling As above As above Load cells accurately, meter different ingredier gentle blending
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC FastBack Blending Conveyor Fastback Switchback accumulation	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion	diverse, flexible product handling As above As above  Load cells accurately, meter different ingredier gentle blending Up to 52 cu. feet capacity Inline short-term accumulation
Dynac 6200 Dynac 7000  JEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC FastBack Blending Conveyor Fastback Switchback accumulation	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various  Various  Various  Various  Various  Various  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,501 on 100 feet long runs
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback FDX  JinuteMan accumulation Jarilift Bucket Conveyor	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC FastBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback FDX  ### Additional Conveyor ### Additional Conveyor FastBack Accumulation #### Additional Conveyor FastBack 400E	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket Horizontal motion	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S,C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment,
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket Horizontal motion Electromagnetic, indirect, or direct drive	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment,
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC FastBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback FDX  WinuteMan accumulation Vanilif Bucket Conveyor FastBack 400E Heat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI IntelliQ ZoneFlex Motor Driven Roller (MDR) conveyor	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket Horizontal motion Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment,
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket Horizontal motion Electromagnetic, indirect, or direct drive  Belt-driven, zero presure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quitle compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S,C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveying
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket Horizontal motion Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill: S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewalering, spreading, bi-directional conveying
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50t on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Jero contact accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50t on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback Hold Conveyor Fastback Hold Conveyor Fastback 400E Heat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI IntelliQ ZoneFlex Accuglide ZoneFlex Accuglide Zoner Flex Hold For Province Roller (MDR) conveyor F-Z Set live roller conveyor F-Z Set live roller conveyor Frake meter conveyor Frake Hold Frake Fr	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50t on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion Electromagnetic, indirect, or direct drive  Belt-driven, zero presure accumulation Chain-driven, zero pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50t on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback Hold Conveyor Fastback Hold Conveyor Fastback 400E Heat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI IntelliQ ZoneFlex Accuglide ZoneFlex Accuglide Zoner Flex Hold For Province Roller (MDR) conveyor F-Z Set live roller conveyor F-Z Set live roller conveyor Frake meter conveyor Frake Hold Frake Fr	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quitle compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S,C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveying
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero presure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50t on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorders Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,50t on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback Hold Conveyor Fastback Hold Conveyor Fastback 400E Heat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI IntelliQ ZoneFlex Accuglide ZoneFlex Accuglide ZoneFlex Intellige Tone Flex Fast Roller (MDR) conveyor FastBack Hold Conveyor FastBack	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Positive transportation and low-pressure accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity	diverse, flexible product handling As above As above Load cells accurately, meter different ingredier gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero presure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback Honeyor Fastback Honeyor Fastback 400E Heat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI IntelliQ ZoneFlex Accuglide ZoneFlex Motor Driven Roller (MDR) conveyor F-Z Set live roller conveyor F-Z Set live roller conveyor F-Rake meter conveyor Fastemat Pallet Accuglide conveyor Casemat  Pallet Accuglide conveyor Chain-driven live-roller pallet conveyor (CDLR) Palmat pallet conveyor Furntables Pivoting chain transfers Figally conveyor	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Zero contact accumulation and low-pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorders Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewalering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback FDX  MinuteMan accumulation //arilift Bucket Conveyor FastBack 400E Heat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI Policia ZoneFlex Motor Driven Roller (MDR) conveyor F-Z-Z Set live roller conveyor  Accumat /-belt live roller conveyor  Casemat Pallet Accuglide conveyor Casemat Pallet Accuglide conveyor Chain-driven live-roller pallet conveyor (CDLR) Palmat pallet conveyor Furntables Proting chain transfers Faravity conveyor Furntables Frankler Conveyor Fr	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sportier control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback FDX MinuteMan accumulation Araliff Bucket Conveyor FastBack 400E Heat and Control Vibratory INTELLIGRATED INDUSTRIES CANADA LIMI INTELLIGRATED INDUSTRIES CANADA LI	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  ITED	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline application	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C. Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewalering, spreading, bi-directional conveyin
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various  Various  Various  Various  Various  Various  Various  Various  ITED  Built to suit application	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorters Control merge releases and provide consistent gape between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline application	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill: S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewalering, spreading, bi-directional conveyin  Stainless steel construction - low back pressu design-low energy consumption Stainless steel construction - low back pressu design-low energy consumption Soft start VFD op operation - stainless steel
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  ITED  Built to suit application  Built to suit application	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sporters Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline application  Touch screen operation and changeover	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveying dewatering, spreading, bi-directional conveying stainless steel construction - low back pressu design-low energy consumption Stainless steel construction - low back pressu design-low energy consumption Soft start VFD operation - to stainless steel construction-low energy consumption Stainless steel construction - low back pressu design-low energy consumption Soft start VFD operation - to stainless steel construction-low energy consumption
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback Hox MinuteMan accumulation Arailift Bucket Conveyor FastBack 400E Heat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI IntelliQ ZoneFlex Accuglide ZoneFlex Accuglide ZoneFlex Accuglide ZoneFlex Cacumat  IntelliQ Conveyor FastBack Hox Box Box Box Box Box Box Box Box Box B	150 - 225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various  Various  Various  Various  Various  Various  Various  Various  ITED  Built to suit application	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorders Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline application  Touch screen operation and changeover	diverse, flexible product handling As above As above Load cells accurately, meter different ingredier gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin  Stainless steel construction - low back pressur design-low energy consumption Stainless steel construction - low back pressur design-low energy consumption Soft start VFD operations - stainless steel construction-low energy consumption Soft start VFD operation - low loak pressur design-low load on the standard of the start VFD operation - low back pressur design-low energy consumption Soft start VFD operation - lost places and the standard of the start VFD operation - low loads of the start VFD opera
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor astback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback Weighback Weigh Conveyor Fastback Hore Fastback Gonveyor Fastback Hore Fastb	150 - 225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various  Various  Various  Various  Various  Various  Various  Various  ITED  Built to suit application	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorders Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline application  Touch screen operation and changeover	diverse, flexible product handling As above As above Load cells accurately, meter different ingredie gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C. Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin Stainless steel construction - low back pressu design-low energy consumption Stainless steel construction - low back pressu design-low energy consumption Stainless steel construction - low back pressu design-low energy consumption Stainless steel construction - low back pressu design-low energy consumption gentle contain
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC	150 -225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  Various  Various  Various  Various  Various  Various  Various  Various  ITED  Built to suit application	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorders Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline application  Touch screen operation and changeover	diverse, flexible product handling As above As above Load cells accurately, meter different ingredier gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, e cleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill; S.C Horizontal Configurations 400 lb. pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveyin edwatering, spreading, bi-directional conveying stainless steel construction - low back pressur design-low energy consumption Stainless steel construction - low back pressur design-low energy consumption Stainless steel construction - low back pressur design-low energy consumption of stainless steel construction low back pressur design-low energy consumption gentle contain handling, automatic guiderail adjustment
Dynac 6200 Dynac 7000 HEAT & CONTROL CANADA INC astBack Blending Conveyor Fastback Switchback accumulation Fastback sizing/separating Conveyor Fastback ClimbBack uphill Conveyor Fastback Weighback Weigh Conveyor Fastback 400E Feat and Control Vibratory  INTELLIGRATED INDUSTRIES CANADA LIMI IntelliQ ZoneFlex Accuglide ZoneFlex Accuglide ZoneFlex Cacuglide ZoneFlex Cacuglide ZoneFlex Cacuglide ZoneFlex Cacugnat Fast Weighback Weigh Conveyor FastBack Holler (MDR) conveyor FastBack Holler Conveyor Fast Weighback Weigh Conveyor FastBack Holler (MDR) conveyor FastBack Holler (MDR) conveyor FastBack Holler Conveyor FastBack Holler Conveyor FastBack Holler FastBack FastBack Holler Fas	150 - 225 linear fat. helical design  Variable length floor level  180-540 linear fat. 2-6 levels, helical design  Various  ITED  Built to suit application  Built to suit application	As above Mass flow, FIFO accumulating conveyor Horizontal motion Live Bottom Belt Bucket Horizontal motion  Electromagnetic, indirect, or direct drive  Belt-driven, zero pressure accumulation Chain-driven, zero-pressure accumulation Zero contact accumulation Positive transportation and low-pressure accumulation Rollerless plastic-belted zero pressure accumulation Flexible configurations to transport product through curves, skews, merges and sorders Control merge releases and provide consistent gaps between cartons at high speeds Modular plastic belt surface well-suited for food, beverage and consumer product applications Multiple zone live roller for positive transportation and zero-pressure accumulation Zone-based zero pressure or continuous low pressure accumulation Low maintenance, positive conveyance of wide range of loads Full-width transportation conveyor with supported modular plastic belt for positive load conveyance Smooth, stable load rotation Merge loads from multiple lanes into a common trunk line 90-degree change in pallet flow direction Non-powered conveyance for reduced complexity Control merge releases, provide consistent gaps at high speeds Designed specifically for corrugate trash and bulk conveyance Positive conveyance of a wide variety of loads Mix of powered and non-powered rollers for decline application  Touch screen operation and changeover	diverse, flexible product handling As above Load cells accurately, meter different ingredier gentle blending Up to 52 cu. feet capacity Inline short-term accumulation Size sort and remove fines, gentle handling, ecleaning Move product on slopes up to 8 degrees, easy cleaning, quite compact 3 load cells for high accuracy, easy-to-clean Compact, re-usable drive, conveys up to 2,500 on 100 feet long runs Up to 180 cubic feet capacity No Spill: S.C Horizontal Configurations 400 lb, pan capacity accepts distribution gates various pan sizes Configure for conveying, grading, alignment, dewatering, spreading, bi-directional conveying dewatering, spreading, bi-directional conveying stainless steel construction - low back pressur design-low energy consumption Stainless steel construction - low back pressur design-low energy consumption Stainless steel construction - low back pressur design-low energy consumption of stainless steel construction over energy consumption Stainless steel construction - low back pressur design-low energy consumption of stainless steel construction over energy consumption Stainless steel construction - low back pressur design-low energy consumption gentle construction over energy consumption of stainless steel construction over energy consumption over energy consum


Bottles, cans, cartons, bags, etc. applications vary from manufacturing to distribution operations are available

Various

Storcan
PREMIER TECH CHRONOS
Gescofab Belt Conveyor

MAKER & MODEL Belt Driven Live Roller		SIZE Various			OPERATION  Medium to heavy cartons manufacturing to distribute	s, applicati	ions vary from tions	conveyor, self-po and self-powered available as zero	ations are available from straig owered curves, slave driven cu d spurs. The system is also o pressure accumulation with
Live Roller Line Shaft		Various			Bottles, cans, cartons, ba from manufacturing to dis	ags, etc. a stribution	pplications vary operations	available as zero	n by individual elastomeric belt drive shaft. The system is also o pressure accumulation with
"V" Belt Driven Live Roller Convey	or	Various			Bottles, cans, cartons, ba from manufacturing to dis	ags, etc. a stribution of	pplications vary operations	conveyor, self-po and self-powered	ations are available from straig owered curves, slave driven cu d spurs
Heavy-Duty Belt Driven Live Rolle Chain Driven Live Roller Conveyor		Various			Applications vary from moperations For higher load capabiliti and drums. Chain driven conveying oily parts in both	ies such a	s loaded pallets	accumulation with Single strand an available to mee	so available as zero pressure th electronic sensors d roller-to-roller configurations t specific requirements. The sy as zero pressure accumulation
R J MACHINERY INC Brinerline conveyors Tabletop conveyors		3 to 12 in. width As above			Plastic mesh, open chair DC powered, plastic slats			Stainless steel p One piece SS pa	anels & drip trays anels, sanitary design, inboard
Efficiency line  REISER CANADA CO Supervac GesmbH		As above Various			Conveyor integrated onto	o SS table		Table will support	rt filler-capper-labeler
RILEY PRODUCT HANDLING (In Riley biscuit handling systems	Canada: Charles		d.)		Vibratory/belt/airbed			Gentle handling,	accumulation feeding systems
RYSON INTERNATIONAL INC Spiral conveyors Mass Flow conveyors		Made to order As above			Vertical conveying Conveying cans & bottle: Convey bulk material	s		Save space, high	n throughout
Bucket elevators  SADLER INC (In Canada: Sadle Roller conveyors	r Conveyor Syste	As above ms (ON)) 15-60 in. wide, 3 ir	n increments		Gravity			Gentle handling	astic. Straights, curves, merge
Wheel conveyors		15, 21, 27 in. wide		eels/ft	Gravity			spurs & gates	napes same as roller conveyor
SHAWPAK SYSTEMS LTD Belt Conveyors		To suit			To suit application			Stainless steel c	onstruction, sanitary design
Chain Conveyors Cooling Conveyors Metal Detector Conveyors		To suit Up to 300 ft.L, 50 i To suit	in.W		As above Variable speed For use with all brands o	if matal de	tectors		operation, manual indexing onstruction, sanitary design wi
Accumulation Tables SPEEDWAY PACKAGING MACH	IINERY	24, 36 & 48 in. rota	ary & table to	D	Fixed & variable speed	n metal de	IGGIUI S	automated reject Stainless steel c	onstruction, sanitary design wi t device onstruction, sanitary design
Speedway Modular Plastic Belt STORCAN LTD Storcan Table Top & Case Conve	yors, ICS/RIONDE	Custom						Modular design	
bulk conveyors & accumulation Sil SUPERVAC MASCHINENBAU G Supervac GesmbH TECHNICOR INDUSTRIAL SERV	MBH (In Canada:	Reiser (Canada) L Various	td., Burlingt	on, ON)	Automatic				
Chain tracks and Curves TRI MACH GROUP INC	.JEU INU	12 ft max.			Plastic belt & chain			Low friction, quie	et
Ever-Kleen UNITRAK CORPORATION LIMIT	ED	Any/Custom							
TipTrak Bucket Elevators		Various			Continuous  Non-continuous			vertically.	xets, operates horizontally &
Powderflight Aeromechanical Con- UniFlex Flexible Screw Conveyor	veyur	Various Various			Non-continuous  Non-continous			small footprint	rate, dust-free conveying with
WEBER MARKING SYSTEMS (	OF CANADA							one moving part	
Weber - Custom Conveyors  WEIGHPACK SYSTEMS INC Bucket infeed, Cleated Infeed		Various			AC or DC drives			Control box, leve	al concore
Box indexing  Box indexing, L-shaped, Screw of	convevor. Exit	All sizes As above			As above As above			As above As above	si serisurs
conveyor	John Cyon, Exit	710 00000			715 dbove			715 05000	
DISPENSING MAKER AND MODEL									FEATURES
	TYPE		FEED FRO	М	FEED TO		SPEED		FEATURES
	TYPE  Desiccant Cotton		FEED FRO	M	FEED TO				Integrated to existing lines ar
CAPMATIC LTD SYNCHROBLOCK	Desiccant Cotton	ı İnserter ı	up to 1500cc	M			up to 250 BPM		Integrated to existing lines ar synchronize to other Tablet Equipment
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di	Inserter (	up to 1500cc		1Lt				Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms. High accuracy, easy volume
	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur	nps & Process - D	up to 1500cc 0.1ml		1 Lt on Inc, Saint-Laurent, QC	c.	up to 250 BPM		Integrated to existing lines ar synchronize to other Tablet Equipment. Servo driven, stainless steel contruction, easy clean externadaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy adjustment, no dripping, easy maintenance.
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps  B series	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di	nps & Process - D splacement I splacement I	up to 1500cc 0.1ml iv. of Hurrica Hopper		1 Lt on Inc, Saint-Laurent, QC Wide range of bottles etc	o. o.	up to 250 BPM  0-200/min.		Integrated to existing lines ar synchronize to other Tablet Equipment. Servo driven, stainless steel contruction, easy clean extern adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy adjustment, no dripping, easy maintenance.
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Harries pumps  B series  MD series	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump	nps & Process - D splacement I splacement I	up to 1500cc 0.1ml iv. of Hurrica Hopper		1 Lt on Inc, Saint-Laurent, QC Wide range of bottles etc	o. o.	up to 250 BPM  0-200/min.  0-200/min.		Integrated to existing lines ar synchronize to other Tablet Equipment. Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance high accuracy, easy volume High accuracy, easy volume High accuracy, easy volume
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Harries pumps  B series  MD series  RP Series	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense F	nps & Process - D splacement I splacement I pump I	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper		1 Lt  on Inc, Saint-Laurent, QC  Wide range of bottles etc  Wide range of bottles etc  Wide range of bottles etc	o. o.	up to 250 BPM  0-200/min.  0-200/min.		Integrated to existing lines ar synchronize to other Tablet Equipment. Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance.
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Harries pumps  B series  MD series  RP Series  LONGFORD INTERNATIONAL L'	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo	nps & Process - D splacement I splacement I splacement I splacement I splacement I	up to 1500cc 0.1ml iv. of Hurrica Hopper Hopper Hopper		1 Lt  on Inc, Saint-Laurent, QC  Wide range of bottles etc	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.		Integrated to existing lines ar synchronize to other Tablet Equipment.  Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance high accuracy, easy volume adjustment, no dripping, easy maintenance high accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Harries pumps  B series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL L' C350/C750  SF375	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense F  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder  Dessicant Feeder	nps & Process - D splacement I splacement I pump I pump I	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper		1 Lt  on Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm		Integrated to existing lines ar synchronize to other Tablet Equipment. Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance.
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe	nps & Process - D splacement	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 1.8 ms minimum viscosity range c		Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance Servo Drive
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  RP Series  LONGFORD INTERNATIONAL L' C350/C750 SF375 30901  NORDSON CANADA LIMITED (e.dot+ Electric Guns	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee [In Canada: Time Electric, high spe placement for lat pharma, specialt Electric, high spe Electric, high spe	nps & Process - D splacement I splacement I pump I	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 1.8 ms minimum viscosity range c cps ms minimum on	of 1,000 to 5,000 time with viscosity	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance.  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service.
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  SP  LONGFORD INTERNATIONAL L' C350/C750 SF375 30901  NORDSON CANADA LIMITED  e.dot+ Electric Guns  E-400 Electric Guns	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense F  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for lat pharma. specialt	nps & Process - D splacement I  Pump I  Pump I  Pump I  r der co-Marten, Calgan ed, accurate dot selling, coupons, y packaging ed superior eeatability	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 18 ms minimum or range of 1,000 to 2ms minimum or range of 1,000 to 2ms minimum or can seminimum	of 1,000 to 5,000 time with viscosity o 10,000 cps	Integrated to existing lines ar synchronize to other Tablet Equipment. Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. Servo Drive  Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service.
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  ISP  LONGFORD INTERNATIONAL L' C350/C750 SF375 30901  NORDSON CANADA LIMITED e. dot+ Electric Guns  E-400 Electric Guns  MiniBlue II Guns	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense F  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder  Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for lat pharma, specialt Electric, high spe accuracy and reg  Pneumatic High:	nps & Process - D splacement I splacement I pump I ic I Pump I der co-Marten, Calgan ed, accurate dot lelling, coupons, y packaging ved superior eatability speed, long life	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  400 ppm 300 ppm 180 ppm 1.8 ms minimum viscosity range ccps ms minimum on range of 1,000 to 2ms minimum or cps wiscosity range ccps cgs	of 1,000 to 5,000 time with viscosity o 10,000 cps in time with of 500 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment.  Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  Servo Drive  Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service.  Bead and dot patterns, high-speed, superior accuracy repeatability  Industry fastest, longest life
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL L' C350/C750 SF375 30901  NORDSON CANADA LIMITED (In HORDSON CANADA LIMITED (In Heries)) E-400 Electric Guns  MiniBlue II Guns  PatternJet Plus	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder  Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for lat pharma, specialt Electric, high spe accuracy and rep  Pneumatic High:  Pneumatic, high applications reque change patterns,	nps & Process - D splacement	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum or range of 1,000 to viscosity range of 1,000 t	of 1,000 to 5,000 time with viscosity to 10,000 cps in time with of 500 to 5,000 con time with of 500 to 15,000	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. High accuracy, easy volume adjustment, no dripping, easy maintenance. Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service. Bead and dot patterns, high-speed, superior accuracy repeatability. Industry fastest, longest life
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps  B series  MD series  MD series  RP Series  LONGFORD INTERNATIONAL L' 0350/C750  SF375  30901  NORDSON CANADA LIMITED (e. dot+ Electric Guns)  E-400 Electric Guns  MiniBlue II Guns  PatternJet Plus  SolidBlue Hot Melt Dispensing	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense F  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee [In Canada: Time Electric, high spe placement for lat harma, specialt Electric, high spe accuracy and rep  Pneumatic High:  Pneumatic High:	nps & Process - D splacement	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1 sm minimum or range of 1,000 to 2ms minimum or range of 1,000 to 2ms minimum or cost yrange of 2 cps 15ms minimum or viscosity range of 2 cps	of 1,000 to 5,000 time with viscosity to 10,000 cps time with of 500 to 5,000 to 15,000 to 15,00	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, ligh-speed, superior accurac repeatability Industry fastest, longest life
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL L' C350/C750 SF375 30901 NORDSON CANADA LIMITED e. dot+ Electric Guns  E-400 Electric Guns  MiniBlue II Guns  PatternJet Plus  SolidBlue Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder  Dessicant Feeder  Dessicant Feeder  In Canada: Time Electric, high spe placement for leat p	nps & Process - D splacement I	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 180 ppm 180 ppm 180 ppm 180 ppm 170 ppm 180 ppm 18	of 1,000 to 5,000 time with viscosity 10,000 cps in time with 6500 to 5,000 on time with 6500 to 15,000 on time with 6700 to 15,000 on time with 6700 to 5,000 on time with 6700 to 5,0	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Eamodule mounting
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL LIMITED (350/C750) SF375 30901  NORDSON CANADA LIMITED (e.dot+ Electric Guns)  E-400 Electric Guns  MiniBlue II Guns  PatternJet Plus  SolidBlue Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureSeal Non-Contact Sift Proof	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Inox Pur Electric, high spe placement for lat pharma, specialt Electric, high spe accuracy and rer  Pneumatic High:  Pneumatic High:  Pneumatic AO/A styles  Pneumatic AO/A styles  Electric. Eliminat	nps & Process - D splacement I	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  1"x1"  2"x2"	ane Pump Distributo	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 180 ppm 180 ppm 180 ppm 15ms minimum on range of 1,000 to 200 ppm 2 ppm 2 ppm 2 ppm 2 ppm 3 ppm 3 ppm 4 ppm 4 ppm 4 ppm 5 ppm 6 ppm 6 ppm 7 ppm 7 ppm 8 ppm 8 minimum on range of 1,000 to 200 ppm 9 ppm 9 ppm 1 p	of 1,000 to 5,000 time with viscosity to 10,000 cps the first with of 500 to 5,000 on time with of 500 to 15,000 on time with of 500 to 5,000 on time with of 500 to 5,000 on time with of 500 to 15,000 on time with of 500 to 5,000 on time with of 500 to 5,000 on time with of 500 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Ea module mounting Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps  B series  MD series  MD series  HEAD SERIES  MD SERIES  MINIBILUE II GUNS  MUNIBILUE II G	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for lal pharma, specialt Electric, high spe placement for lal pharma specialt Pneumatic High:  Pneumatic High:  Pneumatic AO/A styles  Pneumatic AO/A styles  Electric, Eliminat seams; single or	nps & Process - D splacement I splacement I pump I fic I Pump I fic I Pump I fic I Pump I fic I fic I fic I finder accurate dot selling, coupons, ed superior seatability speed, long life speed liring flexibility to labeling C and AO/SC c product loss at dual gun systems quipment Solutior	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1" 2"x2" 2"y, AB; Edmo	ane Pump Distributo	n Inc, Saint-Laurent, QC Wide range of bottles etc  11x17 4x7 4"x9" 4, MB)	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 100 ppm 100 ppm 110 ppm 11	of 1,000 to 5,000 time with viscosity to 10,000 cps the first with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment.  Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  Servo Drive  Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service operation, exceptional service.  Bead and dot patterns, high-speed, superior accuracy repeatability.  Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Eamodule mounting  Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  RP Series  LONGFORD INTERNATIONAL L' C350/C750 SF375 30901  NORDSON CANADA LIMITED	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense F  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee Inc Canada: Time Electric, high spe placement for lat pharma, specialt Electric, high spe accuracy and rep  Pneumatic High:  Pneumatic High:  Pneumatic AO/A styles  Electric. Eliminat seams; single or  ada: Packaging E Canister Pouches Puches P	nps & Process - D splacement   I spl	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  1"x1"  2"x2"  y, AB; Edmo	ane Pump Distribute	1 Lt  On Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4"x9"	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 180 ms minimum or viscosity range or cps ms minimum or viscosity range or cps 15ms minimum or viscosity range or cps	of 1,000 to 5,000 time with viscosity to 10,000 cps the first with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Ea module mounting Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL LIMITED (2350/C750 SF375 30901 NORDSON CANADA LIMITED (2400 Helectric Guns)  E-400 Electric Guns  MiniBlue II Guns  Pattern Jet Plus  SolidBlue Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Non-Contact Sift Proof Gun  OMEGA DESIGN CORP (In Candodel CDF, CDFS Model PDF Omni Feeder SPEEDWAY PACKAGING MACH-Primera DX 850 VALCO MELTON	Desicant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense F  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for lat pharma, specialt Electric, high spe accuracy and rep  Pneumatic High:  Pneumatic High:  Pneumatic AO/A styles  Electric. Eliminat seams; single or  ada: Packaging E Canister Pouches Puches Puches & Canist  IINERY Label/Dispenser	nps & Process - D splacement I splacement I splacement I  Pump I  r der de	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  2"x1"  2"x2"  2"x2"  y, AB; Edmo	ane Pump Distribute	1 Lt  In Inc, Saint-Laurent, QC  Wide range of bottles etc  Mide range of bottles etc  Mide range of bottles etc  I1x17  4x7  4"x9"  MB)	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 10 ppm 10 ppm 10 ppm 10 ppm 11 ppm 11 ppm 12 ppm 13 ppm 14 ppm 15 ppm 16 ppm	of 1,000 to 5,000 time with viscosity to 10,000 cps the first with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accuracy repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Eamodule mounting  Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates Pharma grade Pharma grade Pharma grade Pharma grade
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL LIMITED (2350/C750 SF375 30901 NORDSON CANADA LIMITED (2400 Helectric Guns)  E-400 Electric Guns  MiniBlue II Guns  Pattern Jet Plus  SolidBlue Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Non-Contact Sift Proof Gun  OMEGA DESIGN CORP (In Candodel CDF, CDFS Model PDF Omni Feeder SPEEDWAY PACKAGING MACH-Primera DX 850 VALCO MELTON	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for accuracy and rer Pneumatic, high applications requ change patterns, Pneumatic AO/A styles  Pneumatic AO/A styles  Electric. Eliminat seams; single or ada: Packaging E Canister Pouches Puches & Canist IIIMERY	nps & Process - D splacement   S spl	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  Hopper  2"x1"  2"x2"  2"x2"  y, AB; Edmo	ane Pump Distribute	1 Lt  In Inc, Saint-Laurent, QC  Wide range of bottles etc  Mide range of bottles etc  Mide range of bottles etc  I1x17  4x7  4"x9"  MB)	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum oviscosity range of cps 15ms oviscooity	of 1,000 to 5,000 time with viscosity to 10,000 cps the first with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, or dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life Intermittent patterns, contact non-contact nozzles Myritex seals for long life, Eamodule mounting  Self-cleaning, reduced cavity changeable nozzles Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates Pharma grade Pharma grade
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL L' C350/C750 SF375 30901 NORDSON CANADA LIMITED  e. dol+ Electric Guns  E-400 Electric Guns  MiniBlue II Guns  PatternJet Plus  SolidBlue Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureSeal Non-Contact Sift Proof Gun  OMEGA DESIGN CORP (In Can: Model CDF, CDFS Model CDF, CDFS Model PDF Omni Feeder SPEEDWAY PACKAGING MACH- Primera DX 850  VALCO MELTON  EcoStitch Electric Guns  YASKAWA AMERICA INC (In Ca MH50 II Robot	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense fi  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder  Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe Jacement for lat pharma, specialt Electric, high spe accuracy and re;  Pneumatic High:  Pneumatic AO/A styles  Pneumatic AO/A styles  Electric. Eliminat seams; single or  ada: Packaging E Canister Pouches Puches & Canist High-speed, all-ed dot patterns for or sealing, tray for sealing, tray fo	nps & Process - D splacement	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  "X1"  "X2"  "X2"  "y, AB; Edmo  ns Inc.) Loose Reel & Loose	nton, AB; Winnipeg	1 Lt  In Inc, Saint-Laurent, QC  Wide range of bottles etc  Mide range of bottles etc  Mide range of bottles etc  I1x17  4x7  4"x9"  MB)	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum or range of 1,000 to 1,000 to 1,000 cps 15ms minimum or viscosity range or cps 15ms diameter or cps 15ms	of 1,000 to 5,000 time with viscosity to 10,000 cps the first with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Ea module mounting  Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates  Pharma grade Pharma grade  Outstanding service life, come easy change-outs  6-axis, 50 kg, 3,578 mm reac
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL L' 0350/C750  SF375  30901  NORDSON CANADA LIMITED (e.dot+ Electric Guns)  E-400 Electric Guns  MiniBlue II Guns  PatternJet Plus  SolidBlue Hot Melt Dispensing Guns  SureSeal Non-Contact Sift Proof Gun  Model CDF, CDFS  Model PDF  Omni Feeder  SPEEDWAY PACKAGING MACH- Primera DX 850  VALCO MELTON  EcoStitch Electric Guns  YASKAWA AMERICA INC (In Cambison In Company Comp	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for lati plarma. patentic, high spe placement for lati plarma. patentic, high applications requ change patterns. Pneumatic AO/A styles  Pneumatic AO/A styles  Electric. Eliminat seams; single or  ada: Packaging E Canister Pouches Puches & Canist IINERY Label/Dispenser  High-speed, all- dot patterns for c sealing, tray form erecting unada: Yaskawa 0  reacting tray form erecting anada: Yaskawa 0  To the properties of the propert	nps & Process - D splacement   I spl	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  "X1"  "X2"  "X2"  "y, AB; Edmo  ns Inc.) Loose Reel & Loose	nton, AB; Winnipeg	1 Lt  In Inc, Saint-Laurent, QC  Wide range of bottles etc  Mide range of bottles etc  Mide range of bottles etc  I1x17  4x7  4"x9"  MB)	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 180 ms minimum or uscosity range or uscoority range	of 1,000 to 5,000 time with viscosity to 10,000 cps the first with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 15,000 to time with of 500 to 5,000	Integrated to existing lines are synchronize to other Tablet Equipment.  Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  High accuracy, easy volume adjustment, no dripping, easy maintenance.  Servo Drive  Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service operation, exceptional service.  Bead and dot patterns, high-speed, superior accuracy repeatablity.  Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Eamodule mounting  Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates.  Pharma grade  Pharma grade  Pharma grade  Outstanding service life, come easy change-outs
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL L C350/C750 SF375 30901 NORDSON CANADA LIMITED Le. dot+ Electric Guns  E-400 Electric Guns  MiniBlue II Guns  PatternJet Plus  SolidBlue Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureSeal Non-Contact Sift Proof Gun  OMEGA DESIGN CORP (In Candode DE)  Omni Feeder  SPEEDWAY PACKAGING MACH- Primera DX 850  VALCO MELTON  EcoStitch Electric Guns  YASKAWA AMERICA INC (In Candode)  MH50 II Robot  MH50 II Robot  MH50 II-35 Robot  MH50 II-30 Robot  FILLING DRY PRODU	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense f  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder  Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe accuracy and rep  Pneumatic High :  Pneumatic Ao/A styles  Pneumatic AO/A styles  Electric. Eliminat seams; single or  ada: Packaging E  Canister Pouches Puches & Canist  High-speed, all-ed tot patterns for cotting sealing, tray form erecting anda: Yaskawa (a Coating/Dispenser  CCTS	nps & Process - D splacement   S spl	up to 1500cc  0.1ml  iv. of Hurrica Hopper  Hopper  Hopper  "X1"  "X2"  "X2"  "y, AB; Edmo  ns Inc.) Loose Reel & Loose	nton, AB; Winnipeg	1 Lt  on Inc, Saint-Laurent, QC  Wide range of bottles etc  ### Wide range of bottles etc  ### Ar  ### Bottles  ### Bottles  Bottles  Bottles  Bottles	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum or range of 1,000 to 1,000 to 1,000 cps 15ms minimum or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or	of 1,000 to 5,000 time with viscosity 10,000 cps 1 time with of 500 to 5,000 on time with of 500 to 15,000 on time with of ,000 to 5,000	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Eamodule mounting  Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates  Pharma grade Pharma grade Pharma grade  Outstanding service life, comeasy change-outs  6-axis, 50 kg, 3,578 mm reac 6-axis, 50 kg, 3,578 mm reac 6-axis, 20 kg, 5,585 mm reac
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In H series pumps  B series  MD series  MD series  HEAD SERIES  MD SERIE	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense fa  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for accuracy and re; Pneumatic High: Pneumatic High: Pneumatic AO/A styles  Pneumatic AO/A styles  Pneumatic AO/A styles  Liectric. Eliminat seams; single or ada: Packaging E Canister Pouches Puches & Canist High-speed, all-ed dot patterns for c sealing, tray form erecting anada: Yaskawa ( Coating/Dispens)  Coating/Dispensi  Coating/Dispensi Coating/Dispensi Coating/Dispensi Coating/Dispensi Coating/Dispensi Coating/Dispensi Coating/Dispensi Coating/Dispensi Coating/Dispensi Coating/Dispensi CONTAI NT LTD	nps & Process - D splacement   S spl	up to 1500cc  0.1ml  iv. of Hurrica Hopper Hopper Hopper  Hopper  1"x1"  2"x2"  y, AB; Edmo  ns Inc.) Loose Reel Reel & Loose	nton, AB; Winnipeg	n Inc, Saint-Laurent, QC Wide range of bottles etc  Inc. Wide range of bottles etc Wide range of bottles etc  Inc. Inc. Inc. Inc. Inc. Inc. Inc. In	o. o.	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum or range of 1,000 to 1,000 to 1,000 cps 15ms minimum or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or	of 1,000 to 5,000 time with viscosity 10,000 cps 1 time with with of 500 to 5,000 on time with of 500 to 15,000 on time with of 500 to 5,000 OPE	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, ligh-speed, superior accurac repeatability Industry fastest, longest life Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Ea module mounting  Self-cleaning, reduced cavity changeable nozzles Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates  Pharma grade Pharma grade Pharma grade Outstanding service life, comeasy change-outs
SYNCHROBLOCK  SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  B series  MD series  MD series  RP Series  ISP  LONGFORD INTERNATIONAL L' 0350/C750  SF375  30901  NORDSON CANADA LIMITED (e.dot+ Electric Guns)  MiniBlue II Guns  E-400 Electric Guns  MiniBlue II Guns  Pattern Jet Plus  SolidBlue Hot Melt Dispensing Guns  Sure Seal Non-Contact Sift Proof Gun  Model CDF, CDFS  Model PDF  Omni Feeder  SPEEDWAY PACKAGING MACH- Primera DX 850  VALCO MELTON  EcoStitch Electric Guns  YASKAWA AMERICA INC (In Cambridge)  MH50 II Robot  MH50 II-33 Robot  MH50 II-33 Robot  MH50 II-30 Robot  FILLING DRY PRODU  MAKER AND MODEL  ABBEY PACKAGING EQUIPMEN  MAKER AND MODEL  ABBEY PACKAGING EQUIPMEN	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense fa  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for accuracy and rer Pneumatic High: Pneumatic High: Pneumatic AO/A styles  Pneumatic AO/A styles  Pneumatic AO/A styles  Electric. Eliminat seams; single or ada: Packaging E Canister Pouches Puches & Canist High-speed, all-ed dot patterns for c sealing, tray form erecting anada: Yaskawa ( Coating/Dispensi Coating/D	nps & Process - D splacement   S spl	up to 1500cc  0.1ml  iv. of Hurrica Hopper Hopper Hopper  Hopper  "x1" "2"x2" "y, AB; Edmo  is Inc.) Loose Reel Reel & Loose	nton, AB; Winnipeg	1 Lt  on Inc, Saint-Laurent, QC  Wide range of bottles etc  11x17  4x7  4x7  4x7  4x89  , MB)  Bottles  Bottles  Bottles  Bottles  Bottles	c. c	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum or range of 1,000 to 1,000 to 1,000 cps 15ms minimum or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or	of 1,000 to 5,000 time with viscosity 10,000 cps 1 time with of 500 to 5,000 on time with of 500 to 15,000 on time with of 500 to 15,000 on time with of ,000 to 5,000 on time with on ,000 to 5,000 on ,000 to 5,000 on ,000 to 5,000 on ,000 to 5,00	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Ea module mounting  Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates  Pharma grade Pharma grade Pharma grade Pharma grade Pharma grade  Outstanding service life, come easy change-outs  G-axis, 50 kg, 3,578 mm reac G-axis, 35 kg, 4,448 mm reac G-axis, 20 kg, 5,585 mm reac G-ax
SteelHeart  HIBAR SYSTEMS LIMITED (In Heries pumps  Beries  MD series  MD series  RP Series  SP  LONGFORD INTERNATIONAL LIMITED (350/C750 SF375 30901 NORDSON CANADA LIMITED (950 MORDSON CANADA LIMIT	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense fi  Seal-less Ceram  Integrated Servo  TD Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for lat pharma, specialt Electric. Eliminat seams; single or ada: Packaging E Canister Pouches Puches & Canist INERY Label/Dispenser  High-speed, all-ed tot patterns for or sealing, tray for seali	nps & Process - D splacement	up to 1500cc  0.1ml  iv. of Hurrica Hopper Hopper Hopper Hopper y, AB; Edmo  is Inc.) Loose Reel Reel & Loose iissauga, ON)	FILLING SPEED <0.1g 450+wpm <0.1g 450wpm	n Inc, Saint-Laurent, QC Wide range of bottles etc  11x17 4x7 4"x9" MB)  Bottles Bottles Bottles Bottles Bottles 11c-16	c. c	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum or range of 1,000 to 1,000 to 1,000 cps 15ms minimum or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or	of 1,000 to 5,000 time with viscosity 10,000 cps 1 time with of 500 to 5,000 on time with of 500 to 15,000 on time with of 500 to 15,000 on time with of ,000 to 5,000 on time with on ,000 to 5,000 on time with of ,000 to 5,000 on time with of ,00	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life  Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Ea module mounting  Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated slotted, gun mounting bracke quick change nozzle plates  Pharma grade
SteelHeart  HIBAR SYSTEMS LIMITED (In 1 series pumps  3 series  MD series  RP Series  SP  LONGFORD INTERNATIONAL L' 3350/C750  SF375  30901  NORDSON CANADA LIMITED 1  NORDSON CANADA LIMITED 1  Adout Electric Guns  E-400 Electric Guns  WiniBlue II Guns  PatternJet Plus  SolidBlue Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBead Reduced Cavity Hot Melt Dispensing Guns  SureBeal Non-Contact Sift Proof Gun  Model CDF, CDFS  Model PDF  Dmni Feeder  SPEEDWAY PACKAGING MACH- Primera DX 850  VALCO MELTON  COSUITCH Electric Guns  YASKAWA AMERICA INC (In Cambidol In Robot Melt Dispension MacH- HISO II-35 Robot Melt Dispension MacH- HISO II-35 Robot Melt Dispension Model CDF  MAKER AND MODEL  ABBEY PACKAGING EQUIPMEN  Multipond GmbH 1000/1000S5 Se  Multipond GmbH 1000/1000S5 Se	Desiccant Cottor  Peristaltic Pump  Canada: Inox Pur Liquid positive di piston pump  Liquid positive di piston pump  Micro Dispense fa  Seal-less Ceram  Integrated Servo  TD  Sheet Feeder Dessicant Feede 3 Dim. Prod. Fee (In Canada: Time Electric, high spe placement for accuracy and rer Pneumatic high applications reque, change patterns. Pneumatic AO/A styles  Canister Pouches & Canist High-speed, all-ed of patterns for c sealing, tray form erecting  anada: Yaskawa Coating/Dispense  Coa	nps & Process - D splacement	up to 1500cc  0.1ml  iv. of Hurrica Hopper Hopper Hopper Hopper  "x1" "x1" "x2" "x2" "x4" "x4" "x1" "x1" "x1" "x1" "x1" "x1	FILLING SPEED <0.1g 450+wpm <0.1g 450wpm	n Inc, Saint-Laurent, QC Wide range of bottles etc  11x17 4x7 4"x9" MB)  Bottles Bottles Bottles Bottles Bottles 11c-16	LL RANG -200g	up to 250 BPM  0-200/min.  0-200/min.  0-500/min.  0-500/min.  0-1500/min.  400 ppm 300 ppm 180 ppm 180 ppm 1.8 ms minimum or range of 1,000 to 1,000 to 1,000 cps 15ms minimum or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or or viscosity range or cps 15ms minimum or	of 1,000 to 5,000 time with viscosity 10,000 cps  n time with of 500 to 5,000 on time with of 500 to 15,000 on time with of ,000 to 5,000 on time with of ,000 to 6,000 on time with of ,000 to 5,000 on time with of ,0	Integrated to existing lines ar synchronize to other Tablet Equipment Servo driven, stainless steel contruction, easy clean exter adaptable for cleanrooms.  High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance High accuracy, easy volume adjustment, no dripping, easy maintenance  Servo Drive Multi Servo Drive  Compact, high-speed, quiet operation, exceptional service Bead and dot patterns, high-speed, superior accurac repeatability Industry fastest, longest life Intermittent patterns, contact non-contact nozzles  Myritex seals for long life, Eamodule mounting Self-cleaning, reduced cavity changeable nozzles  Installs easily with Integrated soltted, gun mounting bracke quick change nozzle plates  Pharma grade Pharma grade Pharma grade Pharma grade Pharma grade Pharma grade  Pharma grade  Pharma grade  Pharma grade  Pharma grade  Pharma grade Pharma grade  Pharma grade

## Clean, safe conveying



Designed for maximum available production time and operating convenience, the new modular belt conveyor in stainless steel is robust, safe and easy to clean. The standardized design and modularity make changes of the production line easy. It's the smart, long-term investment in your bottom line and your operators!

flexlink.com



#### coesia companies

ACMA - CIMA - CITUS KALIX - FLEXLINK ADMV - G.D - GDM - HAPA - IPI - NORDEN R.A JONES - SACMO - SASIB - VOLPAK



MAKER AND MODEL	CONTAINEDO EU LED	FILLING CDEED	FILL DANCE	ODEDATION
	CONTAINERS FILLED	FILLING SPEED	FILL RANGE	OPERATION
Multipond GmbH 7100 Series	Portion weights for individual dump to to 7.500g	<0.5g Up to 20wpm	Up to 7.5kg	High Speed/Accuracy, Mixing, Counting, Customized solution for difficult applications, stainless hoppers, large applications
Multipond GmbH 9600 Series	Portion weights for individual dump up to 10.000g	<1.0g 120wpm	Up to 100kg	High Speed/Accuracy, Mixing, Counting, Customized solution for difficult applications, multipoint distribution, stainless hoppers, large applications
ALEX E JONES & ASSOCIATI Mamata - Vega Pack M-200	ES LTD Bag - Stand-up Pouch	Up to 100ppm	Up to 2kg	Continuous motion, Servo Driven, Automatic Change-ove
Mamata - Vega Pack iX260	Pre-Made Stand-up Pouch	Up to 120ppm	Up to 2Kg	Intermittent and Continuous motion, Servo Driven,
Hayssen - Ultima Series	Bag	Up to 160ppm	Varies up to 20Kg	Automatic Change-over Intermittent motion, Servo drive. VFFS
Hayssen - Logic Flex	Bag	Up to 85ppm	Varies up to 5kg	Intermittent motion, Servo drive. VFFS. Variable inclination, between 25° and 55°, allows the best relationship between packaging speed and product protection
Hayssen - Novus Doy/Quad	Bag	Up to 220ppm	Varies up to 5kg	Intermittent and Continuous motion, Servo drive. VFFS
	ex E. Jones & Associates; Thos		1a to bulk	Augor comi outemetic
B-350e SHA-600	Glass, cans, cartons, bags Glass, cans, cartons	To 30 cpm To 60 cpm	1g to bulk Infinite variation	Auger, semi-automatic Single-head automatic auger,
		·		conveyorized, automatic
BD-600	Bags, cartons, rigid containers	50 cpm	4 oz to 50 lb	Weight-auger, bulk & dribble
ARTYPAC AUTOMATION INC TORNADO 600	Bags, cans, cartons	Up to 80 cpm	1g to 50 kg	Automatic and semi-auto auge filler with Vectormotion drive system
ROTOR 40	As above	Up to 60 cpm	10 g to 10 kg	Automatic and semi-auto volumetric cup filler, single and multiple dump
ROTOR 60	As above	Up to 80 cpm	As above	As above
	MS AG SIGPACK (In Canada: C			
Stick Pack Machine (multilane) RA		100 cpm	150 mg-50 g	PLC
Vertical Flat Pouch Machine RX	Sachets	125 cpm	As above	As above
• CAPMATIC LTD StreetFighter 100	Coated/non-coated tablets - Capsules-Gel	Max BPM/ 120	per 100 count	
StreetFighter 200	Coated/non-coated tablets - Capsules-Gel	Max BPM/240	per 100 count	
Chant Fishton				
Street Fighter	Coated/non-coated Tablets-Capsule-Gel	Max BPM 50	per 100 count	
NanoStar	Coated/non-coated	60 BPM	per 100 count	Powder Filler
NanoStar PowderStar	Coated/non-coated		per 100 count	Powder Filler
NanoStar	Coated/non-coated	60 BPM	per 100 count	Powder Filler
NanoStar PowderStar Mini Fighter	Coated/non-coated	60 BPM	per 100 count	Powder Filler
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L	Coated/non-coated Tablets-Capsule-Gel	60 BPM 60 BPM Up to 70/min	Up to 55 lbs	Automatic or Semi Automatic
NanoStar PowderStar Mini Fighter Mini Fighter Plus COMBISCALE LLC CS 5 L CS 1.5 L	Coated/non-coated Tablets-Capsule-Gel	60 BPM 60 BPM Up to 70/min Up to 120/min	Up to 55 lbs Up to 7 lbs	Automatic or Semi Automatic As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L CS 1.5 L CS 2.5 L	Coated/non-coated Tablets-Capsule-Gel  all all	60 BPM 60 BPM Up to 70/min Up to 120/min Up to 120/min	Up to 55 lbs Up to 7 lbs Up to 18 lbs	Automatic or Semi Automatic As above As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L CS 1.5 L CS 2.5 L PrimoWeigher	Coated/non-coated Tablets-Capsule-Gel  all all all 1,5L	60 BPM 60 BPM Up to 70/min Up to 120/min Up to 120/min 200+/min	Up to 55 lbs Up to 7 lbs Up to 18 lbs Up to 7 lbs	Automatic or Semi Automatic As above As above As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher	Coated/non-coated Tablets-Capsule-Gel  all all all 1.5L 2.5L	60 BPM 60 BPM Up to 70/min Up to 120/min Up to 120/min 200+/min 200+/min	Up to 55 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 18 lbs	Automatic or Semi Automatic As above As above As above As above As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher PrimoWeigher	Coated/non-coated Tablets-Capsule-Gel  all all all 1,5L	60 BPM 60 BPM Up to 70/min Up to 120/min Up to 120/min 200+/min	Up to 55 lbs Up to 7 lbs Up to 18 lbs Up to 7 lbs	Automatic or Semi Automatic As above As above As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus COMBISCALE LLC CS 5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher DJS ENTERPRISES	Coated/non-coated Tablets-Capsule-Gel  all all 1.5L 2.5L 5 L	60 BPM 60 BPM Up to 70/min Up to 120/min Up to 120/min 200+/min 200+/min Up to 80/min	Up to 55 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 18 lbs	Automatic or Semi Automatic As above As above As above As above As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus COMBISCALE LLC CS 5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher DJS ENTERPRISES New Automatic Granule Packaging Machine Model DJS40	Coated/non-coated Tablets-Capsule-Gel  all all 1.5L 2.5L 5 L	60 BPM 60 BPM Up to 70/min Up to 120/min Up to 120/min 200+/min 200+/min Up to 820/min Bag Size: Length 55-110mm x 30-80mm Fill Range of 5ml-40ml. Packing Speed of 50-100 per min depending on the product.	Up to 55 lbs Up to 7 lbs Up to 7 lbs Up to 7 lbs Up to 7 lbs Up to 8 lbs Up to 18 lbs Up to 18 lbs Up to 55 lbs	Automatic or Semi Automatic As above As above As above As above As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus COMBISCALE LLC CS 5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher PrimoWeigher DJS ENTERPRISES New Automatic Granule Packaging Machine Model	Coated/non-coated Tablets-Capsule-Gel  all all 1.5L 2.5L Date printing and sealing a 3 or	60 BPM 60 BPM Up to 70/min Up to 120/min Up to 120/min 200+/min 200+/min Up to 80/min Bag Size: Length 55-110mm x W 30-80mm Fill Range of 5ml-40ml. Packing Speed of 5ml-40ml. Packing Speed of 5ml-40ml per min depending on	Up to 55 lbs Up to 7 lbs Up to 7 lbs Up to 18 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 55 lbs  Packaging Weight: 10 grams to	Automatic or Semi Automatic As above As above As above As above As above
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L CS 1.5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher PrimoWeigher DJS ENTERPRISES New Automatic Granule Packaging Machine Model DJS40  New Stainless Steel Automatic Powder Filling Machine, Model DJS-28-1	Coated/non-coated Tablets-Capsule-Gel  all all all 1.5L 2.5L 5 L  Date printing and sealing a 3 or 4 sided seal	60 BPM 60 BPM  Up to 70/min Up to 120/min Up to 120/min 200+/min 200+/min 200+/min Up to 80/min Hag Size: Length 55-110mm x W 30-80mm Fill Range of 50-100 per min depending on the product. Packaging Rate: 15 - 60 per minute depending on size of fill and type of product.	Up to 55 lbs Up to 7 lbs Up to 7 lbs Up to 18 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 55 lbs  Packaging Weight: 10 grams to	Automatic or Semi Automatic As above As above As above As above As above As above Volumetric - Stand Alone & Monoblocks
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L CS 1.5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher Das ENTERPRISES New Automatic Granule Packaging Machine Model DJS40 New Stainless Steel Automatic Powder Filling Machine, Model DJS-2B-1 ELMAR WORLDWIDE (In Can Elmar Multi Flex-C Particulate Filler Elmar Rotary Particulate Filling	Coated/non-coated Tablets-Capsule-Gel  all all all 1.5L 2.5L 5 L  Date printing and sealing a 3 or 4 sided seal  ada: Chisholm Machinery Sale Cans, Bottles, Cups  Rigid Wall Containers	60 BPM 60 BPM 60 BPM  Up to 70/min Up to 120/min Up to 120/min 200+/min 200+/min Up to 80/min Hill Range of 50-100 per min depending on the product. Packaging Rate: 15 - 60 per minute depending on size of fill and type of product.  s Limited, Niagara Falls, ON) 70-1,000cpm 35-1,500 upm - model specific	Up to 55 lbs Up to 7 lbs Up to 7 lbs Up to 18 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 18 lbs Up to 55 lbs  Packaging Weight: 10 grams to 2500 grams  2-4.25" Dia/51-81"Ht  Various	Automatic or Semi Automatic As above As above As above As above As above As above Volumetric - Stand Alone &
NanoStar PowderStar Mini Fighter Mini Fighter Plus • COMBISCALE LLC CS 5 L CS 1.5 L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher Das ENTERPRISES New Automatic Granule Packaging Machine Model DJS40 New Stainless Steel Automatic Powder Filling Machine, Model DJS-2B-1 ELMAR WORLDWIDE (In Can Elmar Multi Flex-C Particulate Filler Elmar Rotary Particulate Filling	Coated/non-coated Tablets-Capsule-Gel  all all 1.5L 2.5L 5 L  Date printing and sealing a 3 or 4 sided seal  ada: Chisholm Machinery Sale Cans, Bottles, Cups	60 BPM 60 BPM 60 BPM  Up to 70/min Up to 120/min Up to 120/min 200+/min 200+/min Up to 80/min Hill Range of 50-100 per min depending on the product. Packaging Rate: 15 - 60 per minute depending on size of fill and type of product.  s Limited, Niagara Falls, ON) 70-1,000cpm 35-1,500 upm - model specific	Up to 55 lbs Up to 7 lbs Up to 7 lbs Up to 18 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 18 lbs Up to 55 lbs  Packaging Weight: 10 grams to 2500 grams  2-4.25" Dia/51-81"Ht  Various	Automatic or Semi Automatic As above As above As above As above As above As above  Volumetric - Stand Alone & Monoblocks No Container/No Fill Available Rotary Pocket Fillers - Beans,
NanoStar PowderStar Mini Fighter Mini Fighter Plus CS 15. L CS 15. L CS 1.5 L CS 2.5 L PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher PrimoWeigher DJS ENTERPRISES New Automatic Granule Packaging Machine Model DJS40  New Stainless Steel Automatic Powder Filling Machine, Model DJS-28-1 ELMAR WORLDWIDE (In Can Elmar Multi Flex-C Particulate Filler  Elmar Rotary Particulate Filling  GENERAL PACKAGING EQUI	Coated/non-coated Tablets-Capsule-Gel  all all all 1.5L 2.5L 5 L  Date printing and sealing a 3 or 4 sided seal  ada: Chisholm Machinery Sale Cans, Bottles, Cups  Rigid Wall Containers  PMENT CO (In Canada: B&T P	60 BPM 60 BPM  Up to 70/min Up to 120/min Up to 120/min Up to 120/min 200+/min 200+/min 200+/min Bag Size: Length 55-110mm x W 30-80mm Fill Range of 5ml-40ml. Packing Speed of 5ml-40ml. Packing Speed of 5ml-40ml. Packing speed of 5ml-40ml. Packing in the product. Packaging Rate: 15 - 60 per minute depending on size of fill and type of product. s Limited, Niagara Falls, ON) 70-1,000cpm 35-1,500 upm - model specific	Up to 55 lbs Up to 7 lbs Up to 7 lbs Up to 7 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 55 lbs  Packaging Weight: 10 grams to 2500 grams  2.4.25" Dia/51-81"Ht Various  J Systems)	Automatic or Semi Automatic As above As above As above As above As above As above  Volumetric - Stand Alone & Monoblocks No Container/No Fill Available Rotary Pocket Fillers - Beans, pasta, veg



FILLING DRY PRO	DDUCTS					
MAKER AND MODEL	CONTAINERS FI		G SPEED	FILL RAI	NGE	OPERATION Computer combination
Ishida CCW Multihead Weighers Product Transfer Shuffle	Bag, box, jar, can, tra			Various Various		Computer combination weighing with product transfer Multi-hopper fill statons
Product Transfer Shuffle MECANO INDUSTRIES						
Mecano VF-20 NALBACH ENGINEERING			iners/minute	Small to m	idsize	automatic
NAF Nalbach Auger Filler NRAF Rotary Auger Filler	Glass platic, metal of As above	ompositve 120 cpm 400 cpm		5g-15kg 1oz-10lbs		Volumetric As above
NJM PACKAGING Cremer CF-622 Tablet Cour	nter Bottles	up to 30	Obpm		n dia x 3 to 30 mm	Servo modular technology can
PEMBERTON & ASSOCIA	TES INC			length table	ets / capsules	accommodate up to 8 modules
Femc Various  PLAN AUTOMATION INC	Plastic tubs	0-100 pe	r min.	Various		
Ohison Packaging PLEXPACK	Rigid	Up to 10	0ppm	1oz - 5kg		Intermittent
Weigh Right IQ-1E PPI TECHNOLOGIES GRO	Bags, boxes, bottles			10lbs.	aging Systems, Poi	Manual nte Claire, QC)
Laudenberg / PSG LEE PSG Sung	Stand up pouches Trays, Tubs, Cups	500 ppm Various		Up to 1 Liti Various		Form, Fill, Seal Fill, Seal
Caveco PREMIER TECH CHRONO	Trays, Tubs, Cups	Various		Various		Fill, Seal
Premier Tech Chronos PTK-2700	Paper, PE and wove	n PP Up to 40	BPM	10 lb to 11	0 lb	Fully automated
Dual Spout Open-Mouth Bagger	open-mouth bags					
PTK-1700 High-Speed Open-Mouth Bagger	Paper, PE and wove open-mouth bags	n PP Up to 25	BPM	10 lb to 11	0 lb	Fully automated
PTS-1300 Open-Mouth Bag		n PP Up to 23	BPM	10 lb to 11	0 lb	Fully automated
BFW Open-Mouth Bagger w Bottom-up Filler	vith Paper, PE and wove open-mouth bags			10 lb to 11		Fully automated
StONEPAK Air, Auger and Impeller Packers	Valve bags	Up to 10	BPM	20 lb to 30	0 lb	Semi-automatic or fully automated with robotic valve
DB-700 Vacuum Packer	Value hore	Up to 4 E	DDM	5 lb to 25 l	<u> </u>	bag placing and palletizing system Semi-automatic or fully
DB-700 Vacuum Packer	Valve bags	Up to 4 t	DEINI	3 ID IO 23 II	D	automated with the DB-815, a valve bag placing & ultrasonic
BG Series	FIBC's			25 to 85 cu	ı. ft.	sealing system  Manual or semi-automatic
PTH-900 Series	Paper, PE and wove open-mouth bags	n PP Up to 20	BPM	10 to 110 l		Semi-automatic or fully automated with ANDY robotic
PTR-1030	Paper, PE, laminated	d and Up to 18	BPM	10 to 110 l	b	bag transfer system Fully automated, 2 Fanuc
R J MACHINERY INC	porous woven PP	<u> </u>				Robots
R-J FBW-V Vibratory Feeder	Custom built to suit of specified container			1 lb to 500		Fill by-Weight Box - Pail - Skid
R-J FBW-CA Cross Auger	As above	Variable		1 lb to 25 l		Fill by-Weight Semi or full Automatic
R-J FBW-G Gravity Hopper	As above	Variable		1 lb to 50 l		Fill by-Weight Semi or full Automatic
R-J Model SV Shuttle Volumetric	As above			8oz to 5 lb		Adjustable volume Automatic Indexing
REISER CANADA CO     Vemag	Various	Various				
SHAWPAK SYSTEMS LTD All Fill B 600	Wide variety		fill motor drive system			Semi automatic - clutch/brake
All Fill B-350E All Fill CF-SV-600	Wide variety Pharmaceutical type	3 speed	fill motor drive system	1gram to 5 50mg-50gr		Semi-automatic Compact Servo motor
All Fill B-SV-600	Wide variety	0-1500 F	RPM			Brushless DC Servo Motor / PLC Touch Screen
SOLBERN (In Canada: Ch Solbern Model 301 Filler	isholm Machinery Sales Cans, bottles, cups	Limited, Niagara F		Container	Den	In-Line
Solbern PTF DF Tumble Fill Solbern TPTF-DP Tumble F	er Cans, bottles, cups	Up to 60		Container Various	_	In-Line Carousel
Solbern Solbern	Rigid Wall Container			Various		Open and Shaker Style Rotary Drum Designs
SPEE DEE PACKAGING N High Speed Rotary	IACHINERY INC Rigid canister, bottle	s, jars 200-500	/min	5kg-5kg		Automatic
Volumetric Cup	Bag, pouch, can, cup box, jar		ndexes/min.	0.5-700 cu	. in.	Auto/Semi-auto
• WEIGHPACK SYSTEMS PrimoLinear V-25		Up to 15	/min	Up to 50 lb	ne.	Automatic or Semi-Automatic
PrimoLinear V-5		Up to 50	/min	Up to 5 lbs	1	As above
PrimoCinear V-Mini PrimoCombi	1.5 L	Up to 50		Up to 0.5 II		As above
		200+/mii		Up to 7 lbs		As above
PrimoCombi PrimoCombi	2.5 L 5 L	200+/mii Up to 80	n /min	Up to 18 lb Up to 55 lb	)S	As above
		200+/mir	n /min /min	Up to 18 lb	9S 9S	As above
PrimoCombi Star Auger 100	5 L	200+/min Up to 80 Up to 90	n /min /min	Up to 18 lb Up to 55 lb Up to 1 lb	9S 9S	As above As above
PrimoCombi Star Auger 100 Star Auger 200	PRODUCTS	200+/mir Up to 80 Up to 90 Up to 70	n /min /min	Up to 18 lb Up to 55 lb Up to 1 lb Up to 5 lbs	9S 9S	As above As above
PrimoCombi Star Auger 100 Star Auger 200 FILLING LIQUID F MAKER AND MODEL F ABBEY PACKAGING EQU	PRODUCTS FILL METHOD	200+/min Up to 80 Up to 90 Up to 70 CONTAINERS FILLED	n /min /min /min /min FILLING SP	Up to 18 lb Up to 55 lb Up to 1 lb Up to 5 lbs	FILL RANGE	As above As above As above As above OPERATION
PrimoCombi Star Auger 100 Star Auger 200 FILLING LIQUID F MAKER AND MODEL I  ABBEY PACKAGING EQU Bossar USA Inc. BVH	PRODUCTS FILL METHOD	200+/min Up to 80 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton	minin/min/m	Up to 18 lb Up to 55 lb Up to 1 lb Up to 5 lbs	98	As above As above As above As above OPERATION The pouches manufactured replace
PrimoCombi Star Auger 100 Star Auger 200 FILLING LIQUID F MAKER AND MODEL I  ABBEY PACKAGING EQU Bossar USA Inc. BVH	5 L  PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal	200+/min Up to 80 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid	FILLING SP  up to 60ppm lbags	Up to 18 lb Up to 55 lb Up to 1 lb Up to 5 lbs	FILL RANGE	As above As above As above As above OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages,
PrimoCombi Star Auger 100 Star Auger 200 FILLING LIQUID F MAKER AND MODEL I  ABBEY PACKAGING EQU Bossar USA Inc. BVH	5 L  PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal	200+/min Up to 80 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu	FILLING SP  up to 60ppm lbags	Up to 18 lb Up to 55 lb Up to 1 lb Up to 5 lbs	FILL RANGE	As above As above As above As above OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL I  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series	5 L  PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal  Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro	FILLING SP  Up to 60ppm bags ducts.	Up to 18 lb Up to 55 lb Up to 1 lb Up to 5 lbs	FILL RANGE	As above As above As above As above OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro	FILLING SP  e Up to 60ppm a bags ducts.  exible Up to 80/min	Up to 18 lb Up to 55 lb Up to 1 lb Up to 5 lbs	FILL RANGE 80x100 to 160x300	As above As above As above As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film.
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. BI000  Bossar USA Inc. BI000	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal and Fill/Seal of Pre-made	200+/min Up to 80 Up to 90 Up to 70 Up to 70  CONTAINERS FILLED Medium volume sid gusset block botton with valve for granu paste and liquid pro  24 Various Large F Pouches for liquids solids, and frozen fit to 15 litres in volum Flat Sachets, Wet V	FILLING SP  e Up to 60ppm a bags lated, ducts.  exible Up to 80/min pood up e lyipes, Up to 90 Sach	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE 80x100 to 160x300	As above As above As above As above As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill bevarages, fruit purees, liquid yogurts. Significant savings: produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets,
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series	5 L  PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal  Form/Fill/Seal  Horizontal Form/Fill/Seal and Fill/Seal of Pre-made  Pouches	200+/min Up to 80 Up to 90 Up to 70 Up to 70 Up to 70 CONTAINERS FILLED Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen fo 15 litres in volum	FILLING SP  e Up to 60ppm a bags lated, ducts.  exible Up to 80/min pood up e lyipes, Up to 90 Sach	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230	As above As above As above As above As above As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film.  Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL I  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 Series	5 L  PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal  Form/Fill/Seal  Horizontal Form/Fill/Seal and Fill/Seal of Pre-made  Pouches	200+/mil Up to 80 Up to 90 Up to 90 Up to 70 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen fit to 15 litres in volum Flat Sachets, Wet Seals, T 3 & 4 Side Seals, T	FILLING SP  e Up to 60ppm h bags lated, ducts.  exible Up to 80/min bod up e e filter	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230	As above As above As above As above As above As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant sawings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL B  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 B	5 L  PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal Form/Fill/Seal  dorizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches  Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen f to 15 litres in volum Flat Sachets, Wet V String Sachets	FILLING SP  e Up to 60ppm h bags lated, ducts.  exible Up to 80/min  bod up e e filter up to 90 Sach hFFS	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135	As above As above As above As above As above As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL I  Bossar USA Inc. BVH Series  Bossar USA Inc. BIO00 Series	5 L  PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal Form/Fill/Seal  dorizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches  Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen f to 15 litres in volum Flat Sachets, Wet V String Sachets  16 Various Pre-mac Pouches  More than 30 different	FILLING SP  e Up to 60ppm bags lated, ducts.  exible Up to 80/min bod up e Up to 90 Sach HFFS  de Up to 120ppm	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135	As above As above As above As above As above As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL B  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bries  Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bries	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen fr to 15 litres in volum Flat Sachets, Wet V String Sachets  16 Various Pre-mat Pouches  More than 30 differ pouch formats inclu doy, shaped pouch	FILLING SP  e Up to 60ppm bags lated, ducts.  exible Up to 80/min bood up e Up to 90 Sach HFFS  de Up to 120ppm ent ding ss &	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 F B	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches Fill and Seal  Horizontal Form/Fill/Seal Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 70 Up to 70 Up to 70 Up to 70 CONTAINERS FILLED Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen f to 15 litres in volum Flat Sachets, Wet V 3 & 4 Side Seals, T String Sachets 16 Various Pre-mad Pouches More than 30 differ pouch formats inclu doy, shaped pouch top/comer valve po	FILLING SP  e Up to 60ppm obags lated, ducts.  Lexible Up to 80/min ood up e Vipes, Up to 90 Sach win & HFFS  de Up to 120ppm and up to 120ppm Up to 240ppm as & uches	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400	As above As above As above As above As above As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 F Series  Bossar USA Inc. BCS F MP (Pre-made Pouch) Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS AF6 (6 Pump Filler Compared Compa	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen for 15 litres 15 litres volum Flat Sachets, Wet V 3 & 4 Side Seals, T String Sachets 16 Various Pre-mac Pouches More than 30 differ pouch formats inclu doy, shaped pouch top/corner valve Ross Packaging, De Any and all up to 1	FILLING SP  e Up to 60ppm b ags lated, ducts.  lexible Up to 80/min bood up e Vipes, Up to 90 Sach win & HFFS  de Up to 120ppm  ant ding ss & uches  lta, BC) gallon Variable	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. BCS PMP (Pre-made Pouch) Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS' AF6 (6 Pump Filler CAF1	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 Up to 70 CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen f to 15 litres in volum Flat Sachets, Wet V String Sachets  16 Various Pre-mad Pouches  More than 30 differ pouch formats inclu doy, shaped pouch top/corner valve po  Ross Packaging, De Any and all up to 1 Any and all up to 1	FILLING SP  e Up to 60ppm b b ags lated, ducts.  exible Up to 80/min bod up e Up to 90 Sach HFFS  de Up to 120ppm  until Up to 240ppm sent ding se & uches  lta, BC) gallon Variable gallon Variable	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic.
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bries  Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bossar USA Inc. B1000 Bries  Bossar USA Inc. B1000 Bossar USA Inc. BCS PMP (Pre-made Pouch) Series  Bossar USA Inc. BMS Bossar USA Inc.	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches Horizontal Form/Fill/Seal Horizontal Form/Fill/Seal Fill and Seal	200+/mil Up to 80 Up to 90 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen from 15 litres in volum Flat Sachets, Wet V. String Sachets  16 Various Pre-mate Pouches  More than 30 differ pouch formats includy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1	FILLING SP  e Up to 60ppm bags lated, ducts.  exible Up to 80/min bod up e Vipes, Up to 90 Sach win & HFFS  de Up to 120ppm  ant ding ss & uches  lta, BC) gallon Variable gallon Variable gallon Variable	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  0 - 1 gallon	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Full y Automatic Semi-Automatic and can be made to be automatic. Fully Automatic Fully Automatic Fully Automatic Fully Automatic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BMB 30/46 Large Format Series  Bossar USA Inc. B1000 F Series  Bossar USA Inc. BCS F MP (Pre-made Pouch) Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS AF6 (6 Pump Filler) CAF1 (12 pump filler) CAF1 (14 pump filler) CAF1 (17 pump filler) CAF1 (17 pump filler) CAF1 (17 pump filler) CAF1 (18 pump filler) CAF1 (19 pump filler) CA	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  FEMS INC (In Canada: Form Pump Gear Pump	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen for 15 litres to 15 litres volum Flat Sachets, Wet V 3 & 4 Side Seals, T String Sachets 16 Various Pre-mac Pouches  More than 30 differ pouch formats includoy, shaped pouch formats includoy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1	FILLING SP  e Up to 60ppm a bags lated, ducts.  Lexible Up to 80/min bood up e Vipes, Up to 90 Sach Win & HFFS  de Up to 120ppm  ent ding ss & uches  lta, BC) gallon Variable	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic. Fully Automatic Fully Automatic Fully Automatic Fully Automatic Fully Automatic Fully Automatic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F  MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000 Bossar USA Inc. B1000 F  Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 F  AF10 (10 pump filler) AF10 (10 pump filler) AF10 (10 pump filler) AESFILL  G  AESFILL  G  AESFILL	FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 Up to 70 CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processed for liquids solids, and frozen for 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets Seals, T String Sachets  More than 30 differ pouch formats includy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1	FILLING SP  e Up to 60ppm a bags lated, ducts.  exible Up to 80/min bod up e Up to 90 Sach HFFS  de Up to 120ppm  and Up to 120ppm	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  0 - 1 gallon	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic. Fully Automatic Fully Automatic Fully Automatic Fully Automatic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BWH Series  Bossar USA Inc. BHOO Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS' AESUS PACKAGING SYS' AF6 (6 Pump Filler AF1 (12 pump filler) CAF4 (4 pump filler) CAF4 (4 pump filler) CAF4 (4 pump filler) CAESFILL FUNES & ASSOCI  ALEX E JONES & ASSOCI Mamata - Vega Pack	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches  Horizontal Form/Fill/Seal Horizontal Form/Fill/Seal Fill and Seal  Horizontal Form/Fill/Seal Fill and Seal  Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen for 15 litres to 15 litres volum Flat Sachets, Wet V 3 & 4 Side Seals, T String Sachets 16 Various Pre-mac Pouches  More than 30 differ pouch formats includoy, shaped pouch formats includoy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1	FILLING SP  e Up to 60ppm bags lated, ducts.  exible Up to 80/min bod up e Vipes, Up to 90 Sach Win & HFFS  de Up to 120ppm  ant ding ss & uches  lta, BC) gallon Variable o - 150 bpm  Varies depend	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/FillSeal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Intermittent and
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BWH Series  Bossar USA Inc. BHOO Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS' AESUS PACKAGING SYS' AF6 (6 Pump Filler AF1 (12 pump filler) CAF4 (4 pump filler) CAF4 (4 pump filler) CAF4 (4 pump filler) CAESFILL FUNES & ASSOCI  ALEX E JONES & ASSOCI Mamata - Vega Pack	PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal -form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  FEMS INC (In Canada: F. Sear Pump Gear Pump Grant Gr	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozent for 15 litres of 15 litre	FILLING SP  e Up to 60ppm In bags lated, ducts.  Lexible Up to 80/min  cood up e Vipes, Up to 90 Sach Wire & Up to 120ppm  ent ding ss & Up to 120ppm  lexible Up to 240ppm  lexible Up to 120ppm  lex	Up to 18 lb Up to 55 lb Up to 51 lb Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon Up to 24 liters per mi	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Formi/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Formi/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic Fully Automatic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BUH Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. BMS Series  Bossar USA Inc. BMS F PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS' AF6 (6 Pump Filler	PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal -form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  FEMS INC (In Canada: F. Sear Pump Gear Pump Gear Pump Gear Pump Gear Pump Gear Pump Gear Pump Ostitive Displacement Postitive Displacement  Jostitive displacement  Jostitive displacement  Jostitive displacement  Jostitive displacement  Jostitive displacement  Journal Positive  Journal Pump  Jour	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen from 15 litres in volum Flat Sachets, Wet V 3 & 4 Side Seals, T String Sachets 16 Various Pre-mace Pouches  More than 30 differ pouch formats includoy, shaped pouch formats includoy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1 Bottles, Jars, Cans, Bottles, Jars, Cans,	FILLING SP  e Up to 60ppm a bags lated, ducts.  Lexible Up to 80/min bood up e Vipes, Up to 90 Sach Win & HFFS  de Up to 120ppm  and Up to 240ppm de Up to 120ppm  up to 240ppm de Up to 120ppm  variable gallon Variable	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EEED  ets/min	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic. Fully Automatic inline
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BMB 30/46 Large Format Series  Bossar USA Inc. B1000 F Bossar USA Inc. BH000 Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF1 (12 pump filler) AF1 (12 pump filler) AF1 (12 pump filler) AESFILL  G AESFILL  G AESFILL  G ALEX E JONES & ASSOCI Mamata - Vega Pack M-200  Pacific Packaging - Rotary Filler	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal -form/Fill/Seal  Horizontal Form/Fill/Seal	200+/mil Up to 80 Up to 90 Up to 90 Up to 90 Up to 70 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen fi to 15 litres in volum Flat Sachets, Wet V String Sachets  16 Various Pre-mac Pouches  More than 30 differ pouch formats includ doy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1 Bottles, Jars, Cans, Tubs	FILLING SP  e Up to 60ppm r bags lated, ducts.  exible Up to 80/min ood up e Up to 90 Sach Wirpes, Up to 120ppm  Variable gallon Variable	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs Up to 5 lbs	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  0 - 1 gallon Up to 24 liters per mi  Up to 2 litre	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/FillSeal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  BOSSAR USA Inc. BVH Series  BOSSAR USA Inc. GMB 30/46 Large Format Series  BOSSAR USA Inc. B1000 F Series  BOSSAR USA Inc. BMS F SERIES F SERIE	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches Fill and Seal  Horizontal Form/Fill/Seal Fill and Seal  Fill and Seal  Fill and Seal  Fill and Seal  Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 90 Up to 70 Up to 70 Up to 70 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processed for liquids solids, and frozen for 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets, Wet V at 15 litres in volum Flat Sachets V at 15 litres in volum Flat Sachets V at 15 litres V at 15 l	FILLING SP  e Up to 60ppm bags lated, ducts.  exible Up to 80/min  bod up e Up to 90 Sach HFFS  de Up to 120ppm  until Up to 120ppm  until Up to 120ppm  until Up to 120ppm  until Up to 120ppm  variable gallon Variable	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EEED  ets/min ent on eent on	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product	As above  OPERATION  The pouches manufactured replace expensive premade bags, ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic. Fully Automatic inline filling. Fully Automatic inline filling.
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BMB 30/46 Large Format Series  Bossar USA Inc. B1000 F Bossar USA Inc. B1000 Series  Bossar USA Inc. BHS Series  AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AESUS PACKAGING SYS' AF6 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AF2 (10 pump filler) AF2 (10 pump filler) AF2 (10 pump filler) AF1 (10 pump filler) AF2 (10 pump filler) AF3 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AF2 (10 pump filler) AF1 (10 pump filler) AF1 (10 pump filler) AF2 (10 pump filler) AF3 (10 pump filler) AF4 (10 pump filler) AF4 (10 pump filler) AF1 (10 pump filler) AF2 (10 pump filler) AF3 (10 pump filler) AF4 (10 pump filler) AF2 (10 pump filler) AF3 (10 pump filler) AF4 (10 pump	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processes an	FILLING SP  e Up to 60ppm r bags lated, ducts.  exible Up to 80/min  bood up e Up to 90 Sach HFFS  de Up to 120ppm  variable gallon Variable	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EEED  ets/min ent on eent on	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purces, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic Fully Automatic inline filling. Fully Automatic inline filling. Fully Automatic inline filling. Intermittent and
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  BOSSAR USA Inc. BVH Series  BOSSAR USA Inc. BVH Series  BOSSAR USA Inc. BUSA Inc. BMS Series  BOSSAR USA Inc. BMS Series  AESUS PACKAGING SYSA AESO Inc. BUSA Inc. BMS Series  AESUS PACKAGING SYSA AESO Inc. BUSA Inc. BU	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches Fill and Seal  Horizontal Form/Fill/Seal Fill and Seal  Horizontal Form/Fill/Seal Fill and Seal  Fill and Seal  Fill and Seal  Form/Fill/Seal  Form/Fill	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processes an	FILLING SP  e Up to 60ppm In bags lated, ducts.  Exible Up to 80/min Sod up e Up to 90 Sach Wirpes, Up to 120ppm In bags In the Up to 120ppm In th	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EEED  ets/min	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product	As above  OPERATION  The pouches manufactured replace expensive premade bags, ledal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic Fully Automatic inline filling. Fully Automatic inline filling. Fully Automatic inline filling. Fully Automatic on Servo Driven, Automatic Change-over  Filling machines for the
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  BOSSAR USA Inc. BVH Series  BOSSAR USA Inc. BVH Series  BOSSAR USA Inc. BUSA Inc. BMS Series  BOSSAR USA Inc. BMS Series  AESUS PACKAGING SYSA AESO Inc. BUSA Inc. BMS Series  AESUS PACKAGING SYSA AESO Inc. BUSA Inc. BU	PRODUCTS  FILL METHOD  IPMENT LTD  /ertical/Horizontal -form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  Fill and Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Formit Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processed for liquids solids, and frozen for 15 litres in volum Flat Sachets. Wet V 3 & 4 Side Seals, T String Sachets 16 Various Pre-mace Pouches  More than 30 differ pouch formats inclued oy, shaped oy, shaped oy, shaped oy, shaped oy, shape	FILLING SP  e Up to 60ppm In bags lated, ducts.  exible Up to 80/min pood up e eviloes, Up to 90 Sach Win & HFFS  de Up to 120ppm  Variable gallon Variable	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EEED  ets/min	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product Up to 2 litre	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic inline filling, Fully Automatic inline filling, Fully Automatic for the handling of Wines, Spirits, Beer, Ciders, Water,
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BMB 30/46 Large Format Series  Bossar USA Inc. B1000 F Series  Bossar USA Inc. BMS F Series  Bossar USA Inc. BMS F Series  Bossar USA Inc. BMS F MP (Pre-made Pouch) Series  Bossar USA Inc. BMS F Series  Bossar USA Inc. BMS Boveries  Bossar USA Inc.	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal -form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  FEMS INC (In Canada: Fall Form/Fill/Seal  FORM/Fill/Seal  FEMS INC (In Canada: Fall Form/Fill/Seal  FORM/Fill/Seal  FORM/Fill/Seal	200+/min Up to 80 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processed for liquids solids, and frozen for 15 litres in volum Flat Sachets, Wet V 3 & 4 Side Seals, T String Sachets  More than 30 differ pouch formats includy, shaped pouch top/corner valve po Conservation of the control of the con	FILLING SP  e Up to 60ppm bags lated, ducts.  exible Up to 80/min bod up e Up to 90 Sach HFFS  de Up to 120ppm  until Up to 120ppm  variable gallon Variable	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EEED  ets/min	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon U-1 qallon U-1 qallon U-1 to 24 liters per mi Up to 24 liters per mi Up to 2 litre  Varies dependent on product Varies dependent on product Up to 2 litre  50ml up to 4L	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches heavy and large format  Small format sachets, mondose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic. Fully Automatic inline filling. Intermittent and Continuous motion, Servo Driven, Automatic Change-over  Filling machines for the handling of Wines, Spirits, Beer, Ciders, Water, CSD, Juices etc.
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BMB 30/46 Large Format Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 F Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. BMS Series  Beryo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS' AF6 (6 Pump Filler)  AF1 (12 pump filler)  AF4 (4 pump filler)  AESILL  GAF10 (10 pump filler)  AESILL  AF10 (10 pump filler)  AF10 (10 pump filler)  AF10 (10 pump filler)  AF10 (10 pump filler)  AF	PRODUCTS FILL METHOD  IPMENT LTD  /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processed for liquids solids, and frozen for 15 litres in volum Flat Sachets, Wet V Sachets  16 Various Pre-mace Pouches for liquids Seals, T String Sachets  16 Various Pre-mace Pouches  More than 30 differ pouch formats includy, shaped pouch top/corner valve poets of the pouch formats included, shaped pouch top/corner valve poets of the pouch formats included, shaped pouch top/corner valve poets of the pouch formats included, shaped pouch top/corner valve poets of the pouch formats included, shaped pouch top/corner valve poets of the pouch formats included, shaped pouch top/corner valve pouch formats included, shaped pouch top/corner valve pouch formats included to 1 Any and all up to 1 Any and all	e Up to 60ppm I bags lated, ducts.  Exible Up to 80/min  Dod up e e Up to 80/min  Dod up e e Up to 120ppm  I bags	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EED  ets/min ent on ent on ent on	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi Up to 24 liters per mi Up to 24 liters bern dependent on product Varies dependent on product Varies dependent on product Up to 2 litre  50ml up to 4L	As above  OPERATION  The pouches manufactured replace expensive premade bags, deal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic. Fully Automatic inline filling. Fully Automatic inline filling. Fully Automatic for the handling of Wines, Spirits, Beer, Ciders, Water, CSD. Juices etc. Semi automatic As above
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BVH Series  Bossar USA Inc. BIO00 F Series  Bossar USA Inc. BMS F Servo PMP (Pre-made Pouch) Series  Bossar USA Inc. BMS F Series  Bossar USA Inc. BIO00 F	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal	200+/mil Up to 80 Up to 90 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid pro 24 Various Large F Pouches for liquids solids, and frozen fi to 15 litres in volum Flat Sachets, Wet V 38 4 Side Seals, T String Sachets  16 Various Pre-mat Pouches  More than 30 differ pouch formats includ doy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1 Garant String Stand-Up Pouch  Glass, Plastic  Glass container	FILLING SP  e Up to 60ppm In bags lated, ducts.  exible Up to 80/min Sod up e Vipes, Up to 90 Sach HFFS  de Up to 120ppm In bags Italian Up to 240ppm Italian Up to 240ppm Italian Up to 120ppm Up to 120ppm Italian Up to 120ppm Variable gallon Variable from 3,000 Bph So,000 Bph	Up to 18 lb Up to 55 lb Up to 55 lb Up to 5 lbs EEED  ets/min	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product Up to 2 litre  50ml up to 4L	As above  OPERATION  The pouches manufactured replace expensive premade bags, ledal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic Fully Automatic Change-over Fully Automatic inline filling, Intermittent and Continuous motion, Servo Driven, Automatic Change-over  Filling machines for the handling of Wines, Spirits, Beer, Ciders, Water, CSD, Juices etc.
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BMB 30/46 Large Format Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 F Bossar USA Inc. B1000 Series  Bossar USA Inc. BMS Series Bossar USA Inc. BMS Boveries  Bossar USA Inc. BMS Series Bossar USA Inc. BMS Series Bossar USA Inc. BMS Boveries Bossar USA Inc. B	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal Individual Form/Fill/Seal In	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processed for liquids solids, and frozen for 15 litres in volum Flat Sachets, Wet V Sachets  16 Various Pre-mace Pouches More than 30 differ pouch formats includy, shaped pouch top/corner valve po Ross Packaging, De Any and all up to 1 Glass Packaging, De Any and all up to 1	e Up to 60ppm I bags lated, ducts.  Exible Up to 80/min Dod up De Up to 120ppm I bags lated, ducts.  Lita BC Up to 120ppm I bags Lite Up to 120ppm I bags Lita BC Up to 120ppm I bags	ets/min  ent on  ent on  ent on  ent on  ent on	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi Up to 24 liters per mi Up to 24 liters bern dependent on product Varies dependent on product Varies dependent on product Up to 2 litre  50ml up to 4L  10 ml to 51 0.1 to 1000 ml 100 ml to 51 As above As above	As above  OPERATION  The pouches manufactured replace expensive premade bags. If the property of the p
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BUH Series  Bossar USA Inc. B1000 F Bossar USA Inc. B1000 Series  Bossar USA Inc. BMS Series  F Dacries  AESUS PACKAGING SYS AF6 (6 Pump Filler)  AF10 (10 pump filler)  AF10 (10 pump filler)  AF2 (12 pump filler)  AF3 (8 pump filler)  AF4 (4 pump filler)  AF4 (4 pump filler)  AESFILL  F AF10 (10 pump filler)  AESFILL  F AF10 (10 pump filler)  AESFILL  F CAPTAL F CAPMATIC LTD Capmatic Packaging - Inc. Line Filler  BERTOLASO SPA (In Can Bertolaso SPA  CAPMATIC LTD Capmatic CF-1V Capmatic CF-1V Capmatic CF-1V Capmatic CF-1V Capmatic Versafill Capmatic Versafill Capmatic Versafill Capmatic Versafill Capmatic Versafill Capmatic Octofill	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Fill and Seal  Fill and Seal  Fill and Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Form/Fill/S	200+/mi Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid processed for several paste and liquid processed for liquids solids, and forcen from 15 litres in volum Flat Sachets, Wet V. Sachets  16 Various Pre-mate Pouches More than 30 difference for several paste and liquid processed for several paste and liquid processed for several paste for	FILLING SP  e Up to 60ppm In bags lated, ducts.  Evible Up to 80/min Sod up e Vipes, Up to 90 Sach HFFS  Ide Up to 120ppm Ide	ets/min  ett on  ent on	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product Up to 2 litre  50ml up to 4L  10 ml to 51 0.1 to 1000 ml 100 ml to 51 0.8 above 10 ml to 51 0.1 ml to 51	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/FillSeal for flexible pouches - heavy and large format Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Change-over Fully Automatic inline filling, Intermittent and Continuous motion, Servo Driven, Automatic Change-over  Filling machines for the handling of Wines, Spirits, Beer, Ciders, Water, CSD, Juices etc.  Semi automatic As above As above As above As above
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BVH Series  Bossar USA Inc. BIO00 F Series  CHORNO F  BOSSAR USA Inc. BIO00 F Series  AFE USA Inc. BIO00 F SERIES  BOSSAR USA Inc. BIO00  BOSSAR USA Inc. BIO00 F SERIES  BOSSAR	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal -forizontal Form/Fill/Seal -forizontal Form/Fill/	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granupaste and liquid prospective for the solid solids, and frozen for 15 litres in volum Flat Sachets. Wet Various Pre-mace Pouches  More than 30 differe pouch formats includy, shaped pouch top/comer valve po Ross Packaging, De Any and all up to 1	FILLING SP  e Up to 60ppm bags lated, ducts.  Exible Up to 80/min bod up e Up to 120ppm bod up e Up to 120ppm  Variable gallon Variable	ets/min  ett on  ent on  ent on  ent on  ent on  ent on	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product Up to 2 litre  50ml up to 4L  10 ml to 51 0.1 to 1000 ml 100 ml to 51 As above As above 10 ml to 51 0.1 to 150 0.1 to 150 0.1 to 150 0.1 to 250 ml As above 10 ml to 51 0.1 to 150 0.1 to 250 ml As above	As above  OPERATION  The pouches manufactured replace expensive premade bags. Ideal to fill beverages, fruit purees, liquid yogurts. Significant savings; produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches heavy and large format  Small format sachets, mondose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic and can be made to be automatic. Fully Automatic Change-over Fully Automatic inline filling. Intermittent and Continuous motion, Servo Driven, Automatic Change-over Filling machines for the handling of Wines, Spirits, Beer, Ciders, Water, CSD, Juices etc.  Semi automatic As above
PrimoCombi Star Auger 100 Star Auger 200  FILLING LIQUID F MAKER AND MODEL F  ABBEY PACKAGING EQU Bossar USA Inc. BVH Series  Bossar USA Inc. BUH Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  Bossar USA Inc. BMS Servo PMP (Pre-made Pouch) Series  AESUS PACKAGING SYS' AF6 (6 Pump Filler) AF10 (10 pump f	PRODUCTS FILL METHOD  IPMENT LTD /ertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal and Fill/Seal of Pre-made Pouches  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Fill and Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Se	200+/min Up to 80 Up to 90 Up to 90 Up to 70  CONTAINERS FILLED  Medium volume sid gusset block botton with valve for granu paste and liquid provide for the folial content of 15 litres in volum Flat Sachets, Wet V at Sachets, V at Sac	e Up to 60ppm I bags lated, ducts.  Exible Up to 80/min Dod up De Up to 80/min Dod up De Up to 120ppm I bags Ide Up to 120ppm I bags I bag	ets/min  ets/min  ets on  ets on  ets on  ets on  ets on  ets on  ent on  ent on  ent on  ent on  ent on	FILL RANGE  80x100 to 160x300  100x120 to 230x230  45x45 to 100x135  100x150 to 300x400  60x60 to 275x370  0 - 1 gallon 0 - 1 gallon 0 - 1 gallon 0 - 1 gallon Up to 24 liters per mi  Up to 2 litre  Varies dependent on product Varies dependent on product Varies dependent on product Up to 2 litre  50ml up to 4L  10 ml to 51 0.1 to 1000 ml 100 ml to 51 As above As above 10 ml to 51 O.1 ml to 11 O.1 to 1250 ml	As above  OPERATION  The pouches manufactured replace expensive premade bags, Ideal to fill beverages, fruit purees, liquid, yogurts. Significant savings, produced directly from reel fed film. Horizontal Form/Fill/Seal for flexible pouches - heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Full Servo Carousel machine for filling & sealing Pre-made pouches with Automatic Change over Horizontal Form/Fill Seal with Programmable Servo Motion for filling & sealing and Allen Bradley Controls  Fully Automatic Semi-Automatic Fully Automatic Fully Automa



marathon<sup>™</sup>

**GROVE GEAR** 



**SEALMASTER** 

M<sup>c</sup>GILL.

SYSTEM













At Regal... we don't make the conveyor, we make the conveyor run better!

With products designed for energy efficiency, water conservation, reduction in nuisance maintenance and overall cost savings of conveying your products, we got you covered!

Visit us at www.RegalPTS.com

A Regal Brand



MAKEK AND MODEL	FILL METHOD	CONTAINERS	FILLING SPEED	FILL RANGE	OPERATION
Capmatic Conquest	Piston, peristaltic	FILLED All types	300 vpm	0.5 ml - 30 ml	Cont. motion filling/pump
Pharma					stoppering/capping monoblock
Capmatic Flowstar	Electromagnetic	All types	200 bpm	0.5 ml - 20 l	Inline automatic mass flowmeter, upt to 12 heads volumetric pump
ECKERT MACHINES INC Hauser Machinery /arious models available o suit application	Semi-automatic and				
ELMAR WORLDWIDE (Ir Elmar RPE 7-72 Rotary Piston Filler	Canada: Chisholm Mach Volumetric	inery Sales Limited, Niaga Cans, Bottles, Cups	ara Falls, ON) to 1,600cpm	40ml min	Volumetric - Stand Alone & MonoblocksNo Container/No Fill Std.
Elmar/Atlas Vacuum Syruper	Gravity	Glass/Can	to 300/900cpm	1.5L max	To a Level
RPE 7-36 Rotary Piston iller	Volumetric	Cans, Bottles, Cups	70-350cpm	1.5L max	Volumetric - Stand Alone & Monoblocks No Container/No Fill Std
RPE 4/7 5G Rotary Pistor iller	Volumetric	Jugs/Pails	15-18cpm	4-22L	Volumetric - Stand Alone & Monoblocks No Container/No Fill Std
Elmar	Piston Fillers/Vacuum Syrupers	Rigid Wall Containers	35-1,600 upm (Model Specific)	12-1,900ml/1-4.8L/4-22L	Rotary Stand Alone or Monoblocks
EUROSTAR SRL (In Can Eurostar Model MEC ISO	ada: Newmapak Ltd.)	Glass/Plastic	20 up to 450 bpm	Ciders, Sparkling Wines,	
Eurostar Model MEC LD	Light Depression	Glass/Plastic	20 up to 450 bpm	Champagne Wines, Water, Juices	
Eurostar Model MEC ISO		Glass/Plastic	20 up to 450 bpm	Beer Beer	
DPS Eurostar Model MEC ISO S	Isobaric Filling	Glass/Plastic	20 up to 450 bpm	Carbonated and Still Water, CSD	
	Bellatrx, Pointe-Claire, QC Piston, peristatic pump, lobe pump rotary gear, flowmeter	All types	to 300 cpm	From 0.1 ml to multi-gal	Volumetric
	EQUIPMENT CO (In Cana				
_ <u>Series</u> HARPAK ULMA PACKA	Pump, Turbine Flow GING LLC	Bags	Up to 50 bpm	30 ml to 12 L	Automatic
/F SPE	Piston	Cups, trays, jars	up to 200	up to 1oz - 2.2 lbs	Piston
HARTNESS INTERNATION	NAL (In Canada: Alex E. Volumetric or vacuum	Jones & Assoc.) 38.1-127 mm	1200bpm	Single or double	No change part.
	gravity		<u> </u>		No change part.
HIBAR SYSTEMS LIMI Series	Volumetric piston	PS & Process - Div. of Hu All types	rricane Pump Distributon Up to 200cpm	0.001cc to 2L	Manual and automatic
3 Series	Volumetric piston	All types	Up to 200cpm	0.001-20ml	Explosion-proof designs
MD Series	Volumetric piston	All types	0-500cpm		
RP Series	Seal-less Ceramic	All types	0-500cpm		
SP	Integrated Servo Pump	All types	0-1500cpm		
KAPS ALL PACKAGING Kaps-All ECF-G	SYSTEMS INC (In Canada	Pharmaceutical, House-Hold Product, Automotive. Industrial.	Low, medium and high speed	From vial to gallon	
		Veterinary, Cosmetic, Paint, Food, Sanitary, etc			
FA-G/FA-P/FA-PG		Pharmaceutical, House-Hold Product, Automotive, Industrial, Veterinary, Cosmetic, Paint, Food, Sanitary, etc	Low, medium and high speed	From vial to gallon	
FA'-G/FA-P/FA-PG  Kaps-All Packaging	Volumetric, Gravity, Pressure and combination Pressure-Gravity	Pharmaceutical, House-Hold Product, Automotive, Industrial, Veterinary, Cosmetic, Paint, Food, Sanitary, etc Glass, Plastic, Metal,		From vial to gallon from 20ml up to 4L	
FA'-G/FA-P/FA-PG  Kaps-All Packaging  KRONESMACHINERY	Pressure and combination Pressure-Gravity	Pharmaceutical, House-Hold Product, Automotive, Industrial, Veterinary, Cosmetic, Paint, Food, Sanitary, etc Glass, Plastic, Metal, round and non-round bottles	up to 100 bpm	from 20ml up to 4L	bottles exit the filler
A-G/FA-P/FA-PG  Kaps-All Packaging  KRONESMACHINERY  Modulfill	Pressure and combination Pressure-Gravity  CR LTD  VFS	Pharmaceutical, House-Hold Product, Automotive, Industrial, Veterinary, Cosmetic, Paint, Food, Sanitary, etc Glass, Plastic, Metal, round and non-round bottles	up to 100 bpm  Up to 72,000 bph	from 20ml up to 4L  Water, Juice, CSD, Beer	filler. Fill cycle begins the once finished, train of
Modulfill Modulfill	Pressure and combination Pressure-Gravity  CR LTD  VFS  HRS	Pharmaceutical, House-Hold Product, Automotive, Industrial, Veterinary, Cosmetic, Paint, Food, Sanitary, etc. Glass, Plastic, Metal, round and non-round bottles  PET, HDPE Glass, PET, HDPE	up to 100 bpm  Up to 72,000 bph Up to 78,000 bph	from 20ml up to 4L  Water, Juice, CSD, Beer Water, CSD, Beer	filler. Fill cycle begins the once finished, train of bottles exit the filler  Cold filling
A-G/FA-P/FA-PG  Kaps-All Packaging  KRONESMACHINERY  Modulfill	Pressure and combination Pressure-Gravity  CR LTD  VFS	Pharmaceutical, House-Hold Product, Automotive, Industrial, Veterinary, Cosmetic, Paint, Food, Sanitary, etc Glass, Plastic, Metal, round and non-round bottles	up to 100 bpm  Up to 72,000 bph	from 20ml up to 4L  Water, Juice, CSD, Beer	filler. Fill cycle begins th once finished, train of bottles exit the filler

FILLING LIQUID					
MAKER AND MODEL	L FILL METHOD	CONTAINERS FILLED	FILLING SPEED	FILL RANGE	OPERATION
Modulfill	VFS	PET, HDPE	Up to 72,000 bph	Juice	Hot and cold filling
Modulfill	HEL	PET, HDPE	Up to 72,000 bph	Juice	Hot filling
Modulfill	VMJ-C	Cans	Up to 130,000 cans per hour	Juice	
Modulfill	VFS-C	Cans	Up to 130,000 cans per hour	Juice, CSD, Beer	
Modulfill	HES	Glass	Up to 78,000 bph	CSD, Beer	
Modulfill	VMS-C	Cans	Up to 130,000 cans per hour	CSD, Beer	
Craftmate		Cans	Up to 15,000 cans per hour	Beer	
Viscofill	V	PET, HDPE, Glass, Cans	Inquiry	Pet food, Spreads, Jam, Sauces, Dressings, Gourmet food, Baby food and Compote	
Viscofill	S	PET, HDPE, Glass, Cans	Inquiry	Spreads, Dairy Products, Jam, Sauces, Dressings, Gournet food, Baby food and Compote, Food oil, Liquid and Paste-like candies	
Viscofill	Н	PET, HDPE, Glass, Cans	. ,	Spreads, Dairy Products, Jam, Sauces, Dressings, Gourmet food, Food oil, Liquid and Paste-like candies	
PET-Asept L2		PET, HDPE	Up to 56,000 bph	Mixed milk beverages, UHT milk, Juice, Ice tea, Tea, Energy drinks, Beverages containing particles	
PET-Asept D		PET, HDPE	Up to 48,000 bph	Mixed milk beverages, UHT milk, Juice, Ice tea, Tea, Energy drinks, Beverages containing particles	
Contiform AseptBloc		PET, HDPE	Inquiry	Mixed milk beverages, UHT milk, Juice, Ice tea, Tea, Energy drinks, Beverages containing particles	
Modulfill Asept	VFJ	PET, HDPE	Inquiry	Mixed milk beverages, UHT milk, Juice, Ice tea, Tea, Energy drinks, Beverages containing particles	
Modulfill Asept	NWJ	PET, HDPE	Inquiry	Mixed milk beverages, UHT milk, Juice, Ice tea, Tea, Energy drinks, Beverages containing particles	
Modulfill Asept	VFJ-D	PET, HDPE	Inquiry	Mixed milk beverages, UHT milk, Juice, Ice tea, Tea, Energy drinks, Beverages containing particles	
MASSMAN AUTOMATIC PASE Group	NESIGNS LLC Net Weight				
MECANO INDUSTRIES					
Mecano PF-1200	Piston/pump	Pails, buckets, blisters, bottlesetc	Up to 1200 fills/minute	Customer specific	Automatic
NEWMAPAK LTD Newmapak Ltd Model NewmaFill	Vacuum, Gravity, Counter Pressure, Volumetric and Electronic Flow-Meter		up to 100 bpm	up to 1.5L	Filling machines for the handling of Wines, Spirit Beer, Ciders, Water, CSD, Juices etc.
Newmapak Ltd. Model NewmaFILL CAN	Rotary Filling and Seaming	Cans	up to 600 CPM		Rotary Can Filling and Seaming of Still and Carbonated beverages
Newmapak Ltd Model NewmaFill	Semi-Automatic and Automatic	Glass, Plastic	up to 500 Bph	up to 1.5L	Semi-Automatic and Automatic filling machine for low speed production Filling of Beer, Cider and



MAKER AND MODEL	. FILL METHOD	CONTAINERS FILLED		FILLING SPEED	FILL RANGE	OPERATION	MAKER AND MODEL	FILL N
PEMBERTON & ASSOCI	Piston	custom		custom	custom	Auto.		Piston
PLAN AUTOMATION IN US Bottlers	Pressure gravity	Rigid		Up to 800 bpm	1 oz - 1 gal	Continuous rotary	ECKERT MACHINES INC	Electron Semi-au
Hauser Machinery Weight Pack	Piston & Volumetric	Rigid Rigid		Up to 100 bpm Up to 800 bpm	2oz 4 litre	In-line - Pneumatic & Servo Rotary monoblock	Various models available to suit application	automa
Laudenberg / PSG LEE /		Downer & Co., Lt Stand up punches		ond Hill, ON; Aesus 500 ppm	s Packaging Systems, Poir Up to 1 litre	nte Claire, QC) Fill, Seal	ELMAR WORLDWIDE (In Elmar Rotary Piston Fillers	Volume
PSS ABT PSG Sung Caveco	Piston, Pump Piston, Pump	Trays, Tubs, Cups Trays, Tubs, Cups		Various Various	Various Various	Fill, Seal Fill, Seal	FILAMATIC (In Canada: B Complete range	Piston,
R J MACHINERY INC R-J Model FTL	Gravity	Bottles, cans		30 to 40 cpm	4 oz to 1 gal	Semi-automatic		gear lob
Fill to Level R-J vacuum filler R-J SDS-1000-CV	Vacuum Piston Style Check Valve	As above		As above	As above To 1 L	As above Manual or automatic		Piston
Sanitary Design R-J SDS-5000-CV	Piston Style	As above		90 cpm	To 5 L	As above	-	Volume
Sanitary Design Model FBW	Check Valve Fill-by weight	Pails, drums, bag-	-in-box	2-12 lb.	Models to 750	Manual or automatic on skid weighing	MD Series	Volume Volume Seal-les
R-J FBW-G Fill By Weight	Gravity	Pails, drums, Tote		Variable	5L to 1,000L	Semi-automatic	ISP KAPS ALL PACKAGING S	Integrat SYSTEN
R-J FBW-P Fill By Weight • REISER CANADA CO	Pump	Pails, drums, Tote	S	Variable	5L to 1,000L	Semi-automatic	Kaps-All VOL-32-4/VOL-32-8 (VISCOUS)	Volume
Vemag	Various CO CIE CRYOVAC FOOD I	Various DIVISION		Variable			-	Cami A
Cryovac 2045B, B-FS Cryovac 2050D	Positive displacement pump Positive displacement	Pouches Pouches		to 75 lpm Up to 85 lpm	200cc-3L 100cc - 2.3L	Automatic		Semi-A filler
Cryovac 2070D	pump Scale/pump 2-phase	Pouches		Up to 150 lpm	1L - 7.5L	Automatic	MECANO INDUSTRIES	Distance
Cryovac 2700A	Positive displacement pump As above	Pouches Pouches		Up to 250 lpm As above	6L - 20 L 1L-6L	Automatic  Automatic	PEMBERTON & ASSOCIA	Pistons ATES IN Volume
SERAC INC RB Range Rotary Fillers		rouches		AS above	150ml - 20L	High speed	R J MACHINERY INC R-J Digiflow	Metere
Cappers SHAWPAK SYSTEMS LT	rD						SDS - 1000-AV	Piston As abov
All Fill 305 All Fill B-350E	Piston Filler Clutch Brake Clutch/Brake	Bag, bottle, pail et Wide variety Wide variety		up to 60 fils per minu 3 speed fill motor	ute 50ml to 2.5 litre	Manual or automatic Semi automatic Semi automatic		Fill-by v
All Fill B 600 SOLBERN (In Canada: C Solbern LFF Linear	Chisholm Machinery Sales Overflow Briner			l) to 1,2000cpm	to headspace	Gravity	R-J Model FBW-P	Pump Compat
Funnel Filler Solbern LSB Long Screw	Overflow Briner	Cans/Jars		to 600cpm	to headspace	Gravity	Fill By Weight REISER CANADA CO Vemaq	Differer
Briner Solbern LSB-2 Long Screw Briner	Overflow Briner	Cans/Jars		to 1,000cpm	to headspace	Gravity	SEALED AIR CANADA CO	
Solbern SPEEDWAY PACKAGIN		Rigid Wall Contain		to 1,200 upm	Various	In-Line Brining Systems	Cryovac 2070D	pump Scale/p
LF90 Series GC-A-100, GCG-A-100	Fill to level Piston	Plastic, glass, me		to 80 bpm variable	150 ml to 10 L	Manual, semi-auto, automatic Manual or Automatic		Positive pump As abov
GP-10 TETRA PAK CANADA IN	Gear Pump	All Types		variable	5 ml +	Semi-automatic	SERAC INC DT Range Rotary Fillers	Piston f
Tetra Rex TR/18	Blank fed	Tetra Rex gable to cartons		14,000hr.	250-1000 ml		Cappers SHAWPAK SYSTEMS LTD All Fill 305	D Piston f
Tetra Rex TR/7  FILLING NON-FI	Blank fed	as above		7000/hr.	250-1000 ml		SPEEDWAY PACKAGING	
MAKER AND MODEL		FILLII	NG SPE	ED FIL	L RANGE	OPERATION	FORM-FILL-SEAL	
• COMBISCALE LLC CS 5L CS 1.5L	All All	Up to 7	0/min 20/min		to 55 lbs to 7 lbs		MAKER AND MODEL ABBEY PACKAGING EQU	
CS 2.5 L PrimoWeigher	All 1.5 L		20/min	Up t	to 18 lbs		Bossar USA Inc. BVH PMP (Pre-made Pouch) Series	P M
PrimoWeigher PrimoWeigher	2.5 L 5 L	200+/n Up to 8		Up t	to 18 lbs to 55 lbs		Bossar USA Inc. GMB 30/4	foi pr 46 24
Complete Range	Bellatrx, Pointe-Claire, QC	to 300				Volumetric	Large Format Series	liq up
• HIBAR SYSTEMS LIMI RV RP Series	TED (In Canada: Inox Pun All Seal-less Ceramic	nps & Process - Di 0-200/r 0-500/r	min.	0-25	buton Inc, Saint-Laurent, G 50 ml 00ml	Pressure feed positive Pressure feed positive	Bossar USA Inc. B1000 Se	eries Fla sid sa
R J MACHINERY INC	tered Pails, drums, Totes	Variabl			o 1,000L	Semi Automatic	Bossar USA Inc. BCS PMP (Pre-made Pouch) Series	P 16
Revolution R-J Model FBW-G	Pails, drums, Totes	Variabl			o 1,000L	Semi automatic	Bossar USA Inc. BMK Mechanical PMP (Pre-made Pouch) Machine	de foi
Fill-By-Weight Gear Pump SHAWPAK SYSTEMS LT All Fill CF-SV-600		variable	a	50m	nl-50grm	Manual/automatic	Bossar USA Inc. BMS Serv PMP (Pre-made Pouch)	
All Fill B-350E All Fill B 600	Wide variety Wide variety	3 spee		r drive system 1grr		Semi automatic Semi automatic	Machine	fo po po
		0.4500	rpm				GEA Food Solutions	Pil
Solbern 301	Wide variety Chisholm Machinery Sales	Limited, Niagara				Semi automatic / automatic	SmartPacker CX 250/400	
Solbern TPTF-DP Transfe	Chisholm Machinery Sales Cans, Bottles, Cups	Limited, Niagara up to 5	00 cpm Dependen	Con	tainer Dependent	Semi automatic / automatic  In-Line  Portion Ctrl Carousel	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions	Pi St
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer	Chisholm Machinery Sales Cans, Bottles, Cups Cans, Bottles, Cups The Cans, Bottles, Cups The Cans, Bottles, Cups The Cans, Bottles, Cups	Limited, Niagara up to 5 Prod. [	00 cpm	Con It Vari	atainer Dependent ious	In-Line	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC	Pi St Tr
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cups MACHINERY INC Bag, pouch, can, cup	s <b>Limited, Niagara</b> up to 5 Prod. C	00 cpm Dependen Dependen	Con tt Vari	tainer Dependent ous	In-Line Portion Ctrl Carousel	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube	Pi St Tr CIATES VI
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cups MACHINERY INC Bag, pouch, can, cuj iar r Accom. 1+ fillers-effi automated filling line	Prod. C p, tray box, 120/mi	00 cpm Dependen Dependen n.	Con tit Vari tit Vari	tainer Dependent ous ous 50kg	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC	Pi St Tr CIATES VF IQ Po ad VF
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volun Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cups MACHINERY INC Bag, pouch, can, cup jar r Accom. 1+ fillers-effi automated filling line Rigid canisters, bottl G MACHINERY	p, tray box, 120/mi cient fully es, jars 200-50	00 cpm Dependen Dependen n.	Con Varius Variu	italiner Dependent ous ous 50kg	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series	Pi St Tr CIATES VI IQ Po ad VI IQ Po VI
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cups MACHINERY INC Bag, pouch, can, cuj ar r Accom. 1+ fillers-effi automated filling line Rigid canisters, bottl G MACHINERY ger Bag, pouch, can, cuj jar	p, tray box, 120/mi cient fully es, jars 200-50	00 cpm Dependen Dependen n.	Con Varius Variu	italiner Dependent ous ous 50kg	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series Hayssen - Novus Doy/Qua	Pi St
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au Triangle A612 Triangle A612	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cups me Cans, Bottles, Cups MACHINERY INC Bag, pouch, can, cup jar r Accom. 1+ fillers-effi automated filling line Rigid canisters, bottl G MACHINERY ger Bag, pouch, can, cup jar IACHINERY CO Bags.cases, cartons As above	Elimited, Niagara up to 5 Prod. I Prod. I p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variably up to 5	00 cpm Dependen Dependen n. 0/min. e 35/min.	Con Varius Variu	italiner Dependent ous ous 50kg	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260	Pi St Tr CIATES Vf IQ Pc Pc Vf IQ Pc Vf IQ Pc St St St Pc
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Belt Triangle A918	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cups  MACHINERY INC Bag, pouch, can, cup jar r Accom. 1+ fillers-effi automated filling line Rigid canisters, bottl G MACHINERY ger Bag, pouch, can, cup jar  IACHINERY CO Bags.cases, cartons As above As above S INC	p, tray box, Variable  tray box, Variable  p, tray box, 120/mi  cient fully  es, jars 200-50  tray, box, Variable  up to 6  Up to 1	00 cpm Dependen Dependen n.  0/min. e 35/min. 55/min.	Con tt Vari tt Vari 2g-5	ntainer Dependent oous oous 50kg n-5kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Auto/Semi auto	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series Hayssen - Novus Doy/Qua Hayssen - Logic Flex Mamata - Vega Pack iX260 Hayssen - RT Series	Pi St
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volun Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A918 • WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cup	p, tray box, Variable Up to 1 Up to 1 Up to 1 Up to 1	00 cpm Dependen n. 0/min. e 35/min. 65/min. 50/min	Con tt Vari tt Vari 2g-5	ntainer Dependent oous oous 50kg n-5kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series Hayssen - Novus Doy/Qua Hayssen - Logic Flex Mamata - Vega Pack iX260 Hayssen - RT Series	Pi   St
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A918 • WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLinear V-5 PrimoCombi 1.5 L	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Bottles, Cups or Cans, Cups or Cans, Bottles, Cups or Cans, Cups or Cans, Bottles, Cups or Cans, Cup	p tray, box, Variable  Litrays Up to 5  Up to 5  Prod. C  Prod. C  p, tray box, 120/mi  cient fully  ses, jars 200-50  p tray, box, Variable  Up to 1  Up to 1  Up to 1  Up to 5  Up to 1  Up to 5  Up to 1  Up to 5	00 cpm Dependen Depen	Con the Variate Variat	tatiner Dependent ous ous 50kg 1-5kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Auto/Semi auto  Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series Hayssen - Novus Doy/Qua Hayssen - Logic Flex Mamata - Vega Pack iX260 Hayssen - RT Series	Pist   State   Pist
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Belt Triangle A918 • WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLomear V-5 PrimoCombi 1.5 L PrimoCombi 1.5 L PrimoCombi 1.5 L	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Bottles, Cup	e Limited, Niagara up to 5 Prod. I  up to 5  up to 1  up to 1  up to 5	00 cpm Dependen Depen	Con the Variate Variat	tainer Dependent ous ous 50kg -5kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Auto/Semi auto  Automatic  Auto/Semi auto  Up to 0.5 lbs	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC	Pist   State   Pist
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A918 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLinear V-5 PrimoCombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5.L PrimoCombi 5.L PrimoCombi 5.L  FILLING SEMI-L	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Lipia me Cans, Cups me Cans, Bottles, Cups me Cans, Cups m	Elimited, Niagara up to 5 Prod. I  Prod. I  p, tray box, 120/mi  cient fully  es, jars 200-50 p tray, box, Variable  Up to 1  Up to 1  Up to 1  Up to 5  Up to 1  200+/m 200+/m 200+/m 200+/m Up to 8	00 cpm Pependen n. 0/min. e 335/min. 55/min 665/min 00/min 00/min 00/min 00/min 00/min 00/min	Con the Variate Variat	tainer Dependent ous ous 50kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Auto/Semi auto  Automatic  Up to 0.5 lbs Up to 7 lbs Up to 18 lbs Up to 80/min	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua  Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series	Pi   Si   Si   Si   Si   Si   Si   Si
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A918 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLinear V-5 PrimoCombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5.L PrimoCombi 5.L PrimoCombi 5.L  FILLING SEMI-L	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Lipia me Cans, Cups me Cans, Bottles, Cups me Cans, Cups m	p, tray box, Variable  trays Up to 1  Up to 2  Up to 3  Prod. C  Prod. C  p, tray box, 120/mi  cient fully  ses, jars 200-50  p tray, box, Variable  Up to 1  Up to 5  Up to 1  Up to 5  Up to 1  2004/m  2004/m	00 cpm Pependen n. 0/min. e 335/min. 55/min 665/min 00/min 00/min 00/min 00/min 00/min 00/min	Con the Variate Variat	tainer Dependent ous ous 50kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Auto/Semi auto  Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs Up to 18 lbs	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC	Pi   Si   Si   Si   Si   Si   Si   Si
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A618 WEIGHPACK SYSTEM PrimoLinear V-5 PrimoLinear V-5 PrimoLomeir 1.5 L PrimoCombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5.5 L PRIMOCOMBI	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Cup ar me Cans, Cups me Cans, Bottles, Cups me Cans,	Limited, Niagara	00 cpm Pependen n. 00/min. e 35/min. 65/min 00/min	Con the Variate Variat	tainer Dependent ous ous 50kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Auto/Semi auto  Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 80/min  OPERATION  The pouches	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620	Pip
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A918 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLombi 1.5 L PrimoCombi 1.5 L PRIMOSEMI-L MAKER AND MODEL  ABBEY PACKAGING EC BOSSAR USA Inc. BVH PMPI (Pre-Made Pouch) WHP (Pre-Made Pouch)	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cup  or Cans, Bottles, Cups or Cans, Cups or Cans, Bottles, Cups or Cans, Bottles, Cups or Cans, Bottles, Cups or Cans, Bottles, Cups or Cans, Cups or	Elimited, Niagara up to 5 Prod. E Prod. E p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variabl Up to 6 Up to 1 Up to 5 Up to 8  CONTAINERS FILLED	00 cpm Pependen n. n. 0/min. e 335/min. 55/min 65/min. 100/min in i	Con to Vari to Vari 2g-55kg 10gi	tainer Dependent oous oous 50kg n-5kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Auto/Semi auto  Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs Up to 80/min  OPERATION  The pouches manufactured replace expensive pre-made bass. Ideal to fill	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620 SVE 2510 TW	Pi   Si   Si   Si   Si   Si   Si   Si
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Triangle A618 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5.5	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Cupiar automated filling line Rigid canisters, bottl G MACHINERY GB Bag, pouch, can, cupiar MACHINERY CO Bags, Casses, Cartons As above As above As above S INC Up to 50 lbs Up to 5 lbs Up to 0.5 lbs  IQUIDS LFILL METHOD  RUIPMENT LTD Vertical/Horizontal Form/Fill/Seal	climited, Niagara up to 5 Prod. I Prod. I p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variable Up to 1 Up to 1 Up to 5 Up to 1 200+/m 200+/m 200+/m Up to 8  CONTAINERS FILLED  Medium volume s gusset block bottc with valve for grar paste and liquid p	00 cpm Pependen n. 00/min. e 35/min. 55/min 00/min	Con tt Vari tt Vari 2g-5 .5kg 10g	tainer Dependent ous ous 50kg  1-5kg  m & up  FILL RANGE 80x100 to 160x300	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Auto/Semi auto  Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 80/min  OPERATION  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit purees, and liquid yogurts.	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260  Hayssen - RT Series  Mamata - Vega Pack M-201  Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 QR	Pi   Si   Si   Si   Si   Si   Si   Si
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volun Open Packer SPEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SpeeDey Ackaging Ackag	Chisholm Machinery Sales Cans, Bottles, Cups er Cans, Bottles, Cups er Cans, Bottles, Cups me Cans, Cup ar me Cans, Cups me Cans, Bottles, Cups me Cans,	Elimited, Niagara up to 5 Prod. I Prod. I Prod. I p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variabl Up to 6 Up to 1 Up to 5 Up to 1 Up to 5 Up to 1 CONTAINERS FILLED  Medium volume s guisset block bott with valve for grar paste and liquid p 24 Various Large Pouches for liquid	00 cpm Pependen n.  00/min. e 335/min. 155/min 165/min 100/min	Con to Vari to Vari 2g-55kg 10gi	tainer Dependent oous oous 50kg n-5kg m & up	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Automatic Automatic OSemi auto  Automatic or Semi-Automatic Up to 0.5 lbs Up to 18 lbs Up to 18 lbs Up to 18 lbs Up to 80/min  OPERATION  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit purees,	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua  Hayssen - Logic Flex  Mamata - Vega Pack iX260  Hayssen - RT Series  Mamata - Vega Pack M-200  Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 TR  CAM PACKAGING SYSTE CAM; 412	Pi   Si   Si   Si   Si   Si   Si   Si
Solbern TPTF-DP Transfe Filler Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Triangle A618 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-25 PrimoLinear V-5 PrimoCombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5.5 L STILLING SEMI-L MAKER AND MODEL  ABBEY PACKAGING EC Bossar USA Inc. BVH PMP (Pre-Made Pouch) Series  Bossar USA Inc. GMB 30/46 Large Format Series  Bossar USA Inc. B1000	Chisholm Machinery Sales Cans, Bottles, Cups MACHINERY INC Bag, pouch, can, cup ar Accom. 1+ fillers-effi automated filling line Rigid canisters, bottl G MACHINERY Ger Bag, pouch, can, cup jar IACHINERY CO Bags, cases, cartons As above As above S INC Up to 50 lbs Up to 50 lbs Up to 5.1 lbs Up to 0.5 lbs  LQUIDS LFILL METHOD  ZUIPMENT LTD Vertical/Horizontal Form/Fill/Seal Horizontal Form/Fill/Seal Accom. 1+ fillers-effi automated filli/Seal Horizontal Form/Fill/Seal	cient fully p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variable tray tray Up to 1 Up to 6 Up to 1 Up to 5 Up to 8 CONTAINERS FILLED Session volume segment of grar paste and liquid p 24 Various Large Pouches for liquid solids, and frozen	00 cpm Pependen n. 00/min. e 335/min. 65/min 00/min	Con tt Vari tt Vari 2g-5 .5kg 10g	r-5kg m & up  FILL RANGE  80x100 to 160x300	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Automatic Automatic  Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs Up to 18 lbs Up to 18 lbs Up to 80/min  OPERATION  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit purees, and liquid yogurts. Horizontal Form/Fill/Seal for flexible pouches in the	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack IX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC	Pi   Si   Si   CIATES
Solbern TPTF-DP Transfe Filler Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Triangle A618 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-25 PrimoLinear V-5 PrimoCombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5.5 L	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cupiar or Accom. 1+ fillers-effic automated filling line Rigid canisters, bottl or Bag, pouch, can, cupiar or Bag, cases, cartons As above As above As above SINC Up to 50 lbs Up to 50 lbs Up to 50 lbs Up to 0.5 lbs  IQUIDS  FILL METHOD  RUPMENT LTD Vertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal	climited, Niagara up to 5 Prod. I Prod. I p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variable Up to 1 Up to 1 Up to 1 Up to 5 Up to 1 Up to 5 Up to 1 CONTAINERS FILLED  Medium volume s gusset block botts with valve for grar paste and liquid p 24 Various Large Pouches for liquid solids, and frozen to 15 litres in volu to 15 llats Sachets, Wet	00 cpm Pependen n. 00/min. e 335/min. 65/min 00/min	Con tt Vari tt Vari 2g-5 .5kg 10gi	r-5kg m & up  FILL RANGE  80x100 to 160x300	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Auto/Semi auto  Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs Up to 18 lbs Up to 80/min  OPERATION  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit purees, and liquid yogurts. Horizontal Form/Fill/Seal for flexible pouches in the heavy and large format Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua  Hayssen - Logic Flex  Mamata - Vega Pack IX260  Hayssen - RT Series  Mamata - Vega Pack M-200  Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 TW  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC	Pi   Si
Solbern TPTF-DP Transfe Filler Solbern TPTF-DP Transfe Filler Solbern HVOP High Volun Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Auger TRIANGLE PACKAGE M Triangle A612 Belt Triangle A612 Belt Triangle A918 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLombi 1.5 L PrimoCombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5. Series WHEIGHPACK SYSTEM SEMBLE	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cupiar or Accom. 1+ fillers-efficationated filling line Rigid canisters, bottl or Machinery or Bag, pouch, can, cupiar or Bag, pouch, can, cupiar or Cans, Company or Cans, Company or Cans, Cupiar or Cans, Company or Cans, Cupiar or Cans, Company or Cans, Cupiar or Cans, Cup	Elimited, Niagara up to 5 Prod. I Prod. I Prod. I Prod. I p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variabl Up to 6 Up to 1 Up to 5 Up to 1 200+/m Up to 8  CONTAINERS FILLED  Guissel volume segue to 15 litres in volur Flat Sachets, Wet 3 & 4 side seals, t string sachets	00 cpm Pependen n.  00/min. e  35/min. 65/min. 65/min 00/min	FILLING SPEED  Up to 60ppm  Up to 90 sachets/min	FILL RANGE  80x100 to 160x300  100x120 to 230x230	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Automatic Automatic or Semi-Automatic  Up to 0.5 lbs Up to 7 lbs Up to 80/min  OPERATION  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit pures, and liquid yogurts. Horizontal Form/Fill/Seal for flexible pouches in the heavy and large format Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet wipes, string sachets & multiple other applications.	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua  Hayssen - Logic Flex  Mamata - Vega Pack IX260  Hayssen - RT Series  Mamata - Vega Pack M-200  Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 TW  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market	Pi   Si   Si   CIATES
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Triangle A612 Triangle A612 Triangle A612 FirmoCombi 1.5 L PrimoCombi 2.5 L PrimoCombi 2.5 L PrimoCombi 2.5 L PrimoCombi 3.5 L Pr	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cupiar or Accom. 1+ fillers-effic automated filling line Rigid canisters, bottl or Bag, pouch, can, cupiar or Bag, cases, cartons As above As above As above SINC Up to 50 lbs Up to 50 lbs Up to 50 lbs Up to 0.5 lbs  IQUIDS  FILL METHOD  RUPMENT LTD Vertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal	Elimited, Niagara up to 5 Prod. I Prod. I Prod. I p, tray box, 120/mi cient fully ses, jars 200-50 p tray, box, Variabl Up to 6 Up to 1 Up to 6 Up to 1 200-/m Up to 8  CONTAINERS FILLED  Seuse to Job to 1 200-fin up to 8  CONTAINERS FILLED  24 Various Large Pouches for liquid solids, and for grar paste and liquid p 15 I stress in volu Flat Sachets, Wet	00 cpm Pependen n.  00/min. e  35/min. 65/min. 65/min 00/min	Con tt Vari tt Vari 2g-5 .5kg 10gi	r-5kg m & up  FILL RANGE  80x100 to 160x300	In-Line Portion Ctrl Carousel In-Line with Product  Auto/semi auto Automatic  Automatic  Automatic  Automatic	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620 SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market DJS ENTERPRISES New Liquid Packing Machir	Pi   St
Solbern TPTF-DP Transfe Filler Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Belt Triangle A918  WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLombi 1.5 L PrimoCombi 2.5 L PrimoCombi 5.5  Brilling SEMI-L MAKER AND MODEL  ABBEY PACKAGING EC Bossar USA Inc. BVH PMP (Pre-Made Pouch) Series  Bossar USA Inc. BUN Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 Series  Bossar USA Inc. B1000 Series	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cupiar or Accom. 1+ fillers-effice automated filling line Rigid canisters, bottl or Bag, pouch, can, cupiar or Bag, soases, cartons As above As above As above S INC Up to 50 lbs Up to 50 lbs Up to 50 lbs Up to 0.5 lbs  IQUIDS  FILL METHOD  Outpernt LTD Vertical/Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal  Horizontal Form/Fill/Seal	Elimited, Niagara up to 5 Prod. I Prod. I Prod. I p, tray box, 120/mi cicient fully es, jars 200-50 p tray, box, Variabl Up to 6 Up to 1 Up to 1 Up to 5 Up to 8  CONTAINERS FILLED  Sessian violate solids, and frozen to 15 litres in volur flat Sachets, Wet 3 & 4 side seals, t string sachets  16 Various Pre-m Pouches	00 cpm lependen n. n. O/min. e e 35/min. 5/min 65/min. 665/min. 10/min in i	FILLING SPEED  Up to 60ppm  Up to 80/min  Up to 90 sachets/mii	FILL RANGE  80x100 to 160x300  100x120 to 230x230  100x150 to 300x400	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Automatic Automatic Automatic  Automatic  Automatic  Automatic  Automatic  Automatic  Operation  Operation  Operation  Operation  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit pures, and liquid yogurts. Horizontal Form/Fill/Seal for flexible pouches in the heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet wipes, string sachets & multiple other applications. Full Servo Carousel machine for filling & sealing Pre-made pouches with automatic change-over	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack IX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 TW  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market DJS ENTERPRISES New Liquid Packing Machir Model DJS-300	Pi   Si   Si   Si   Si   Si   Si   Si
Solbern TPTF-DP Transfe Filler Solbern TPTF-DP Transfe Filler Solbern HVOP High Volun Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Belt Triangle A918  WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLinear V-5 PrimoCombi 1.5 L PrimoCombi 2.5 L PrimoCombi 2.5 L PrimoCombi 3.5 L SPILLING SEMI-L MAKER AND MODEL  ABBEY PACKAGING EC Bossar USA Inc. BVH PMP (Pre-Made Pouch) Series  Bossar USA Inc. BHB Sories  Bossar USA Inc. B1000 Series  Bossar USA Inc. BCS PMP (Pre-made Pouch) Series  Bossar USA Inc. BCS SPMP (Pre-made Pouch) Series	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cupiar or Accom. 1+ fillers-effice automated filling line Rigid canisters, bottl or Machinery or Bag, pouch, can, cupiar or Acchinery or Bag, pouch, can, cupiar or Cans, Company or	Elimited, Niagara up to 5 Prod. I Prod. I  p. tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variable Up to 1 Up to 6 Up to 1 Up to 5 Up to 1 Up to 5 Up to 1 200+/m Up to 8  CONTAINERS FILLED  Medium volume s gusset block bottc with valve for grar paste and liquid p 24 Various Large Pouches for liquid solids, and frozen to 15 litres in volup Flat Sachets, Wet 3 & 4 side seals, t string sachets  More than 30 diffe pouch formats inc.  More than 30 diffe pouch formats inc.	00 cpm Pependen n  0/min	FILLING SPEED  Up to 60ppm  Up to 90 sachets/min	FILL RANGE  80x100 to 160x300  100x120 to 230x230	In-Line Portion Ctrl Carousel In-Line with Product  Auto/semi auto  Automatic  Operation  Operation  Operation  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit pures, and liquid yogurts.  Horizontal Form/Fill/Seal for fiexible pouches in the heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet wipes, string sachets & multiple other applications.  Full Servo Carousel machine for filling & sealing Pre-made pouches with automatic change-over  Horizontal Form/Fill/Seal with Mechanical Motion for filling & sealing Automatic change-over  Horizontal Form/Fill/Seal with Mechanical Motion for filling & sealing fre-made pouches with automatic change-over	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620 SVE 2510 TW  SVE 2510 TW  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market DJS ENTERPRISES New Liquid Packing Machir Model DJS-300	Pi   St
Solbern TPTF-DP Transfe Filler Solbern TPTF-DP Transfe Filler Solbern HVOP High Volun Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Belt Triangle A918  WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLombi 1.5 L PrimoCombi 2.5 L PrimoCombi 2.5 L PrimoCombi 3.5 L SPRIME SEMI-L MAKER AND MODEL  ABBEY PACKAGING EC Bossar USA Inc. BWH PMP (Pre-Made Pouch) Series  Bossar USA Inc. BHB Sories  Bossar USA Inc. BHB Sories  Bossar USA Inc. BLO Series  BOSSAR USA Inc. BNK Mechanical PMP (Pre-made Pouch) Series  ALEX E JONES & ASSO  ALEX E JONES & ASSO	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cupiar or Accom. 1+ fillers-effice automated filling line Rigid canisters, bottle or Bag, pouch, can, cupiar or Acchinery or Bag, pouch, can, cupiar or Cans, Double, Cans, Cupiar or Cans, Company or Cans, Company or Cans, Cupiar or Cans, Company or Cans, Cupiar or Cans, Company or Cans, Cupiar or Cans, Cu	Elimited, Niagara up to 5 Prod. I Prod. I Prod. I p, tray box, 120/mi cicient fully es, jars 200-50 p tray, box, Variabl Up to 6 Up to 1 Up to 6 Up to 1 Up to 5 Up to 1 200-fr Up to 8  CONTAINERS FILLED  Additional Pre-market of the substitution	00 cpm Pependen n. 00/min. e 35/min. 15/min. 15/min. 10/min in 10/	FILLING SPEED  Up to 60ppm  Up to 80/min  Up to 90 sachets/min  Up to 120ppm	FILL RANGE  80x100 to 160x300  100x120 to 230x230  100x120 to 300x400  50x60 to 260x300	In-Line Portion Ctrl Carousel In-Line with Product  Auto/semi auto  Automatic  Automatic  Automatic  Automatic  Auto/Semi auto  Automatic  Auto/Semi auto  Automatic  Automatic  Automatic  Operation  Operation  Operation  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit purees, and liquid yogurts.  Horizontal Form/Fill/Seal for flexible pouches in the heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet wipes, string sachets & multiple other applications.  Full Servo Carousel machine for filling & sealing Pre-made pouches with automatic change-over  Horizontal Form/Fill/Seal with Mechanical Motion for filling & sealing and Allen Bradley Controls	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack IX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 TW  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market DJS ENTERPRISES New Liquid Packing Machir Model DJS-300	Pi   Si   Si   Si   Si   Si   Si   Si
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Triangle A918 WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-25 PrimoLinear V-5 PrimoLombi 1.5 L PrimoCombi 1.5 L PrimoCombi 5.5 PrimoLinear V-5 Series Bossar USA Inc. BVH PMP (Pre-Made Pouch) Series Bossar USA Inc. B1000 Series Bossar USA Inc. B1000 Series Bossar USA Inc. B1000 Series Bossar USA Inc. BNK Mechanical PMP (Pre-made Pouch) Series Bossar USA Inc. BNK Mechanical PMP (Pre-made Pouch) Series Bossar USA Inc. BNK Mechanical PMP (Pre-made Pouch) Series Bossar USA Inc. BNK Mechanical PMP (Pre-made Pouch) Series Bossar USA Inc. BNK Mechanical PMP (Pre-made Pouch) Series	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cups or Can, Cups or Cans,	Elimited, Niagara up to 5 Prod. I Prod. I Prod. I p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variable Up to 1 Up to 1 Up to 1 Up to 1 Up to 5 Up to 1 Up to 5 Up to 1 Prod. II Up to 8 CONTAINERS FILLED  Medium volume s gusset block bott with valve for grar paste and liquid p 24 Various Large Pouches for liquid solids, and frozen to 15 litres in volume vol	00 cpm Pependen Pependen Dependen Depen	Con tit Vari tit Vari 2g-5 .5kg 10g  FILLING SPEED  Up to 60ppm  Up to 80/min  Up to 90 sachets/mii  Up to 120ppm  Varies dependent or product	FILL RANGE  80x100 to 160x300  100x120 to 230x230  100x120 to 300x400  50x60 to 260x300	In-Line Portion Ctrl Carousel In-Line with Product  Auto/semi auto  Automatic  Operation  Operation  Operation  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit pures, and liquid yogurts.  Horizontal Form/Fill/Seal for fiexible pouches in the heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet wipes, string sachets & multiple other applications.  Full Servo Carousel machine for filling & sealing Pre-made pouches with automatic change-over  Horizontal Form/Fill/Seal with Mechanical Motion for filling & sealing Automatic change-over  Horizontal Form/Fill/Seal with Mechanical Motion for filling & sealing fre-made pouches with automatic change-over	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 TW  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market DJS ENTERPRISES New Liquid Packing Machir Model DJS-300  FORMOST FUJI CORPOR Alpha VI Wrappers Formost Fuji Corp.  GENERAL PACKAGING G   Pi   Si   Si   Si   Si   Si   Si   Si	
Solbern TPTF-DP Transfe Filler Solbern HVOP High Volur Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A612 Triangle A918  WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-25 PrimoLinear V-5 PrimoCombi 1.5 L SPRIMORE SEMI-L MAKER AND MODEL  ABBEY PACKAGING EC Bossar USA Inc. BVH PMP (Pre-Made Pouch) Series  Bossar USA Inc. BL BOSSAR USA Inc. B	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cups	Elimited, Niagara up to 5 Prod. E Prod. E Prod. E p, tray box, 120/mi es, jars 200-50 p tray, box, Variable es, jars 200-50 p tray, box, Variable Up to 6 Up to 1 Up to 5 Up to 1 Up to 5 Up to 1 Up to 5 Up to 1 200-fr Up to 8  CONTAINERS FILLED  Medium volume s guiser block bott with valve for grar paste and liquid p 24 Various Large Pouches for liquid society of the seals, tastring sachets I over the seals, tastring sachets More than 30 diffe pouch formats inc doy, shaped pouc to 15 litres in volue 16 Various Pre-m Pouches  More than 30 diffe pouch formats inc doy, shaped pouc topicorner valve p Bottles, Jars, Can Tubs liates; Thos. W. Mi Bags, glass, cans containers.	00 cpm Pependen Dependen Depen	Con tit Vari tit Vari tit Vari 2g-5 .5kg 10g  FILLING SPEED  Up to 60ppm  Up to 80/min  Up to 90 sachets/mii  Up to 120ppm  Varies dependent or product Sons) 25 cpm	### ##################################	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Auto/Semi auto  Automatic Auto/Semi auto  Automatic  Auto/Semi auto  Automatic  Auto/Semi auto  OPERATION  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit purees, and liquid yogurts. Horizontal Form/Fill/Seal for flexible pouches in the heavy and large format Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet wipes, string sachets & multiple other applications. Full Servo Carousel machine for filling & sealing Pre-made pouches with automatic change-over Horizontal Form/Fill/Seal with Mechanical Motion for filling & sealing and Allen Bradley Controls  Fully Automatic inline filling. Semi-automatic	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 TW  SVE 2510 QR  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market DJS ENTERPRISES New Liquid Packing Machir Model DJS-300  FORMOST FUJI CORPOR Alpha VI Wrappers Formost Fuji Corp.	Pi   St   St   Class   St   C
Solbern TPTF-DP Transfe Filler Solbern TPTF-DP Transfe Filler Solbern HVOP High Volun Open Packer SPEE DEE PACKAGING Digitronic Servo Auger Spee-Dee Matic Conveyo High Speed Rotary SPEEDWAY PACKAGIN SPM SAF-2000 Servo Au TRIANGLE PACKAGE M Triangle A612 Triangle A612 Triangle A918  WEIGHPACK SYSTEM PrimoLinear V-25 PrimoLinear V-5 PrimoLinear V-5 PrimoLombi 1.5 L PrimoCombi 1.5 L SPRIMOR SEMI-L MAKER AND MODEL  ABBEY PACKAGING EC BOSSAR USA Inc. BWH PMF (Pre-Made Pouch) Series  Bossar USA Inc. BHD Series  Bossar USA Inc. BCS PMF (Pre-made Pouch) Series  Bossar USA Inc. BCS PMF (Pre-made Pouch) Series  Bossar USA Inc. BMK Mechanical PMP (Pre-made Pouch) Series  ALEX E JONES & ASSO Pacific Packaging - Rotary Filler ALLY FILL INC (In Canad	Chisholm Machinery Sales Cans, Bottles, Cups or Cans, Cupiar or Accom. 1+ fillers-efficationated filling line Rigid canisters, bottl or Bag, pouch, can, cupiar or Candinatery Company or Bag, pouch, can, cupiar or Candinatery Company or Cans, Company or Cans, Company or Cans, Cupiar or Cans, Company or Cans, C	e Limited, Niagara up to 5 Prod. E Prod. E p, tray box, 120/mi cient fully es, jars 200-50 p tray, box, Variable Up to 1 Up to 6 Up to 1 Up to 5 Up to 5 Up to 1 Up to 5 Up to 5 Up to 5 Up to 8  CONTAINERS FILLED  Medium volume so gusset block bott with valve for grar paste and liquid p 24 Various Large Pouches for liquid solids, and frozen to 15 litres in volur Flat Sachets, Wet 3 & 4 side seals, t string sachets  More than 30 diffe pouch formats inc doy, shaped pouc top/corner valve p Bottles, Jars, Can Tubs liates; Thos. W. M. Bags, glass, cans liates; Thos. W. M. Bags, glass, cans liates; Thos. W. M. Bags, glass, cans	00 cpm Pependen n	FILLING SPEED  Up to 60ppm  Up to 80/min  Up to 90 sachets/min  Up to 120ppm  Varies dependent or product Sons)	### ##################################	In-Line Portion Ctrl Carousel In-Line with Product Auto/semi auto Automatic Automatic Automatic Automatic Auto/Semi auto  Automatic  Automatic  Automatic  Automatic  Automatic  Operation  Operation  Operation  The pouches manufactured replace expensive pre-made bags. Ideal to fill beverages, fruit purees, and liquid yogurts. Horizontal Form/Fill/Seal for flexible pouches in the heavy and large format  Small format sachets, monodose for pharmaceutical, cosmetic & food industries. Wet wipes, string sachets & multiple other applications. Full Servo Carousel machine for filling & sealing Pre-made pouches with automatic change-over Horizontal Form/Fill/Seal with Mechanical Motion for filling & sealing and Allen Bradley Controls  Fully Automatic inline filling.	SmartPacker CX 250/400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker SX 400 GEA Food Solutions SmartPacker Twin Tube ALEX E JONES & ASSOC Hayssen - Ultima Series  Hayssen - Novus Doy/Qua Hayssen - Logic Flex  Mamata - Vega Pack iX260 Hayssen - RT Series  Mamata - Vega Pack M-200 Hayssen - Integra Series  BOSCH PACKAGING TEC SVI2620  SVE 2510 TW  SVE 2510 QR  SVE 2510 QR  SVE 2510 DR  CAM PACKAGING SYSTE CAM; 412  CHARLES DOWNER & CC Bosch Doy/Zip bagger  Bosch SVC Most hygenic bagger on the market DJS ENTERPRISES New Liquid Packing Machir Model DJS-300  FORMOST FUJI CORPOR Alpha VI Wrappers Formost Fuji Corp.  GENERAL PACKAGING E Models 70, 80 & 90 vertical units Models 70, 80 & 90 vertical units	VFL

FILLING SEMI-LI	QUI	DS							
MAKER AND MODEL	FILL	METHOD	CONTAI	NERS	FILLING SPE	ED	FILL RANGE		OPERATION
Capmatic Accurofill	Pistor	n	All types		80 bpm		As above		Inline automatic up to 12
FlowStar	Electr	romagnetic	All		200 bpm		0.5ml - 20L		heads Inline mass flowmeter
ECKERT MACHINES INC Hauser Machinery		-automatic and							
Various models available to suit application	auton	natic systems							
ELMAR WORLDWIDE (In Elmar Rotary Piston	Cana Volun		inery Sale Various	s Limited, Niaga	ara Falls, ON) 10 150cpm		Various		Pressurized Bowl
Fillers FILAMATIC (In Canada: I	Bellatr	x, Pointe-Claire, QC	:)		· ·				
Complete range	Pistor gear I	n, lobe pump, Rotary lobe, piston,	All types		to 300 cpm		0.1 ml to multi-gal		Volumetric
HARPAK ULMA PACKAC	flown	neter							
VF SPE • HIBAR SYSTEMS LIMIT	Pistor		Cups, tray		up to 200	istributon	1 oz - 2.2 lb	QC)	Piston
H Series		netric piston	All types	000 514.01114	Up to 200cpm	ioti ibutori	20cc - 2L	20,	Pneumatic or stepper motor drives
B Series MD Series		netric piston netric piston	All types All types		Up to 200cpm 0-500cpm		Up to 20ml	_	motor divoc
RP Series ISP	Seal-	less Ceramic	All types All types		0-500cpm 0-1500cpm		Up to 100ml Up to 250ml	_	
KAPS ALL PACKAGING	SYST		: Newmap		•		•		
Kaps-All VOL-32-4/VOL-32-8 (VISCOUS)	Volun	netric Piston filler		eutical, Id Product, e, Industrial,	Low, medium a speed	nd high	From vial to gallon		
(100000)			Veterinary	v, Cosmetic, od, Sanitary, etc					
Kaps-All VOL-A (VISCOUS)	Semi- filler	-Automatic Piston	As above	ra, Garmary, Gio	Low, medium a speed	nd high	From vial to gallon		
Kaps-All VOL-B			As above		Low, medium a speed	nd high	From vial to gallon		
MECANO INDUSTRIES Mecano PF-1200	Pistor	ne	Paile huc	kets, blisters	Up to 1200 fills/	minuto	Customer specific		Automatic
PEMBERTON & ASSOCIA Carruthers VF Series	ATES	INC		rets, biisters		minute	·		Automatic
R J MACHINERY INC	Volun		Any		0-100		Various		0 : 1 : 1 : 11
R-J Digiflow	positi	red revolution, ve displacement	drums	, bottles, pails &			4 oz to 50 lb		Can integrate with container handling system
SDS - 1000-AV SDS-5000-AV	As ab	oove	As above	rs, cans & bags	As above		To 1 L To 5 L		Manual or automatic  Manual or automatic
Model FBW		/ weight		ns, bag-in-box	2-12 cpm		Models to 750 lbs		Manual or automatic on skid weighing
R-J Model FBW-P	Pump Comp	oatible Pump	Pails, drur Pails, drur		Variable Variable		5L to 1,000L 5L to 1,000L		Semi automatic Semi automatic
Fill By Weight • REISER CANADA CO									
Vemag SEALED AIR CANADA C		ent attachments CRYOVAC FOOD D		market styles	Variable				
Cryovac 2050C		ve displacement	Pouches		Up to 85 lpm		100cc - 2.3L	_	Automatic
Cryovac 2070D Cryovac 2002C	Scale	/pump 2-phase fill	Pouches Pouches		Up to 150 lpm Up to 200 lpm		1 - 7.5L 500cc - 7.5L		Automatic Automatic
Cryovac 2002C-FS	pump As ab	<u> </u>	Fitment po	ouches	As above		As above		Automatic
SERAC INC DT Range Rotary Fillers	Pistor		ont pt		150 ml - 1 L				High speed
Cappers		11 11111			130 MII - 1 L				nigri speed
SHAWPAK SYSTEMS LT All Fill 305	Pistor		wide rang	e	60 ppm		50ml-2.5 litres		Manual or automatic
SPEEDWAY PACKAGING GC Series	G MAC Pistor		All types		Variable		Variable		Manual or automatic
FORM-FILL-SEA	L								
MAKER AND MODEL		PRODUCTS PAC	KAGED	MATERIALS		SIZE RA	NGE	SPE	ED
ABBEY PACKAGING EQ Bossar USA Inc. BVH PMI	P	Medium volume side	gusset	Heat Seal		80x100 to	160x300	Up to	o 60ppm
(Pre-made Pouch) Series		block bottom bags wi for granulated, paste							
Bossar USA Inc. GMB 30/	46	products 24 various Large Pou	uches for	Heat Seal		Various; 1	00x120 to 230x230	Up to	o 80ppm
Large Format Series		liquids, solids, and froup to 15 litres in volu	me			45 45	100 40511 4 00		
Bossar USA Inc. B1000 Se		Flat Sachets, Wet Wi side seals, twin & stri sachets		Heat Seal		45X45 to 1	100x135 Up to 90ppm	Up to	о эоррт
Bossar USA Inc. BCS PMI (Pre-made Pouch) Series		16 Various Pre-made	Pouches	Heat Seal		100x150 t	o 300x400	Up to	o 120ppm
Bossar USA Inc. BMK Mechanical PMP (Pre-made	do	More than 30 differer formats including doy	nt pouch	Heat Seal		50x60 to 2	260x300	Up to	o 200ppm
Pouch) Machine		pouches & top/corner pouches	r valve						
Bossar USA Inc. BMS Ser PMP (Pre-made Pouch)	VO	More than 30 differer formats including doy		Heat Seal		60x60 to 3	375x370	Up to	o 240ppm
Machine		pouches & top/corne pouches	r valve						
GEA Food Solutions SmartPacker CX 250/400		Pillow, Zipper, Quatro Stand-up, Envelope,		Heat Seal and F	Poly	80x80 to 4	100x550	Up to	o 250bpm
GEA Food Solutions SmartPacker SX 400		Pillow, Zipper, Quatro Stand-up, Envelope I	o Seal, Bags	Heat Seal and F	Poly	80x80 to 4	100x550	Up to	o 110bpm, Intermittent
GEA Food Solutions SmartPacker Twin Tube		Treat Size Bags	Ĭ	Heat Seal		60 to 145	W x 300 L mm	Up to	o 500bpm
ALEX E JONES & ASSOC Hayssen - Ultima Series		S LTD VFFS - Snack, Confe	ectionary.	Laminate, Polye	ethylene	2.36		Up to	o 160ppm
		IQF, Bakery, Pharma Powders			,				
Hayssen - Novus Doy/Qu	ad	VFFS - Snack, Confe IQF, Bakery, Pharma	ectionary, , Grain,	Laminate, Polye	ethylene	2.36		Up to	o 220ppm
Hayssen - Logic Flex		Powders VFFS - Snack, Confe		Laminate, Polye	ethylene	2.36		Up to	o 85ppm
		IQF, Bakery, Pharma Powders							
Mamata - Vega Pack iX26		Stand-up Pouch - Ch Snack, Confectionary	/, IQF,	Laminate, Barri	er Film	Varies de	pendent on product	Up to	o 120ppm
Hovern DTC :		Bakery, Pharma, Gra Powders		Lomin-4: F	or Eil	Ver'-	onderte:	16.1	o 200ns
Hayssen - RT Series		HFFS - Cheese, Pha Bakery		Laminate, Barri			pendent on product		o 200ppm
Mamata - Vega Pack M-20		Stand-up Pouch - Ch Snack, Confectionary Bakery, Pharma, Gra	/, IQF,	Laminate, Barri	ei LIIIII	varies de	pendent on product	up to	o 100ppm
Hayssen - Integra Series		Powders HFFS - Snack, Confe		Laminate, Polye	ethylene	Varies do	pendent on product	Un t	o 150ppm
ayooon - micgra belies		IQF, Bakery, Pharma Powders		zammate, ronye	oury route	varies (16)	onwork on product	υp (	ο τουρμιι
BOSCH PACKAGING TE SVI2620	CHNO							Unto	o 200 hnm
		coffee, frozen vegeta fruits, powders	bles &	a. sodiable 0	. pory modu sedi		n W 30-120mm D,	<i>ک</i> ا ال	o 200 bpm
SVE 2510 TW		As above		As above		Flat: 60-2	50mm W Stand up: n W 25-105mm D,	Up to	o 100 bpm
SVE 2510 QR		As above		As above		250mm m		Up to	o 100 ppm doy & quad
						50-220mn 250 mm n	n W 45-100mm D,	bags bags	s Up to 200 bpm pillow
SVE 2510 DR		Snacks, cereal, nuts, confectionary	pet foods,	As above		Stand up: 60-500mn	65-250mm W n L	As a	bove
CAM PACKAGING SYST CAM; 412		25ppm		Pre made bags		4"x5" up to	o 12"x16";additional	Sem	ii Auto and Automatic
					nk (Polyolefin), 3	sizes upor	n request		
				sided seal, zipp (stand up pouch					
CHARLES DOWNER & C Bosch Doy/Zip bagger		Doy/Zip, 4 corner sea		any		Varioius		up to	500 bags/min
		bottom, gussetted, po on the same machine	•	-					
Bosch SVC Most hygenic bagger on the market		IQF veg/ Meat/Poultr	y/Pharma	any		Various		up to	o 200 bpm
DJS ENTERPRISES  New Liquid Packing Machi		PLC control, Photo-e		Range of Fill: 0-			peed: 20 - 60 bags		
Model DJS-300		sensor, Step-less spe and heat controls, PL			meet customer's	30-150mn	e. Bag Size: n Wide x 30-150mm		
		for the step motor.				Long. Pac PET/PE, F	king material: PAPER/PE, PET/AL,		
FORMOST FUJI CORPO		,	y Packagi	•	_td.)	OPP/PE			
Alpha VI Wrappers Formost Fuji Corp.		Varies FW-3400 Series Hori	izontal	Varies		Varies		15-5	00+ per minutes
GENERAL PACKAGING	EQUIF				gate Packaging				
Models 70, 80 & 90 vertica		Powders, granules, li	quids	Heat-sealables			o 14x36 in.		o 160 ppm
Model 48 series (vertical) Primus		As above Bag-in-Bag		As above As above		1.25x2.5 t 2x4 to 14x	o 14x36 in. (99 in		o 80 bpm o 100 bpm
HARPAK ULMA PACKAC								_	

FS-Line		ype medical	MATERIALS All types	SIZE RANGE Full Range	SPEED up to 20 cpm
YSSENSANDIACE	disposables RE (In Canada: Alex	S	31	i uii (Naliye	αρ το 20 ορΠ
se Forgrove HFFS	Line As above	E. Jones & Assoc.)			110 ppm
AT & CONTROL C ida Astro S	CANADA INC Snack food	ls	Various	75-330mm W, 100-558mm L	to 100 bpm
nida Atlas nida Atlas 223	Snack food Snack food		Various Various	75-330mm W, 75-711mm L 75-330mm W, 127-711mm L	to 250 bpm to 200 bpm
nida Atlas 233	Potato chip	s, snack foods	Various	75-330mm W, 127-711mm L	70-120 bpm
hida Flexible Packag /stem	ging Snack Food	uo	Various	Form/Fill/Seal Pillow, flat-Bottom, Hem Seal, Gusseted Bags	
nida Flexible strip-pa	ack Snacks, ca	ndy, nuts, non-foods	Various	Gusseted Bags 50-203mm W, 127-280mm L,	to 80 bpm
oplicator hida Portable Strip-p	ack Snacks, ca	ndy, nuts, non-foods	Various	up to 100g 50-330mm W, Various Length	s to 100 g
pplicator hida TSC-RS seal ch	necker Snacks ca	ndy,nuts, non-foods	Various	50-330mm W, 100-650mm L,	to 150 bpm
hida Atlas USS Ultra			Various	15-123mm thick	·
nack bagmaker	SONIC SHACK 1000		various	up to 11	up to 140 bpm
.APAK INC arrera 500 PC h/f/f/s	Food & nor	n-food	All heatsealble films	18x10x5"	Up to 120 pm
ectronic f/f/s T 4000	Food & nor	n-food	as above	20x12.5x5"	200 pm
arrera 2000 PC h/f/f/ ectronic f/f/s			As above	20x12.5x5"	800 pm
IKLOK WOODMAN			ckaging Systems Inc.)		
oodman Apache	Powder	real, Nuts, Candy,	Supported Heat Sealable	To 13.75"W x 22.0"L	To 120 bpm
oodman ApacheCM	Bakery, Ce Powder	real, Nuts, Candy,	Supported Heat Sealable	To 13.375"W - 22"L	To 160 bpm
oodman P & P3	Salted Sna	cks, Chips, Pretzels	Supported Heat Sealable	To 12"W x 22"L	To 120 bpm
oodman G & G3		cks. Chips, Pretzels	Supported Heat Sealable	To 10.5"W x 22"L	To 240 bpm
oodman FRONTIER	Snacks,Chi	ips,Pretzels	Supported Heat Sealable	To 9.0" W x 15.0"W	To 80 bpm
& M PACKAGING A	ASSOCIATES LTD Wide Varie	tv	Heat Sealable	Wide Range & styles	High
	G MACHINERY LLC (	In Canada: Plan Au	tomation, Orangeville, ON)	,	· ·
atrix Packaging Mac 6		own	Laminate/ Polyenthylene	9"wide x 15" Long	Max cycle speed 70
atrix Packaging Mac o S "shorty"	chinery non-washd	own	Laminate/ Polyenthylene	13" wide x 8" Long	Max cycle speed 90
atrix Packaging Mac	chinery non-washd	own	Laminate/	11" wide x 15.5" Long	Max cycle speed 90
rion atrix Packaging Mac	chinery any		Polyenthylene Laminate/	11" wide x 15.5" Long	Max cycle speed 130
ercury HS atrix Packaging Mac		own	Polyenthylene Laminate/	11" wide x 15.5" Long	Max cycle speed 180
roteus			Polyenthylene		
atrix Packaging Mac lete DS13			Laminate/ Polyenthylene	13" wide x 23" Long	Max cycle speed 120
atrix Packaging Mac lete DS18	chinery any		Laminate/ Polyenthylene	18" wide x 23" Long	Max cycle speed 80
latrix Packaging Mac lete QUAD	chinery any		Laminate	13" wide x 18" Long	Max cycle speed 50
atrix Packaging Mac		ut, dairy/cheese,	Laminate/	13" wide x 18.5" Long	Max cycle speed 120
iton atrix Packaging Mac		ut,dairy/cheese,	Polyenthylene Laminate/	20" wide X 23" Long	Max cycle speed 100
riton XL MULTIVAC CANAD	meat		Polyenthylene		- • •
MULTIVAC CANAD 105	Food, Medi	ical Consumer	All heat sealable materials	Up to 355x300mm	Up to 8 cpm
126	Industrial as above		as above	Up to 420x360mm	Up to 10 cpm
145 245	as above as above		as above as above	Up to 420x400mm Up to 560x640mm	Up to 10 cpm Up to 15cpm
535	as above		as above	Up to 650x1300mm	Up to 22 cpm
FM PACKAGING MA FM Cornado HS	ACHINERY CORP (In As above	Canada: Unisource	e Canada Inc., (ON, MB, BC, As above	AB, QC); Celplast (ON); Packpr 10x8.5x3 in.(H)	o, Maritech, Terma Industrial) 600 ppm
FM Pearl	Bakery, cor	nfectionery, itical, novelty	OPP, BOPP, HLDPE laminates, cold sealable film,	20x8.5x5 in.(H)	180 ppm
	hardware, e	etc	paperpoly shrink		400
FM Falcon FM Tornado & Toran	As above ndo BB As above		As above and LDPE As above and LDPE	24x14x6 in.(H) 24x12x5 in.(H)	400 ppm 400 ppm
FM Candy Super FM Blizzard	Hard candi	es, chewing gum	As above As above	3x3x1 in. As above	1200 ppm 1800 ppm
FM Polar (VFFS)	As above	es, criewing guin	As above and LDPE	13.3x9 in.(W)	90 ppm
PLAN AUTOMATIO atrix Packaging	N INC  Dry and liqu	uid	Heat sealable	2" - 1 5"	up to 300
avanna - Zero 4	All Flow Wr	rapped - Specialty	Heat sealable films	Variable	Up to 800 ppm
PI TECHNOLOGIES		Confectionary: Charles Downer &	Co., Ltd, Richmond Hill, ON	I; Aesus Packaging Systems, Po	pinte Claire, QC)
audenberg REMIER TECH CHR	All		All	4" to 11.8" W	360
remier Tech Chronos	s Animal feed	d, bark, cat litter,	Poly film (U-film)	10" to 27" (width) 14" to 45"	Up to 35 bpm
FS-200 Form, Fill & S agger	crushed sto	ost, concrete mix, one, fertilizer, mulch,		(length) 3" to 6" (gusset)	
		, pet food, plastic t, sand, seeds, soils,			
REISER CANADA O	wood pellet	is etc.			
Repak RE15 & RE20	Various pro		All industry standards	Various	Up to 15 cycles
lodels 201, 301 & 50		rwik rackaging Ind	c) Poly & shrink	1x1 to 18x52 in.	20-25 pm
ATURN PACKAGIN	G EQUIPMENT				·
mega Fully Automati				18 in.W x 20 In.L	Up to 25 pm
HS-SS Fully Automa peed	tic High Various			24 in.W x infinite L	Up to 90 pm
	OA CO CIE CRYOVAC	FOOD DIVISION fill pumpable	Cryovac FS Series films	100cc - 2.3L	Up to 85 lpm
	products	pumpable			
ryovac 2002C ryovac 2070D	As above	olids with liquids	As above As above	500cc - 7.5L 1L - 7.5L	Up to 200 lpm Up to 150 lpm
1 <u>y0va</u> C 2010D	Metered so		As above & fitments	500cc-7.5L	Up to 200 lpm
ryovac 2002C-FS	As above		50 FF/OPP	31/s" W	Up to 250 bpm
ryovac 2002C-FS NA NORTH AMERIC obag 3	As above		00117011		
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG	As above CA INC Food E MACHINERY CO	agea Coffor		Rag widths up to 91 (000 1	140 hage/min
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG	As above CA INC Food E MACHINERY CO Cereal, Che Produce, IC	eese, Coffee, QF, Pasta, Poultry,	Poly & Supported	Bag widths up to 8" (208 mm)	140 bags/min.
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS	As above Food E MACHINERY CO Cereal, Chr Produce, IC Seafood, S Flow	QF, Pasta, Poultry, Inacks, Nuts, Free	Poly & Supported		
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS	As above Food  E MACHINERY CO Cereal, Ch. Produce, IC Seafood, S Flow Cereal, Ch.	QF, Pasta, Poultry,		Bag widths up to 8" (208 mm)  Up to 15" (381mm)	140 bags/min. 110 bags/min.
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS	As above  CA INC  Food  E MACHINERY CO  Cereal, Che Produce, I( Seafood, S Flow  Cereal, Che Produce, I( Seafood, S Seafood)  Cereal, Che Seafood	QF, Pasta, Poultry, chacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry,	Poly & Supported  Poly and Supported	Up to 15" (381mm)	110 bags/min.
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS	As above CA INC Food E MACHINERY CO Cereal, Ch Produce, IS Seafood, S Flow Cereal, Ch Produce, IS Seafood G Candy, Col Produce, N	QF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee,	Poly & Supported		110 bags/min.
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle XYS08 VFFS	As above CA INC Food E MACHINERY CO Cereal, Ch. Produce, I( Seafood, S Flow Cereal, Ch. Produce, I( Seafood Candy, Cof Produce, I( Seafood Sea	QF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry,	Poly & Supported  Poly and Supported	Up to 15" (381mm)  Bag widths from 2.5" (64mm)	110 bags/min.
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle XYS08 VFFS riangle BT08 VFFS VC999 CANADA LT	As above CA INC Food  E MACHINERY CO Cereal, Ch. Produce, I( Seaflood, S Flow Cereal, Ch. Produce, I( Seaflood Candy, Cof Produce, N Powder Snacks, nu	QF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, its, free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)	110 bags/min.  - 150 bags/minute  240 bags/min.
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle XYS08 VFFS riangle BT08 VFFS VC999 CANADA LT C999 RS 285-720	As above  CA INC  Food  E MACHINERY CO Cereal, Che Produce, IG Seafood, S Flow Cereal, Che Produce, IG Seafood G Candy, Cof Produce, IG Seafood T Produce, IG T Produce, IG T Produce, IG T T T T T T T T T T T T T T T T T T T	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW	110 bags/min.  - 150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAF
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle XYS08 VFFS riangle BT08 VFFS VC999 CANADA LT C999 RS 285-720 C999 RS iSeries	As above CA INC Food E MACHINERY CO Cereal, Ch. Produce, I( Seafood, S Flow Cereal, Ch. Produce, I( Seafood G Candy, Cof Produce, N Powder Snacks, nu TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)	110 bags/min.  - 150 bags/minute  240 bags/min.
ryovac 2002C-FS NA NORTH AMERIC bbag 3 RIANGLE PACKAG iangle B108 VFFS iangle B3 VFFS iangle B708 VFFS iangle B708 VFFS iangle B708 VFFS iangle B708 VFFS WC999 RS 285-720 WEIGHPACK SYST ddius Elite I-130	As above CA INC Food E MACHINERY CO Cereal, Ch. Produce, I( Seafood, S Flow Cereal, Ch. Produce, I( Seafood G Candy, Cof Produce, N Powder Snacks, nu TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L	110 bags/min.  150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map Up to 120/min
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B708 VFFS riangle B708 VFFS VC999 CANADA LT C999 RS 285-720 C999 RS iSeries WEIGHPACK SYST odius Elite I-130 ertek Jr ertek Jr	As above CA INC Food E MACHINERY CO Cereal, Ch. Produce, I( Seafood, S Flow Cereal, Ch. Produce, I( Seafood G Candy, Cof Produce, N Powder Snacks, nu TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll Stock Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L	110 bags/min.  - 150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B708 VFFS riangle B708 VFFS riangle B708 VFFS riangle B708 VFFS vC999 RS 285-720 C999 RS 285-720 C999 RS iSeries WEIGHPACK SYST pdius Elite I-130 ertek Jr ertek 750 ertek 1150	As above CA INC Food E MACHINERY CO Cereal, Ch. Produce, I( Seafood, S Flow Cereal, Ch. Produce, I( Seafood G Candy, Cof Produce, N Powder Snacks, nu TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll Stock Roll Stock Roll Stock Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L	110 bags/min.  - 150 bags/min.  - 240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm
ryovac 2002C-FS NA NORTH AMERIO obag 3 RIANGLE PACKAG iriangle B108 VFFS riangle B3 VFFS riangle B708 VFFS riangle B708 VFFS VC999 CANADA LT C999 RS 285-720 C999 RS iSeries WEIGHPACK SYST pdius Elite I-130 ertek J150 ertek 1150 ertek 1150 ertek 1500 ertek 1200 ertek 2400	As above CA INC Food E MACHINERY CO Cereal, Ch. Produce, I( Seafood, S Flow Cereal, Ch. Produce, I( Seafood G Candy, Cof Produce, N Powder Snacks, nu TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L	110 bags/min.  150 bags/min.  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm  Up to 30 cpm  Up to 20 cpm
yovac 2002C-FS VA NORTH AMERIC bag 3 RIANGLE PACKAG iangle B108 VFFS iangle B3 VFFS iangle B708 VFFS WC999 RS 285-72 C999 RS 285-72 dius Elite I-130 ortek Jr ortek 150 ortek 150 ortek 1600 ortek 1600 ortek 1600 ortek 2400 b 1200	As above CA INC Food E MACHINERY CO Cereal, Ch. Produce, I( Seafood, S Flow Cereal, Ch. Produce, I( Seafood G Candy, Cof Produce, N Powder Snacks, nu TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll Stock Roll Stock Roll Stock Roll Stock Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L 1" - 5.5"W, 2" -8"L 2" - 7.5" W, 3" - 12"L 2.5" - 11.5" W, 4" - 18"L 10" - 16" W, 6" - 18"L	110 bags/min.  150 bags/min.  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 50 cpm  Up to 40 cpm  Up to 40 cpm  Up to 30 cpm
ryovac 2002C-FS VA NORTH AMERIC bag 3 VA NORTH AMERIC bag 3 VA NORTH AMERIC bag 3 VA NORTH AMERIC bag 4 VA NORTH AMERIC CALL VA NORTH VA N	As above  As above  Food  Food  E MACHINERY CO Cereal, Chr Produce, IG Seaflood, S Flow Cereal, Chr Produce, IG Seaflood G Candy, Cof Produce, IC Seaflood To Foods, Phowder Snacks, nu  TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L  6" - 12" W, 8" - 18" L	110 bags/min.  150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min Up to 70 cpm Up to 50 cpm Up to 40 cpm Up to 40 cpm Up to 50 cpm Up to 50 cpm Up to 50 cpm Up to 50 cpm
ryovac 2002C-FS VA NORTH AMERIC obag 3 RIANGLE PACKAG iangle B108 VFFS iangle B3 VFFS iangle B708 VFFS iangle B708 VFFS iangle B708 VFFS VC999 CANADA LT C999 RS 285-720 C999 RS iSeries WEIGHPACK SYST odius Elite I-130 ertek J1 ertek 150 ertek 1150 ertek 1150 ertek 1600 ertek 2400 b 1200 b 3600 HOTMELT AP	As above  As above Food Food E MACHINERY CO Cereal, Chr Produce, IG Seaflood, S Flow Cereal, Chr Produce, IG Seaflood G Candy, Cof Produce, IN Foods, pha furniture All Applicat EMS INC	OF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, OF, Pasta, Poultry, ffee, Grains, luts and Snacks, luts, free flow armaceutical, lition	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L  6" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L	110 bags/min.  150 bags/min.  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm  Up to 30 cpm  Up to 65/min  Up to 120/min
ryovac 2002C-FS NA NORTH AMERIC bag 3 NA NORTH AMERIC bag 3 RIANGLE PACKAG iangle B108 VFFS  iangle B3 VFFS  iangle B708 VFFS  iangle B708 VFFS  vC999 CANADA LT C999 RS iSeries  WEIGHPACK SYST ddius Elite I-130 ertek Jr ertek 750 ertek 1150 ertek 1150 ertek 1600 b 1200 b 3600  HOTMELT AP  AKER AND	As above  As above  Food  Food  E MACHINERY CO Cereal, Chr Produce, IG Seaflood, S Flow Cereal, Chr Produce, IG Seaflood G Candy, Cof Produce, IC Seaflood To Foods, Phowder Snacks, nu  TD Foods, pha furniture All Applicat	2F, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, QF, Pasta, Poultry, ffee, Grains, luts and Snacks, tts. free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L  6" - 12" W, 8" - 18" L	110 bags/min.  150 bags/min.  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm  Up to 30 cpm  Up to 65/min  Up to 120/min
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B708 V	As above  As above  Food  Food  FMACHINERY CO Cereal, Chr. Produce, IG Seafood, S Flow Cereal, Chr. Produce, IG Seafood G Candy, Cof Produce, IG Seafood G Candy, Cof Produce, IN Powder Snacks, nu TD Foods, pha furniture All Applicat  FEMS INC  PLICATORS  APPLICATION	DF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, 2F, Pasta, Poultry, Iffee, Grains, luts and Snacks, luts, free flow armaceutical, lition	Poly & Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" - 8"L  2" - 7.5" W, 3" - 12" L  2" - 7.5" W, 3" - 12" L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L  6" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L	110 bags/min.  150 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm Up to 30 cpm Up to 30 cpm Up to 65/min Up to 120/min
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B708 V	As above  As above Food Food E MACHINERY CO Cereal, Chr Produce, IG Seaflood, S Flow Cereal, Chr Produce, IG Seaflood G Candy, Cof Produce, IN Foods, pha furniture All Applicat EMS INC	OF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, OF, Pasta, Poultry, ffee, Grains, luts and Snacks, luts, free flow armaceutical, lition	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L  6" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L	110 bags/min.  150 bags/min.  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm  Up to 30 cpm  Up to 65/min  Up to 120/min
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B708 V	As above  As above  Food  Food  E MACHINERY CO Cereal, Chroduce, IG Seaflood, S Flow Cereal, Chroduce, IG Seaflood G Candy, Cof Produce, IN Seaflood Food, S Flow Cereal, Chroduce, IN Seaflood G Candy, Cof Produce, IN Foods, pha furniture All Applicat  EMS INC  PLICATORS  APPLICATION  Carton sealing &	DF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, 2F, Pasta, Poultry, Iffee, Grains, luts and Snacks, luts, free flow armaceutical, lition	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L  6" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L	110 bags/min.  150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm  Up to 20 cpm  Up to 50 cpm  Up to 20 cpm  Up to 120/min  Up to 120/min  Up to 120/min  Up to 120/min  Up to 150 cpm
ryovac 2002C-FS NA NORTH AMERIC bag 3 NA NORTH AMERIC bag 3 RIANGLE PACKAG iangle B108 VFFS  iangle B108 VFFS  iangle B3 VFFS  iangle B708 VFFS  iangle B708 VFFS  vC999 CANADA LT C999 RS iSeries  WEIGHPACK SYST dius Eilte I-130 ertek 1750 ertek 1150 ertek 1600 ertek 1400 b 1200 b 3600  HOTMELT AP  IAKER AND ODEL 3M CANADA INC plygun EC	As above  As above  Food  Food  E MACHINERY CO Cereal, Chroduce, IG Seaflood, S Flow Cereal, Chroduce, IG Seaflood G Candy, Cof Produce, IN Seaflood Food, S Flow Cereal, Chroduce, IN Seaflood G Candy, Cof Produce, IN Foods, pha furniture All Applicat  EMS INC  PLICATORS  APPLICATION  Carton sealing &	DF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, 2F, Pasta, Poultry, Iffee, Grains, luts and Snacks, luts, free flow armaceutical, lition	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 24"W, 9" - 36" L  6" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L	110 bags/min.  150 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm Up to 30 cpm Up to 20 cpm Up to 85/min Up to 120/min  Up to 40 cpm Up to 40 cpm Up to 30 cpm Up to 30 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 50 cpm Up to 50 cpm Up to 65/min Up to 120/min
ryovac 2002C-FS NA NORTH AMERIC bag 3 NA NORTH AMERIC bag 3 RIANGLE PACKAG iangle B108 VFFS  iangle B108 VFFS  iangle B3 VFFS  iangle B708 VFFS  iangle B708 VFFS  vC999 CANADA LT C999 RS iSeries  WEIGHPACK SYST dius Eilte I-130 ertek 1750 ertek 1150 ertek 1600 ertek 1400 b 1200 b 3600  HOTMELT AP  IAKER AND ODEL 3M CANADA INC plygun EC	As above  As above  Food  Food  E MACHINERY CO Cereal, Chr. Produce, IG Seaflood, S Flow Cereal, Chr. Produce, IG Seaflood G Candy, Cof Produce, IG Seaflood G Foods, Phace Snacks, nu  TD Foods, pha furniture All Applicat  EMS INC  PLICATORS  APPLICATION  Carton sealing & various	OF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, OF, Pasta, Poultry, ffee, Grains, luts and Snacks, luts and Snacks, luts and Snacks, luts and Snacks, luts and Snacks free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  3.5" - 8" W, 6" - 11"L  MAX MELT TEMP SIZE OF	110 bags/min.  150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm Up to 30 cpm Up to 30 cpm Up to 20 cpm Up to 20 cpm Up to 120/min  Up to 120/min  Up to 120/min  Up to 120/min  TFEATURES  Uses pre-set temerature modules to dispense all adhesives.  Trigger regulator, Lighted on/off switch, comes with tubular
yovac 2002C-FS VA NORTH AMERIC bag 3 RIANGLE PACKAG iangle B108 VFFS iangle B3 VFFS iangle B708 VFFS WC999 CANADA LT 2999 RS iSeries WEIGHPACK SYST dius Eilte I-130 ertek J7 ertek J7 ertek J7 ertek J7 ertek J70 ertek J150 ertek J150 ertek J150 ertek J150 ertek J800 b 1200 b 3600 HOTMELT AP AKER AND ODEL 3M CANADA INC blygun EC	As above  As above  Food  Food  E MACHINERY CO Cereal, Chr. Produce, IG Seaflood, S Flow Cereal, Chr. Produce, IG Seaflood G Candy, Cof Produce, IG Seaflood G Foods, Phowder Snacks, nu  TD Foods, pha furniture All Applicat  EMS INC  PLICATORS  APPLICATION  Carton sealing & various	OF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, OF, Pasta, Poultry, ffee, Grains, luts and Snacks, luts and Snacks, luts and Snacks, luts and Snacks, luts and Snacks free flow	Poly & Supported  Poly and Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  3.5" - 8" W, 6" - 11"L  MAX MELT TEMP SIZE OF	110 bags/min.  - 150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm  Up to 30 cpm  Up to 20 cpm  Up to 85/min  Up to 120/min  UNIT FEATURES  Uses pre-set temerature modules to dispense all adhesives.  Trigger regulator, Lighted on/off switch;
ryovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B708 VFFS riangle B708 VFFS riangle B708 VFFS riangle B708 VFFS VC999 CANADA L1 C999 RS 285-72 C999 RS 285-72 C999 RS iSeries WEIGHPACK SYST pdius Elite I-130 ertek J1 certek 150 ertek 1600 ertek 1600 ertek 1600 b 1200 b 3600 HOTMELT AP IAKER AND IODEL 3M CANADA INC olygun II	As above  As above  Food  E MACHINERY CO Cereal, Chr. Produce, IG Seafood, S Flow Cereal, Chr. Produce, IG Seafood G Candy, Col Produce, IG Seafood G Candy, Col Produce, IG Seafood G All Applicat  TO Foods, pha furniture All Applicat  TEMS INC  PLICATORS  APPLICATION  Carton sealing & various  As above	DF, Pasta, Poultry, inacks, Nuts, Free eeese, Coffee, 2F, Pasta, Poultry, Iffee, Grains, luts and Snacks, luts and Snacks, luts and Snacks, luts free flow armaceutical, liton  TYPE  Handgun  Handgun  CORP	Poly & Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll St	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" - 8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L  MAX MELT TEMP SIZE OF  120°C to 232°C)  4.3 lb pneu	110 bags/min.  150 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm Up to 30 cpm Up to 30 cpm Up to 20 cpm Up to 85/min  Up to 120/min  Up to 120/min  Teatures  Uses pre-set temerature modules to dispense all adhesives.  Trigger regulator, Lighted on/off switch, comes with tublar, bench stand; many available accessories
ryovac 2002C-FS VA NORTH AMERIC obag 3 RIANGLE PACKAG iangle B108 VFFS iangle B3 VFFS iangle B708 VFFS iangle B708 VFFS iangle B708 VFFS vC999 CANADA LT C999 RS 285-720 C999 RS iSeries WEIGHPACK SYST odius Eilte I-130 ertek 150 ertek 150 ertek 1600 ertek 2400 b 1200 b 3600 HOTMELT AP AKER AND ODEL 3M CANADA INC olygun II	As above  As above  Food  Food  E MACHINERY CO Cereal, Chr. Produce, IC Seaflood, S. Flow Cereal, Chr. Produce, IC Seaflood Candy, Cof. Produce, IN Seaflood Food, S. Flow Foods, Sharks, nu Foods, pha furniture All Applicat  TEMS INC  Carton sealing & various  As above  AGING EQUIPMENT Gun or rollers	DF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, DF, Pasta, Poultry, ffee, Grains, luts and Snacks, luts and Snacks, luts and Snacks, luts and Snacks, luts free flow armaceutical, lition	Poly & Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll St	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  3.5" - 8" W, 6" - 11"L  MAX MELT TEMP SIZE OF	110 bags/min.  150 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm Up to 30 cpm Up to 30 cpm Up to 20 cpm Up to 85/min  Up to 120/min  Up to 120/min  Teatures  Uses pre-set temerature modules to dispense all adhesives.  Trigger regulator, Lighted on/off switch, comes with tublar, bench stand; many available accessories
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B3 VFFS riangle B78 VFFS riangle B78 VFFS riangle B78 VFFS riangle B78 VFFS vC999 CANADA LT C999 RS 285-720 C999 RS 1Series WEIGHPACK SYST pdius Elite I-130 ertek 750 ertek 1150 ertek 1150 ertek 1600 ertek 2400 eb 1200 eb 3600 HOTMELT AP IAKER AND IODEL 3M CANADA INC olygun II  SSOCIATED PACK oto HIM ARPAK ULMA PAC ordson	As above  As above  Food  Food  E MACHINERY CO Cereal, Chr. Produce, IC Seaflood, S. Flow Cereal, Chr. Produce, IC Seaflood Candy, Cof. Produce, IN Seaflood Food, S. Flow Foods, Sharks, nu Foods, pha furniture All Applicat  TEMS INC  Carton sealing & various  As above  AGING EQUIPMENT Gun or rollers	DF, Pasta, Poultry, inacks, Nuts, Free eeese, Coffee, 2F, Pasta, Poultry, Iffee, Grains, luts and Snacks, luts and Snacks, luts and Snacks, luts free flow armaceutical, liton  TYPE  Handgun  Handgun  CORP	Poly & Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll St	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" - 8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L  MAX MELT TEMP SIZE OF  120°C to 232°C)  4.3 lb pneu	110 bags/min.  150 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm Up to 30 cpm Up to 30 cpm Up to 20 cpm Up to 85/min  Up to 120/min  Up to 120/min  Teatures  Uses pre-set temerature modules to dispense all adhesives.  Trigger regulator, Lighted on/off switch, comes with tublar, bench stand; many available accessories
riyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B708 VFFS riangle B708 VFFS riangle B708 VFFS VC999 CANADA LT C999 RS iSeries WEIGHPACK SYST pdius Elite I-130 ertek Jr ertek 750 ertek 1150 ertek 1150 ertek 1600 ertek 2400 2b 1200 2b 3600 HOTMELT AP IAKER AND IODEL 3M CANADA INC olygun II	As above  As above  Food  Food  E MACHINERY CO Cereal, Chr. Produce, IG Seaflood, S Flow Cereal, Chr. Produce, IG Seaflood G Candy, Cof Produce, IG Seaflood Foods, Phowder Snacks, nu TD Foods, pha furniture All Applicat  EMS INC  PLICATORS  APPLICATION  Carton sealing & various  As above  AGING EQUIPMENT Gun or rollers KAGING LLC	OF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, Dar, Pasta, Poultry, ffee, Grains, luts and Snacks, luts and Snacks, luts and Snacks, luts and Snacks tts, free flow armaceutical, lition  TYPE  Handgun  Handgun  Handgun  Handgun or low	Poly & Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll Stock Roll Stock Roll Stock Roll Stock Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  Roll Stock  ANDI Stock  MAX MELT RATE	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" - 8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L  MAX MELT TEMP SIZE OF  120°C to 232°C)  4.3 lb pneu	110 bags/min.  150 bags/minute  240 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm  Up to 50 cpm  Up to 40 cpm  Up to 30 cpm  Up to 20 cpm  Up to 55/min  Up to 120/min  Unit  Very template of temp
nyovac 2002C-FS NA NORTH AMERIC obag 3 RIANGLE PACKAG riangle B108 VFFS riangle B3 VFFS riangle B3 VFFS riangle B708 VFFS riangle B708 VFFS VC999 CANADA LT C999 RS 285-720 C999 RS iSeries WEIGHPACK SYST odius Elite I-130 ertek J150 ertek J150 ertek J150 ertek J1600 ertek 2400 b 1200 b 120	As above  As above  Food  Food  E MACHINERY CO Cereal, Che Produce, IC Seaflood, S Flow Cereal, Che Produce, IC Seaflood G Candy, Cof Produce, IN Seaflood Fooduce, IN Foods, pha furniture All Applicat  TEMS INC  PLICATORS  APPLICATION  Carton sealing & various  As above  AGING EQUIPMENT Gun or rollers  KAGING LLC Cartoning	DF, Pasta, Poultry, inacks, Nuts, Free eese, Coffee, 2F, Pasta, Poultry, Iffee, Grains, luts and Snacks, luts, free flow armaceutical, lition  TYPE  Handgun  Handgun  CORP Gear pump	Poly & Supported  Poly and Supported  Poly and Supported  Pe,PA,PVC, Pet  Flexible & Rigid  Roll Stock Roll St	Up to 15" (381mm)  Bag widths from 2.5" (64mm) 8" (208 mm)  Bag widths up to 8" (208 mm)  285 to 720mmW  320 to 720mm  3" - 12"W; 2" - 16"L  1" - 5.5"W, 2" -8"L  2" - 7.5" W, 3" - 12" L  2.5" - 11.5" W, 4" - 18"L  10" - 16" W, 6" - 18"L  16" - 12" W, 8" - 18" L  3.5" - 8" W, 6" - 11"L  WAX MELT TEMP SIZE OF  12"C to 232°C)  385°F (196°C)  4.3 lb pneu	110 bags/min.  150 bags/min.  10-12 cycle Vacuum Gaz, MAP  14-20 cycle Vacuum Gaz, Map  Up to 120/min  Up to 70 cpm Up to 50 cpm Up to 30 cpm Up to 20 cpm Up to 20 cpm Up to 120/min  Up to 120/min  Up to 120/min  Up to 30 cpm Up to 30 cpm Up to 30 cpm Up to 120/min  Up to 120/min  Up to 120/min  TFEATURES  Uses pre-set temerature modules to dispense all adhesives.  Trigger regulator, Lighted on/off switch, comes with tubular bench stand; many available accessories  12 x 12 Continuous

MAKER AND	APPLICATOR APPLICATION		TYPE		MAX ME	LT RATE	MAX N	IELT TEMP	SIZE	OF UNIT	FEATURES
MODEL Spotwheel	Cartoning		Self-containe	d wheel	8 lb/hr		425°F		15x10		One moving part, no
M Series	Narrow laminat high viscosity applications	ion,	1-6 pump out multi-drive	put,	Up to 100	0 lb/hr	450°F		74x4	6x48 in.	maintenance As above, 1200 lb hopper capacity, CF display screen, slot feed
DYNADRUM 550	Wide web conv PUR adhesives		To 2 hoses, 4 drum	l5 gal.	500 lb/hr		400°F		38x24	4x93 in.	As above, different ratio air motors, overtemp/standby
DYNAMINI	Carton sealing, palletizing		Up to 2 head manual or au	to heads			425°F 8		21.3x pump		110V or 240V, pisto
NORDSON CANA ProBlue 4, 7 and 10 Liter Melters	ADA LIMITED (In C ) Case sealing, tray-making, ca packaging, labe	rtoning	Piston pump,	Auto	gary, AB; E 4.3kg/hr 8.2kg/hr 11kg/hr	dmonton, A	AB; Winn 230°C	ipeg, MB)	609x4	469x322 505x344	14:1 piston pump, non-circulating tank status-at-a-glance indicators, disposab filter, graphic contro opt. 8 hose/gun channels, opt. 400/480V
ProBlue 15, 30 and 50 Liter Melters	Packaging, cas sealing, cartoni traymaking		Piston pump, guns, 8 guns	Auto	18.1kg./hr 27kg/hr 28.6kg/hr		230°C		943x	547x345 749x345	Large tank capacity high output piston pumps graphic controls, up to 6 hose/gun channels
ProBlue Fulfill 4, 7, Liter	10 Case sealing, tray-making, ca	rtoning	Same as Pro 4, 7, 10	Blue	same as F 10	ProBlue 4,7,	450°F,2	30°C	varies (4,7,	s based on liter 10)	Opt. 400/480V Integrated, automat adhesive melter and feed system in one.
AltaBlue TT Melters 10 and 16 Liter Melters	s 4, Case sealing, cartoning, trayn packaging	naking	Spur-Gear Po Auto or manu 2 to 4 guns	umps ial guns	4.7kg/hr, 1 20kg/hr	12.5kg/hr,	230°C		441x	649x620 649x620	Variable speed AC motors, key to line capacity. status-at-a-glance indicators, disposab
VersaBlue 12, 25 a 50 Liter Melters	nd Case sealing, cartoning, trayn packaging, labe		Metering Spu pumps Auto 2 guns		14kg/hr, 2 50kg/hr	5kg/hr,	230°C		1445	1382x582, x1382x831, x1382x782	filler, graphic court Variable speed AC motors, grid reserve status-at-a-glance indicators, disposab filter, touch-screen interface
SureFoam Dispens System	cartoning, trayn packaging		adhesive mel gun	Ü			38 to 23	80°C			Reduce adhesive density and costs at use by 50%
<u>DuraPail</u> DuraDrum	Bulk melter, 5g Bulk melter, 5g		as above as above		203 lb (92 595 lb (27		230°C 1268x1	180x540		x1570x945	AC gear pump Gear pump with preset motor speed
MiniBlue II	Case sealing, to making, cartoni packaging						190°C N	Maximum		,	Long life and 2 mg cycle times compact design and energy efficient with insulating cover.
SureBead  ROBATECH CANA	Case sealing, traymaking, car packaging	toning,					230°C				provides clog-free operation and easy nozzle changes for different application
Robatech Equipme	nt		Automated a	nd semi							Hot melt adhesive of all types pkg. lines
Nordson	All		Hot melt glue								
• VALCO MELTON D-Series	Case and carto sealing, palletiz		All-electric, motor-driven	gear	11 to 50 lb	/hr	450°F		10 - 5		Microprocessor-bas with touch pad
EC-Series	Case and carto sealing, palletiz	n	pump Multi-function pneumatic pi pump		4.2 to 13.0	05 kg/h	240°C		4, 8 a	and 14 It	interface LCD Operator Pane for ease of use and programming
Melt on Demand Electric Kube	Case and carto sealing, tray se case erecting	n aling,	All-electric dr pump or air o piston pump		r 26 lbs/12 l	kg/h	425°F/	204°C	Up to	9 kg/h	Integrated auto feed remote storage adhesive bin
VDrum, VPail	Bulk melter seri	ies	For use with drum	pail or	12-200 kg	/h	425°F/	204°C	20-30	00 L	Gear pump, pulse-tree output
LABELLING MAKER &	LABEL SIZE	ΙΔΕ	BEL STYLE*	ΙΔRFI	] 	CONTAI	NFR	CONTAINE	R	SPEED	SPECIAL
MODEL AESUS PACKAGII	RANGE			ADHE METH	SION OD	STYLE		HEIGHT, DIAMETER			FEATURES
ECO Wrap DELTA Wrap PREMIER Plus Wrap	Up to 24" Up to 24" Up to 12"	PS PS	el applicator	PS PS PS	g, Dolla, D	All All All types		No limit No limit All types		0-120bpm 0-180bpm 0-320bpm	Prism StarPrism StarPrism
AHEARN & SOPER Label-Aire 2111HS	R INC Max 3"x3" Ibl			PS		Top, botto	m side			to 1000 lpm	Air-Blow
2114 2115	Max 4" wide lbl Max 7" web			PS PS		As above				to 1600 lpm to 1250 lpm	Tamp-Blow Wipe-on
<b>ASSOCIATED PAC</b> APEC Polyclad 200	100-475 mm		or wrap	Hot or o	cold glue	Round		30-450 mm di	ia.	200 bpm	Inline
APEC Polyclad 900	As above	Spot arou	or wrap nd	As abov	ve	Round		As above		450 bpm	Inline
APEC Polyclad 500 APEC Polyclad XL	As above 100-650 mm	arou	or wrap nd bove	As abov		Round		As above Up to 10L		650 bpm 35 bpm	Inline
900 Series SL 200 Series ST	100-540 mm 100-540 mm	As a	bove bove	As abov	ve ve	Round Round		As above 28-165 mm		350 bpm 200 bpm	Inline-as above Inline speed depends on diamler
B&H LABELING S' BH8000 high speed roll-fed labeling system	6.5-16.2"	All la	ibel mt'l	Hot mel	lt	Round		2-5-7.5"		80-700 cpm	PLC controlled
Marathon SLA/XLA  BANDING SYSTE BA24/15 - Arch Size: 240m x 150mm		Plas		As Abor		All types: 0 envelopes and printin cans, thermoforn trays, etc.	, graphic ig, tubs,	2-6.00" Up to 240m x 150mm		70-650cpm Up to 30 parts pe minute	unique vacuum arch which enabl our systems to ru the thinnest film i the industry (dow
BA32/20 - Arch Size: 320m x 200mm	Film width: 28, 40, 48, 60, 75, 100 an 120mm			Heat se	eal	All types: 0 envelopes and printin cans, thermoforr trays, etc.	, graphic ig, tubs,	Up to 320m x 200mm	:	Up to 30 parts pe minute	to 1.4mil or 35micron or 0.035mm)  Patented and unique vacuum arch which enabl our systems to ruthe thinnest film the industry (dow to 1.4mil or 35micron or
BA40/25 - Arch Size: 400m x	Film width 20 40	- Di		Heat se	eal			Up to 400m x 250mm		Up to 30 parts pe minute	0.035mm) r Patented and unique vacuum
250mm	Film width: 28, 40, 48, 60, 75, 100 an 120mm			rieat se		and printin cans, thermoforr trays, etc.	g, tubs,				our systems to ru the thinnest film the industry (dow to 1.4mil or 35micron or
BA48/30 - Arch Size: 480m x 300mm	48, 60, 75, 100 an	d Band	tic or Paper	Heat se	eal	and printin cans, thermoforr trays, etc.	Cartons, , graphic ig, tubs,	Up to 480m x 300mm	:	Up to 30 parts pe minute	35micron or 0.035mm)
BA48/30 - Arch Size: 480m x	48, 60, 75, 100 an 120mm Film width: 28, 40, 48, 60, 75, 100 an	Plas	tic or Paper			and printin cans, thermoforr trays, etc.  All types: ( envelopes and printin cans, thermoforr trays, etc.	Cartons, , graphic g, tubs, med	300mm  Up to 640m x			our systems to rute thinnest film the industry (dow to 1.4mil or 35micron or 0.035mm) r Patented and unique vacuum arch which enabl our systems to rute thinnest film the industry (dow to 1.4mil or 35micron or 0.035mm)

LABELLING	;						
MAKER & MODEL	LABEL SIZE RANGE	LABEL STYLE*	LABEL ADHESION METHOD	CONTAINER STYLE	CONTAINER HEIGHT, DIAMETER	SPEED	SPECIAL FEATURES
BA96/35 - Arch Size: 960m x 350mm	Film width: 28, 40, 48, 60, 75, 100 and 120mm		Heat seal	All types: Cartons, envelopes, graphic and printing, tubs, cans, thermoformed trays, etc.	Up to 960m x 350mm	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest film in the industry (down to 1.4mil or 35micron or 0.035mm)
Custom Arch Size Systems	Film width: 28, 40, 48, 60, 75, 100 and 120mm		Heat seal	All types: Cartons, envelopes, graphic and printing, tubs, cans, thermoformed trays, etc.		Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest film in the industry (down to 1.4mil or 35micron or 0.035mm)
BARCODE GRAPH							
Sato Printers	4" - 6", Varies	Thermal Transfer	PS			Varies	Varies
Datamax Printers	4" - 6", Varies	Thermal Transfer	PS			Varies	Varies
Zebra Printers	4" - 6", Varies	Thermal Transfer	PS			Varies	Varies
BarTender Labeling Software	Varies	Transfer, Laser, etc.	Varies			Varies	Varies
Label Matrix Labeling Software	Varies	Transfer, Laser, Varies, etc.	Varies			Varies	Varies
LabelView Labeling Software	Varies	Transfer, Laser, Varies, etc.	Varies			Varies	Varies
BEAR LABEL MAG	CHINES (In Canada:	Chisholm Machine	ery Sales Limited, N	liagara Falls, ON)			
Bear XS-1250	202-603 Dia	Full wrap paper or foil	Hot melt & Cold Glue	Aluminum or Steel Cans/Glass/Plastic	Various	to 1,200 upm	Diameter dependent, fast, few moving parts, simple and small footprint
BEST PACKAGING			_				
CTM	Per request	Die cut or butt cut	Pressure sensitive	Variable			Speed/application
BIZERBA CANADA							
Bizerba Series GLM-1	30-160mm	Spot Weigh price	Manual rotary air blow piston	Variable	Variable	150ppm	Integrated checkweigher metal detector QR Code
<ul> <li>CAPMATIC LTD         Capmatic Labelstar         System 1     </li> </ul>	200 mm	Roll	PS	Round	Any	10-350 bpm	Wrap around
Capmatic System 5/1	200 mm	Roll	PS	Any	Any	As above	One side
Capmatic System	200 mm	Roll	PS	Any	Any	As above	Two side

MAKER & MODEL	LABEL SIZE RANGE	LABEL STYLE*	LABEL ADHESION METHOD	CONTAINER STYLE	CONTAINER HEIGHT, DIAMETER	SPEED	SPECIAL FEATURES
Capmatic System 2/2	200 mm	Roll	PS	Any	Any	10-350 bpm	Wrap around two side label
Capmatic System 2	2 40x24 mm	Roll	PS	Small boxes	150x220x65 mm	22000 bph	Tamper evident label
Capmatic System 1	100 mm	2 x rolls	PS	Round	18 to 80 mm	22000 bph	Complete with vision system
Capmatic Monostar 1	100 mm	Roll	PS	Round	10 to 30 mm	10-350 bpm	Monoblock base star wheel feedin & exit on tray
BambinoStar	Varies	Roll	PS	Round	Any	60000 bph	
RotoStar				Round	•		
DIAGRAPH (In Qu	ebec: Visuascan In	c.)					
СТМ `	Any Size	Wraparound & spot	PS	Varies	Varies		Semi, automatic labelprint & apply
DJS ENTERPRISE DJS Wrap Labelers	Customized to customer's needs			Round or oval with hot stamp coder		60 to 200 per min	
DOMINO PRINTI	NG SOLUTIONS IN	C					
M-Series Print & Apply (various models designed to meet labeling requirements)	Up to 210mm x Blow; tamp; 300mm		Various models tamp & blow; wipe	Available to meet the smallest labeling needs such as pharmaceutical	Unlimited	Relative to applications	Flexible multi-purpose solution that suits many application within box and product labeling meeting demands for both acc and speed; side, top, bottom labeling, stationary or moving
GEBO CERMEX C	ANADA INC						
HOT MELT Hot Glue Labeler. T metal containers.	The Hot Melt is an au			, ,		, plastic and metal co	
HARLUND INDU	STRIES LTD						
D Tech 250 LPA			PS	Many			
D Tech RFID		<b>D</b> 0	PS	Many			
D Tech 150/220 _A		PS	Many				
		all	PS				
Vita	CINIC CVCTEME IN	IC (In Canada: Newi	mapak Ltd)				





#### Primera has everything you need to print and apply gorgeous, full-color labels for your products.

Our LX-Series Label Printers are complemented by our AP-Series Label Applicators that apply labels to a variety of container shapes and sizes. For larger capacity needs, our CX1200 Color Label Press and FX1200 Digital Finishing System will give you the best print quality with complete digital finishing capabilities. Better looking labels, applied straight and without wrinkles, helps you sell more of your products!

Call: 1-800-797-2772

Visit: www.primeralabel.com **Email:** sales@primera.com



Two Carlson Parkway North Plymouth, MN 55447-4446 USA 800-797-2772 (U.S.A & Canada only) www.primeralabel.com

MAKER & MODEL	LABEL SIZE RANGE	LABEL STYLE*	ADHESION METHOD	CONTAINER STYLE	CONTAINER HEIGHT, DIAMETER	SPEED	SPECIAL FEATURES
Modul Labelers	Inquire-designed to suit customer requirements	Various; cold glue cut and stack, hot melt cut and stack reel fed plastic, pressure sensitive self adhesive	Various; cold glue, hot melt, pressure sensitive			Inquire - build to suit	Rotary machine design can be equipped with combinations of different label applicators
Autocol	Inquire-designed to suit customer requirements Inquire-designed to		Pressure sensitive Labels - self adhesive Hot melt glue			1,000 and 48,000 cph (containers per hour) 15,00 to 64,000	
	suit customer requirements	paper on film	Hot melt glue			cph	
ontiroll	Inquire-designed to suit customer requirements	Automatic reel magazine for roll	Hot melt glue or solvent			3,000 to 80,000 cph	
lultireel	Inquire-designed to suit customer	magazine for	None			To suit Contiroll application	
leevematic	requirements Inquire-designed to suit customer	Full body shrink label	Radiant heat or steam shrinking			3000 to 50,000 cph	I
tretchmatic	requirements Inquire-designed to suit customer requirements	Plastic body strech label	None			Inquire - build to suit	
arantomat/ arantomatic	Inquire-designed to suit customer	Tamper evident shrink bands	Radiant heat			Up to 36,000 cph	
axomat	Inquire-designed to suit customer requirements	Tax Strips and Lid Labelling	Cold glue and hot melt			3,000 and 40,000 cph	
ABEL AIRE INC lodel 3111	(In Canada: Ahearn 1x1 to 6x9 in.	& Soper) Spot, front, back, wraparound	PS	Rectangular, oval, round	Varies	1,250 ipm	Automatic
odel 3015 odel 3114	Up to 3x3 in. 1/2x1/2 to 6x6 in.	Paper Spot, front, back	PS PS	Various Various	Varies Varies	750 ipm 600 pm	Economy wipe-on High accuracy
odel 3115	7x20 in.	wraparound All types	PS	Various	Varies	2000 ipm	High-speed
odel 6200 FB AKRO LABELLII	7x12 in. NG SYSTEMS (In Ca	All types anada: Newmapak I	PS _td.)	Various	Varies	Up to 300 ppm	wipe-on High speed system
akro Mak 1,2,3,4,5,7,8			G,PS,HM, RollFed	All Shapes		From 25 to 700bpm	Modular base frame, patented
akro Labelling			Glue, Hot Melt, Pressure Sensitive, RollFed	All types of containers		Up to 800 bpm	optical orientation systems Rotary, Modular design for complete flexibility Optical Orientation system on a walking beam. Car interchange multiple labeling heads on same machine.
MARSH CO (In C 500A	2anada: Videojet Te 4, 6, 8 in. wide	chnologies Canada Spot	) PS	Any	Any	1200 ipm	Auto-Teach.
2000PA 5000PA	2x1, 5.5x6 in. 4.2x25, 7.2x16 in.	Spot Corner wrap & spot	PS PS	Any Any	Any Any	10 ips 12 ips	micro-stepper drive Bar coding 14 in. roll dia.
50A 500A	4, 6, 8 in. wide 4.2x25, 7.6x16 in.	Spot Corner wrap & spot	PS	Any Any	Any Any	1200 ipm 12 ips	Stepper 12 in. foil
MATTHEWS MA	RKING SYSTEMS  ADA						
ange of web dths (Inline & fline labelers)	Up to 11.8"	All	PS	All		3779 ipm	Washdown, integrated web technology
	rlund Industries, Co		PS Concepts,	Any	Unlimited	ons, Techno-Pak, Ro	Servo motor
TA top & bottom  JM PACKAGING  odel 130	6x15	Spot, wrap around,	PS	Any F&B, 3-4-5 panel,	15" max 7" dia x 14"	200ppm 200bpm	Sychronisation High end servo
RONCO		front & back, 3-4-5 panel		wrap around	height		labeling technology
ODEL 326 <u>JTOCOLT® IV</u> odel 126 ROTTER		Spot, wrap around , 3-4-5 panel Spot, wrap around, front & back, 3-4-5		Round, oval, square, rectangular Round, oval, square, rectangular	max 7" dia x 14"	up to 400bpm 120 bpm	High end servo labeling technolog High end servo labeling technolog
NORDSON CANA atternJet Systems r Magazine-fed abelers	ADA LIMITED (In Ca s to 200mm	panel Inada: Timeco-Mart	ten, Calgary, AB; Ed Cut and stack, Magazine-fed	dmonton, AB; Winn Pick-up Non-contact spray, Lap seam - slot gun	ipeg, MB) Any	84,000/hr	Up to 90% adhesive savings, Reduces waste, improves appearance. Closed system increases process
elter Upgrade for -Line, Roll fed		Any	Any	Hot melt adhesive wheels	Any	Any	control System dependen
belers atternJet Plus ystems for In-Line d labelers	•	to 200mm	Roll-fed	Non-contact, Mini beads or swirls of hot melt on leading	Any	Any	36,000/hr
dot+ Systems for arousel Rollfed		Roll-fed	Non-contact dots of hot melt on leading and trailing	and trailing edges Any	Any	60,000/hr	
	CTS (In Canada: Ec					Ami	
abel Air Knife rying Systems PLAN AUTOMAT niversal	Any FION INC Up to 20" x 8.5"	Any Variable	Any P.S.	Any	Any Up to 12"	Any 200	
anding Systems			Heat seal	All types: Cartons, envelopes, graphic and printing, tubs, cans, thermoformed trays, etc.	Up to 960mm x	Up to 30 parts per minute	Patented and unique vacuum arch which enable: our systems to run the thinnest film in the industry (down to 1.4mil or 35micron or 0.035mm)
PS PHIN	Variable	Wraparound or two sided	Pressure Sensitive	Rigid	Variable	Up to 600	
PRIMERA TECH K1200 Color abel Press	Continous Feed 8.5" Media Width x		Pressure Sensitive	For Printing Labels to Use on All		16.25 FPM (4.9 MPM)	Color Dry Toner Printer
(1200 Digital nishing System	1250' 12" OD Continous Feed 8.5" Media Width x 1250' 12" OD		Pressure Sensitive	Container Types For Printing Labels to Use on All Container Types		Up to 20 FPM (6.1 MPM)	Laminates, Digitall Die-Cuts, Remove Waste and
X1000 Color	Pre-Die-Cut Labels		Pressure Sensitive	For Printing Labels		16.25 FPM (4.9	Rewinds to Finished Rolls Color Dry Toner
abel Printer (900 Color Label	8.5" Media Width, 450' Lenght, 8" OD			to Use on All Container Types For Printing Labels		MPM)	Printer  Dye Based Inkjet
inter	8.25" Media Width, 6" OD			to Use on All Container Types		<u> </u>	Printer
inter	Pre-Die-Cut Labels 4.25" Media Width, 5" OD		rressure Sensitive	For Printing Labels to Use on All Container Types		up to 1" IPS	Dye Based Inkjet Printer
P360 Label oplicator	Label width 1" to 9.4" label diameter 0.6" to 6.7"			For applying labels to cylindrical containers		up to 1200 per hour	Applies one label
P362 Label oplicator	Label width 1" to 9.4" label diameter			For applying labels to cylindrical		up to 1200 per hour	Applies up to two labels
P550 Label	0.6" to 6.7" label width .75" to 4" label diameter			containers For applying labels to flat surface		up to 500 per hour	Applies one label
(2000 Color abel Printer	.75" to 6"  Pre Die-Cut Labels 8.25		Pressure Sensitive	containers		up to 6" IPS	Pigment Based Inkjet Printer
	ING SYSTEMS (In C	Canada: Newmapak	Ltd.) PS	to use on all container types  Round	14"	Up to 100bpm	Frequent
uadrel, TechLine		Front/Back	PS	Round + Clindrical		Up to 200bpm	changeover + wide variety of products Multi-shift
rap		wraparound Front/Back wrap	PS	Oval, rectangular,		Up to 400bpm	operation + no tool/no change par operation  Up to six labeling
uadrel, ProLine				cylindrical and uniquely shaped		, · · · · · · · · · · · · · · · · · · ·	stations
uadrel Labelling			PS	containers All types of		Up to 150 bpm	Inline systems to

MAKER & MODEL	RANGE	LABEL STYLE*	ADHESION METHOD	STYLE	CONTAINER HEIGHT, DIAMETER	SPEED	SPECIAL FEATURES
SAMUEL PACKAG Universal labeling printer applicator		Pressure sensitive	Wipe-on, blow, tamp blow	All	All	up to 16"/sec	
Samuel labeling orinter applicator	up to 8.5" wide	As above	As above	All	All	As above	
abeler	up to 6" wide	As above	As above	All	All	up to 3000"/min	
SHAWPAK SYSTE EPI Corner	MS LTD Various	Pressure Sensitive	Corner	box			Optional thermal
EPI U II	1.25" x 1.25" to 6"x5"		Vac/blow tamp corner wrap 2-panel or tamp blow	various		750 linear inches per minute	transfer printer
EPI Bakery	1/2 to 5" wide x 24" long max	Pressure Sensitive		various bakery containers	Various Sizes	1200	Vac/blow tamp corner wrap 2-panel or tamp blow
PI B Series	Various	Wrap labelling	Wrap around	bottles	1 to 6	1200 in/min	Dry, wet or cold operation
:PI ·lex-Pack-Product	1.25"x1.25" to 6"x5"			flexible, stand up, bag, flow wrapped,			Install on to any bag filling machine
PI top and	Various			stretch wrap clamshell, tub style	1	1200min higher speeds available	
EPI Core Series	up to 4	Pressure Sensitive	Pressure Sensitive	various	Various Sizes	up to 6 IPS	Print and Apply, Tamp - Tamp/
PI Core Series	up to 4" x 6"		Wipe	various bakery	Various	up to 1000 IPM	Blow
Vipe EPI Core Series	up to 4" x 6"	Tamp		various	Various	up to 1000 IPM	Tamp blow
amp PI Auto Label Dispencer	1/2 to 3.5	Pressure Sensitive	Manual	various	Various Sizes	Operator dependent	Print and Apply - single colour 300
EPI Print and Apply	6" wide x 10"+ long max	Printed labels	vac/blow tamp corner wrap 2-panel or tamp	wide range		16" per sec 960" min	DPI DPI
EPI M Series	5" high up to 10" - up to 12" long and		blow			1200 in/min or up to 6000 in/min	
	larger available  (AGING MACHINER		DC	flet	i.a	optional	Table ton
PL-10 Primera AP360	Max H 4" Max H 5 7/8" w to 8.25"	top or side wrap around applicator	PS PS	flat various round	as above 1"-9.4"	52'/min. 130'/min 1200 p/h	Table top Top stand compact size
ELF-50 PL-211	Max H 4.8" 150mm applicator Max W 5 7/8" 200mm applicator	wrap around	PS PS	round flat	various various	52'/min 130'/min	TableTop Stepper Motor
PL-221	Max W 7 7/8" 150mm applicator Max W 5 7/8" 200mm applicator	top & bottom	PS	flat	various	130'/min	Stepper Motor
PL-501	Max. W 7 7/8" 5 7/8" H x 14"L	wrap around	PS	round	various	130'/min	Stepper Motor
PL-521 PL-622	150mm applicator Max. W 5 7/8"	horizontal wrap around	PS PS	round	various various	130'/min 98'/min	Stepper Motor Stepper Motor
2014 42	200mm applicator Max. W 7 7/8"	-14. 1	D0			001/- :	Ota
SPM-10 SPM-56E	5 7/8" H up to 10" diameter X 5" wide	side or top top tamp	PS PS	various various	various various	98'/min Variable	Stepper Motor Compressed Air
SPS PHIN LIMITE Benchmark ench-mounted		Front/back (single head)	PS	Cylindrical	H: 2"-14" (50-360mm) D:	20-30 cpm	Semi automatic
SM900, SM900C n-line Pressure	0.5"-11" (13-280mm)	Front/back/neck or shoulder (1 to 4	PS	All shapes	0.6"-4.4" (14-110mm) H: 2"-14" (50-360mm) D:	20-250 cpm	Free standing or conveyorized
Sensitive SM1000 In-line	As above	As above	PS	As above	0.5"-7" (13-180mm) As above	As above	Multi-station quick
Pressure Sensitive ML 68/80 AA Rotary Pressure Sensitive	0.5"-24" (13-610mm)	Front/back neck or shoulder wraparound		All Shapes	H: 2"-14" (50-360mm) D: 1.5"-4.75"	20-400 cpm	changeover High speed pressure sensitive
	1"-21" (25-530mm)		HM/G	Cylindrical	(40-120mm) H: 2"-18" (50-450mm) D: 1.5"-6.5"	20-500 cpm	In line wraparoun
SM1500 In-line	1"-9" (25-230mm)	Front/back/neck/sh	G or Combination	All shapes	(38-165mm) H: 2"-14"	40-200 cpm	Multi-adhesive
Cold glue/pressure sensitive SM1700/1800 n-line Cold	2"-8" (50-200mm)	Front/back/neck/sh oulder/top seal	G/PS As above	As above	(50-360mm) D: 1"-11" (25-280mm) H: 2"-16" (50-405mm) D:	30-300 cpm	system, multi shape Up to 6 stations, and security
glue/pressure sensitive ML 68/80 Rotary Hot Melt	1.5"-18" (38-460mm)	Front/back/neck wraparound	Hot-melt or Combination	Cylindrical / Rectangular	1"-8" (25-203mm) H: 2"-14" (50-360mm) D:	50-1000 cpm	Very high speed, hot melt
ML 68/74 Rotary Cold glue/pressure	1"-6" (20-160mm)	Front/back/neck/sh oulder/top seal	HM/PS	All shapes	1.5"-4.5" (40-120mm) H: 2"-14" (50-360mm) D:	20-200 cpm	Versatile, economical rotary
ML 80/81 Rotary	1"-7" (20-185mm)	Front/back/neck	G or Combination	All shapes	1.5"-4.5" (40-120mm) H: 2"-14"	10-1000 cpm	Up to 6 label
Cold glue/pressure sensitive Etina 12/30 Rotary	4.5"-15"	Wraparound plastic	G/PS Hot-melt	Cylindrical/rectang	(50-360mm) D: 1.5"-4.5" (40-120mm) H: 2"-15.5"	120-600 cpm	stations and security sealing Reel-fed plastic
Hot-melt Shrink Sleeving	(100-400mm)	from reel		ular	(50-400mm) D: 1.5"-4.5" (40-120mm)	.20 000 0p	wraparound label
rAPP LABEL TEC mpresstik vacuum pelt/modular design	HNOLOGIES INC	PS	PS	Cylindrical	All	Up to 150 cpm dispensing up to 3 labels (labels can	Modular design with up to 3 labeling heads
Custom Machinery		PS	PS	All	All	be multi panel) To spec	To spec
VALCO MELTON Roll-Through abeler Conversion Kits	No restrictions	Wrap around	Glue	Roune			
VC999 CANADA VC999 /Koch	LTD						
abellers for HFFS equipment	up to 200mm wide	Applicato-					
/C999/Perbetum VIDEOJET TECH 2-3400			PS	Variable	Variable	6.6 to 98.6 fpm	Fast & accurate
-3400 -abelJet 262	19.7" L 1x1" to 7.3w9.1L	Spot	PS PS	Variable	Variable	0.0 to 90.0 IpIII	80+ printer
550 Print & Apply	0.5:w-0.5"L to 4"w, 19.7" L	High Speed Print & Apply		Varies	Varies	Up to 300fpm	configurations Revolutionary Intelligent Motion technology target zero unscheduled downtime with
VISUASCAN INC							automatic control of the entire system.
mtec CTM	10.01/2	Any style Any style	PS PS			60 labels/min.	
WEBER MARKIN Weber 5300 Print & Apply	G SYSTEMS OF C, From 0.75"x0.75" to 6.6"x12", depending on application		Tamp blow, direct tamp, wipe-on, air blow.	Varies	Varies	Depending on label size, product sizes and conveyor speed	provides numerou label application configurations: Tamp Blow, Twin Tamp, Corner Wrap, Air Blow, Wipe On, Pallet Labeler (1 side or sides), Pail Labeler, Tire
Veber 4300 Print & Apply	From 0.75"x0.75" to 6" x6",	Pressure Sensitive, dye cut.	Tamp blow	Varies	Varies	Depending on label size, product sizes	Tamp blow or swing arm
r whhià	to 6" x6", depending on	uye cut.				size, product sizes and conveyor speed	swing arm configurations.

LABELLING	G							METAL DETECTOR	S			
MAKER &	LABEL SI	IZE LABEL STYLE* I	ABEL	CONTAINER	CONTAINER S	PEED	SPECIAL	MAKER & MODEL	SPEED	ACCURACY	REJECT DEVICE	SPECIAL FEATURES
MODEL	RANGE		ADHESION	STYLE	HEIGHT,		FEATURES	Phantom	4000fpm	•.15mm	Various	Never Obsolete; Parts, Service
Weber Alpha	From 0.75"x		METHOD	Varios	Varies U	lp to 400	Stepper mottor					and software upgrades are always available. Custom
Compact	to 6"x12",	dye cut.	low.	valles	la	bels/min.	driven. Wipe-on					manufactured to suit any application. Features include:
	depending of application.	on			S	epending on labe ize, product sizes	configurations.					Digital Signal Processing Technology, Ultra Sensitive
						nd conveyor peed.						Detection, Multiple Product Settings, Self Diagnostic
Weber Alpha Compact Plus	From 0.75"x to 6"x12".	(0.75" Pressure Sensitive, \( \) dye cut.	Vipe-on.	Varies		lp to 1,000 abels/min.	Servo motor driven, Wipe-on					Testing, Automatic Calibration, System Set-Up in Seconds,
Compact i lus	depending of	on dye cut.			D	epending on labe	el configurations.					Rugged Casing and IP69K
	application.				a	ize, product sizes nd conveyor		Pinpoint	4000fpm	•.25mm	Various	rated available. Simple, low cost analog
Weber Alpha	From 0.75"x	(0.75" Pressure Sensitive, \	Vine-on	Varies		peed. lp to 100	Stepper mottor	- inpoint	1000ip.ii		Various	detector with excellent performance
Compact LS	to 6"x12", depending of	dye cut.	npo on	*41100	la	abels/min. Depending on labe	driven. Wipe-on	Gravity System	4000fpm	•.15mm	Diverter	Superior protection for
	application.	JII			S	ize, product sizes						free-flowing gravity applications.
						nd conveyor peed.		Pipeline System	4000fpm	•.15mm	Diverter	Customized to achieve superior results in pumped applications.
Turn-key Clam Shell Labeling	From 2"x2" 5"x12"	to Pressure Sensitive, \( \) dye cut.		Clam shells and other similar		lp to 80 abels/min.	Up to 4 Alpha machines per	Pharmaceutical	10,000pm	•.15mm	Flap/Divert	High speed contaminant
system with Alpha Compact and		-,		containers	D		el system. Custom					detection in tablets and candy with power height adjustment
conveyor.					a	nd conveyor	application's specs.	Pneumatic Contact Communication	4000fpm	•.5mm	Diverter	Pneumatic conveyor inspection Make your Metal Detector a
Model 121	Minimum: 0			Cylindrical	Varies U	peed. Ip to 80	Compact built	Software				Critical Control Point, with Long
Turn-key Bottle Wrap Labeling	0.8"" (10mm 20mm)	n x dye cut.		containers (bottle jars, etc.).	es, la D	abels/min. Depending on labe	bottle wrap I turn-key system.					Term Data Storage, Event Logging, On-Demand
system with Alpha Compact and	Maximum 6 12.0"" (150r			Diameter: 1.0" to 7.0"	S	ize, product sizes nd conveyor						Customized Reporting, Compatible with all Fortress
conveyor.	300mm)	IIII X		(25mm to 175mm Height: 1.2" to		peed.						digital metal detectors, Detailed Live View function, Universal
				12.Ŏ"								Data Format, HACCP Compatible, Data Sharing,
LA 4050-AC	from 0.75"x(	0.75" to Pressure Sensitive, \		(30mm to 300mm Varies		lp to 110	High speed print &	V	0001			Unlimited Users
Print&Apply	6"x12", depe on application	ending dye cut. on.				abels/min. Depending on labe	apply system,	Vector Conveyor	300fpm	•.5mm	Various	Custom built to suit the detector and the application;
					S	ize, product sizes nd conveyor						Vector Conveyors are manufactured from Stainless
					S	peed.						Steel and are suitable for harsh washdown environments.
Tronics series 3	applications	for wrap Pressure Sensitive, \ s, up to dye cut.	Vipe-on	Varies		lp to 180 abels/min.	Used in high speed front & back, top &					Choose from a variety of reject
	5.5" width, 1 long)	12.5"					bottom or bottle wrap applications.					systems, belt sizes, belt configurations and sensors to
Herma H400	Standard: U	Ip to Pressure Sensitive, \		Varies		lp to 1,000	Servo motor	Vertex System	4000fpm	.0mm	Various	maximize detector accuracy.  The compact Vertex fits where
	6.3' Optiona 12.6'	al: Up to dye cut.	llow.		D	abels/min. Depending on labe	driven. Wipe-on and tamp blow					other metal detectors can't - typically between a Multihead
					а	ize, product sizes nd conveyor	comigurations.					Weigher and a VFFS machine (bagger)
					s	peed.		Big Bag System	4000fpm	.5mm	Various	Superior detection in big bag
LEAK - CO	NTAINER	INSPECTION SYST	EMS									applications. Achieves detection of 2.0mm Stainless
MAKER & MOD		CONTAINER TYPE	LEAK SIZE		SPEED	CONTAI	NER FEATURES					Steel (316) in 50-100lb (25-50kg) bags of dry product
ABBEY PACKAGI Teledyne TapTone		ENT LTD Glass, Metal, and Plastic - Ja	rs, Low Vacuum	1	Jp to 2000/min	Non-conta	ct					and ferrous and non-ferrous metal as small as 1.5mm.
Teledyne TapTone		Cans, and Bottles				740/1-00Hdd		Laboratory	4000fpm	•.8mm	Flap Gate	Further examine rejected product from an in-line Large
Teledyne TapTone		Glass, Metal, and Plastic - Ja Cans, and Bottles	rs, Low Vacuum	·	Jp to 2000cpm							Bag or Gravity detection
Teledyne TapTone		Glass, Metal, and Plastic - Ja Cans, and Bottles	rs, Leaks, Fill Level Pressure, Physic		Jp to 2,000cpm		y inspection sensors; Proximity, X-Ray,					system. Quickly filter out contaminants and reclaim good
							oVu, CodeVu,	Halo			Various	product. Automatic Testing System;
Teledyne TapTone		Plastic Containers, Tubes,	10 to 15 thou	3	300ft/min	1-4 primar	y inspection sensors;					Provides automatic, accurate and consistent tests.
		Food/dairy cups				Proximity,	sion, X-Ray, Laser) CapVu,					Decreases manual testing
Teledyne TanTone	e T4000-DSC	Plastic Containers, Tubes,	4 to 6 thou		525ft/min	CodeVu, T	otalView y Inspection sensors;					frequency and machine downtime. System has
rolodyllo raprollo		Food/dairy cups, Stand up pouches	1 10 0 1101		201011111	(Dual Com	pression, Proximity ser, Acoustic)	Interceptor	4000fpm	•.1	Various	impressive ROI. Simultaneous Multi-Frequency
		<u>'</u>				CapVU, Co	odeVu, TotalView					Operation, Broad Spectrum Frequency Transmission, ARM
Teledyne TapTone		LN2 dosed teas, juices and water PET containers	5-10psi drop	3	300ft/min	(Compress	y Inspection sensors; sion, X-Ray,					Processors: Multiple Channel Signal Processing, 100%
						Proximity, CodeVu, T	Laser) CapVu, otalView					Detection Sensitivity Increase,
Teledyne TapTone	e T4000-FS	Aerosol Containers, Heavy Duty Aluminum, Can/Bottle	1-2psi drop	5	525ft/min	1-4 primar	y Inspection sensors; Ray, Proximity,					Noise Immunity Structure. Cost effective alternative to x-ray.
		Applications				Laser) Car TotalView	oVu, CodeVu,	HEAT & CONTROL CANADA CEIA THS/21 MS	INC Variable	Highest sensitivity & stability	Various	Multiple spectrum, eliminates
HEAT & CONTRO	OL CANADA II	NC				Totalview		OLIX THOILT MO	variable	riigiloot scrioitivity & stability	various	false rejects, continous self recalibration, one-pass
Ishida TSC-RS-120		Bags up to 120mm thick, 330mm wide	Pin hole:3mm	ι	ıp to 150 bpm	Servo mot product da	or control; prevents					Autolearn, IP69K washdown
	: Heat Sealing	Packaging Supplies & Equ	ipment, Concord C			•	mago	CEIA THS/FB	Variable	Highest possible	Push plate, air blast	Conveyor system for THS detectors, integrated controls
Leak-Master Easy Leak-Master		All flexible and rigid packs As above	Resolution: 1 pp		30 sec Minimal response time	As above As above		CEIA THS/G21	Variable	Highest possible	Various	Single frequency cancels environmental interference,
Leak-Master MAPN	MAX	As above	Resolution: 1 pp	m 1	15 cycles/min	As above						continuous self-calibration,
OxyBaby - Gas An		Various containers including bottles and cans	0.1% - steps	\	/aries on gases	As above		CEIA THS/21E	Variable	Highest possible	Various	auto learn, IP69K washdown Economical single & three
PA Series - Gas Ar MAPY	nalyser	As above As above	0.1% - steps 0.1% - steps		/aries on gases	As above						frequency models, continuous self-calibration, auto learn,
Inline Gas Analyse		As above	0.1% - steps		/aries on gases /aries on gases	As above Various Pa	ackaging Styles	CEIA THS/RB-800	Variable	Highest possible	Various	IP69K washdown 800mm long, Slim-line metal
METAL DET	TECTORS	\$						CLIA ITIO/IND-000	Valiable	riigilest possible	valious	detector integrated with
MAKER & MOD		SPEED	ACCURACY		REJECT DEVICE	SPECIAI	FEATURES	LOMA SYSTEMS INC (In B.C				conveyor, controls
ABBEY PACKAGI	ING EQUIPM	ENT LTD						Loma IQ & IQ3 With & without material handling conveyors	to suit	from 0.2mm	to suit	Variable Frequency
Anritsu Industrial S USA Inc. duw Meta		Variable; 5 to 90m/min	From 0.5mm; Pro Dependent	oduct A	Automatic	Dual-wave frequency,	simultaneous IP30 or IP66	METTLER TOLEDO INC (SI	hawpak System Limited, Oakvil	le, ON)	T 24 P P	
(M5)			·			Complaint Variable S	, Variable Height, peed, Touch Screen	Safeline Rectangular Aperture Metal Detectors	20-350 Tt min		To suit Application	
Anritsu Industrial S		Variable; to 90m/min	duw-h High Accu	uracy; Product A	Automatic	Dual-wave	simultaneous	Safeline Gravity Fall Metal Detection systems	400- kg/hr -38,000 kg per hour		To suit Application	
USA Inc. duw-h Me	letal Detector		Dependant			Compliant	IP30 or IP66 Variable Height,	Safeline Vertical Packaging	150 cycles per minute or as per		To suit Application	
Cassel (Magnetic F	Products	Variable	From 0.5mm		/arious		peed, Touch Screen d DSP, multiple	Metal Detectors  Dafeline Pipeline Liquid Paste	GF above 20,000 lb/hr		To suit Application	
Inc.) Metal Shark C Detector (BD)							IP65 to IP69 rated	and Slurry Metal Detectors				
Cassel (Magnetic F	Products	Variable	From .05mm	\	/arious	Ultra High	Sensitivity,	MULTIVAC CANADA	40/		Double of the state of the stat	Delichie data di confellocatale
Inc.) Metal Shark F Sensitivity						frequency,	d DSP, multiple IP65 to IP69 rated	310	48/min		Pusher, air blowing nozzle, diverter, hinged conveyor	Reliable detection of all metals. Robust stainless steel.
Cassel (Magnetic F Inc.) Metal Shark G	Products Gravity Fed	Variable	From 0.05mm	\	/arious	High-Spee frequency,	d DSP, multiple IP65 to IP69 rated	<ul> <li>PLAN AUTOMATION INC Fortress Technologies</li> </ul>	Up to 2000ppm	Down to 0.3mm for FE, Non-FE	- Application Dependant	
Detector (GF) Cassel (Magnetic F		Variable	From 0.05mm	1	/arious		d DSP, multiple			and SS		into Claire OC'
Inc.) Metal Shark F Detector (PL)			5 5.00/11111	`			IP65 to IP69 rated	PPI NOW	In Canada: Charles Downer 8 50	Co., Ltd, Richmond Hill, ON; A	Aesus Packaging Systems, Pol Yes	inte Claire, QC) Includes check weigher
Cassel (Magnetic F	Products	Variable	From 0.25mm	\	/arious	High-Spee	d DSP, multiple	SESOTEC CANADA LTD GENIUS+GLS	400fpm+	Up to 0.8mm	SOD, Pusher, Plow Retract	low maintenance high
Inc.) Metal Shark Pharmaceutical (Pl							IP65 to IP69 rated		<u> </u>	·		Low maintenance, high performance
Magnetic Products Magnetic Separato	s Inc.	Variable	Magnets are ava	ailable in a r o meet	n/a		rge and small tramp high volume,	GHF	400fpm+	Up to 0.5mm	SOD, Pusher, Plow Retract	Ultra high sensitivity, touch screen, USB
go.o ooparato			application requi			abrasive, v	vertical gravity-fed reams to provide max	Rapid ship MD Conveyor Sanicon MD Conveyor	200fpm Up to 300fpm	UP to 0.5mm Up to 0.5mm	SOD, Pusher, Plow SOD, Pusher, Plow Retract	Quick Delivery Custom Sanitary MD Conveyor
						product str metal reter		Liquiscan Metal Detector	300GPM+	Up to 0.8mm	Reject Valve	2", 3", 4", 6.5mm diameters for
Bizerba CANAD Bizerba		Variable	0.25 FE		Belt stop/buzzer	Integrated	checkweigher					pumped liquids, pastes and meals
GLS Series	_		<del>_</del>	F	Pusher/Drop down	option st. s		Rapid Series Gravity Free Fall	25 tons/hr	Up to 0.5mm	Diverters to suit	Ultra high sensitivity, Robust sanitary design
GHF Series					Air blow, sorter			P-Scan Metal Detector	Gravity Free Fall	Up to 0.5mm		Suitable to VFFS machines,
• EAGLE PI (In Ca					ON)	n Poeks 1	or Raw Product	GF-400	Vacuum Conveying	Up to 1.5mm	Enclosed divert flap	sero metal free zone Rejects metal from pneumatic
		Automation, Orangeville, ON				Farkanen	OF INAM FIDUUCL		Vacuum Conveying	· ·	· • F	conveying lines up to 0.5mm
Eagle PI Systems		Automation, Orangeville, ON Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection	: Automatic product			Ferrous metals	Traps ferrous metal	
			Down to 0.2mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina	: Automatic product and rejection for: nts, check-weighing	Magnetic Separation	No limit	Ferrous metals	Traps ferrous metal	Easy-clean, sanitary design
			Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina and defect	: Automatic product and rejection for:	Magnetic Separation SHAWPAK SYSTEMS LTD	No limit	Ferrous metals 0.2 mm and up	•	Easy-clean, sanitary design
			Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina and defect Dual Energunparallele low-densit	: Automatic product and rejection for: nts, check-weighing ss. Patented MDX gy X-ray for d detection of y contaminants such	Magnetic Separation			Traps ferrous metal  As above	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto
			Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina and defect Dual Ener unparallele low-densit as: plastic,	: Automatic product and rejection for: nts, check-weighing s. Patented MDX gy X-ray for ad detection of y contaminants such rubber, bones,	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro	No limit 0-900 fpm	0.2 mm and up	As above	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase
			Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina and defect Dual Ener unparallele low-densiti as: plastic, stones, gla Traceabilit	: Automatic product and rejection for: hts, check-weighing s. Patented MDX gy X-ray for ed detection of y contaminants such rubber, bones, iss, etc. EagleTrace y Software. Can	Magnetic Separation SHAWPAK SYSTEMS LTD	No limit		•	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase  Microprocessor digital access code protected. Auto product
			Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina and defect Dual Energunparallele low-densit as: plastic, stones, gla Traceabilit inspect rar from multi,	: Automatic product and rejection for: nts, check-weighing s. Patented MDX gy X-ray for detection of y contaminants such rubber, bones, ss, etc. EagleTrace y Software. Can idomly in-feed cases le lines	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro	No limit 0-900 fpm	0.2 mm and up	As above	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase  Microprocessor digital access
			Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina and defect Dual Enern unparallele low-densitias: plastic stones, gla Traceabiliti inspect rar from multij simultame reader. Un	Automatic product and rejection for: nats, check-weighing s. Patented MDX gy X-ray for ad detection of y contaminants such rubber, bones, ses, etc. EagleTrace y Software. Can domly in-feed cases ble lines using a barcode matched Canadian	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal	No limit 0-900 fpm	0.2 mm and up	As above	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase  Microprocessor digital access code protected. Auto product set-up automatic balance control  Patented design, not influenced
			Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N	Air Knife, Piston Arm, Dro	Inspection inspection contamina and defect Dual Enern unparallele low-densitias: plastic stones, gla Traceabiliti inspect rar from multij simultame reader. Un	Automatic product and rejection for: nts, check-weighing s. Patented MDX gy X-ray for ad detection of y contaminants such rubber; bones, ses, etc. EagleTrace y Software. Can idomly in-feed cases ble lines uusly using a barcode matched Canadian dants support from detection of y contaminants with the service of the servic	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)	No limit  0-900 fpm  5-900 fpm	0.2 mm and up 0.5 mm	As above  Automatic, as required	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase  Microprocessor digital access code protected. Auto product set-up automatic balance control  Patented design, not influenced by nearby metal  All detector features for dry
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection contamina and defect Dual Ener unparallele low-densit as: plastic stones, gle Traceabilit inspect rar from multi, simultanee reader. Un service an PLAN Aute	Automatic product and rejection for: nts, check-weighing s. Patented MDX yy X-ray for ad detection of y contaminants such rubber; bones, ss, etc. EagleTrace y Software. Can udomly in-feed cases be lines susly using a barrodd matched Canadian d parts support from omation.	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed)	No limit  0-900 fpm  5-900 fpm  As above  Varies	0.2 mm and up  0.5 mm  0.5 mm	As above  Automatic, as required  As above  Automatic diverter	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase Microprocessor digital access code protected. Auto product set-up automatic balance control Patented design, not influenced by nearby metal All detector features for dry bulk solids
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro	Inspection inspection inspection contamina and defect Dual Ener unparallel low-densiti as: plastic stones, gla Traceabiliti inspect rar from multij simultanec reader. Un service an PLAN Autr Never Obs and softwa	Automatic product and rejection for: nts, check-weighing s. Patented MDX yy X-ray for ed detection of y contaminants such rubber, bones, sss, etc. EagleTrace y Software. Can domly in-feed cases ble lines ususly using a barcode matched Canadian d parts support from mation.	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone)	No limit  0-900 fpm  5-900 fpm  As above	0.2 mm and up  0.5 mm  0.5 mm	As above  Automatic, as required  As above	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase  Microprocessor digital access code protected. Auto product set-up automatic balance control  Patented design, not influenced by nearby metal  All detector features for dry bulk solids  Ss heavy duty seals for washdown applications. All
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection contamina and defect Dual Ener unparallele low-densit as: plastic, stones, gle Traceabilit inspect rar from multij simultanec reader. Un service an PLAN Aute  Never Obs and softwa Always av manufactu	Automatic product and rejection for: nts, check-weighing s. Patented MDX ay X-ray for sid detection of y contaminants such rubber, bones, siss, etc. EagleTrace y Software. Can idomly in-feed cases be lines usuly using a barcode matched Canadian d parts support from omation.  solete; Parts, Service are upgrades are aliable. Custom red to suit any	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed)	No limit  0-900 fpm  5-900 fpm  As above  Varies	0.2 mm and up  0.5 mm  0.5 mm	As above  Automatic, as required  As above  Automatic diverter	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase Microprocessor digital access code protected. Auto product set-up automatic balance control Patented design, not influenced by nearby metal All detector features for dry bulk solids Ss heavy duty seals for washdown applications. All detector features inspection of foil wrapped
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection contamina and defect Dual Ener unparallele low-densit as: plastic, stones, gle Traceabilit inspect rar from multij simultane reader. Un service an PLAN Autr Never Obsand softwa Always av. manufactu applicatior	Automatic product and rejection for: nst, check-weighing s. Patented MDX gy X-ray for ad detection of y contaminants such rubber, bones, ses, etc. EagleTrace y Software. Can ddomly in-feed cases ble lines ously using a barcode matched Canadian d parts support from mation.	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed) Safeline PL (Pipeline)	No limit  0-900 fpm  5-900 fpm  As above  Varies	0.2 mm and up  0.5 mm  0.5 mm  0.25 mm  As above	As above  Automatic, as required  As above  Automatic diverter  Automatic 3-way valve	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase Microprocessor digital access code protected. Auto product set-up automatic balance control Patented design, not influenced by nearby metal All detector features for dry bulk solids Se heavy duty seals for washdown applications. All detector features Inspection of foil wrapped products Ultimate sensitivity, vibration
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection contamina and defect Dual Ener unparallele low-densit as: plastic stones, gle Traceabilit inspect rar from multi, simultanec reader. Un service an PLAN Aute Never Obs and softwa Always aw manufactut applicatior software ir date trad tate trade trad	Automatic product and rejection for: nts, check-weighing s. Patented MDX yy X-ray for ad detection of y contaminants such rubber, bones, sse, etc. EagleTrace y Software. Can udomly in-feed cases bel lines susly using a barcode matched Canadian d parts support from mation.  Joilete; Parts, Service are upgrades are aillable. Custom ret of suit any let of the part of the contaminant of the con	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed)  Safeline PL (Pipeline)  Safeline Ferrous	No limit  0-900 fpm  5-900 fpm  As above  Varies  Varies  200 fpm	0.2 mm and up  0.5 mm  0.5 mm  0.25 mm  As above	As above  Automatic, as required  As above  Automatic diverter  Automatic 3-way valve  Automatic, as required	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase Microprocessor digital access code protected. Auto product set-up automatic balance control Patented design, not influenced by nearby metal All detector features for dry bulk solids Ss heavy duty seals for washdown applications. All detector features Inspection of foil wrapped products Ultimate sensitivity, vibration immunity, multi-frequency,
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection inspection contamina and defect Dual Ener unparallel low-densit sa: plastic. stones, gle Traceabilt inspect rar from multij simultanec reader. Un service an PLAN Aute Never Obs and softwa Always av. manufactu applicatior software ir date transt HACCP oc include: Di	Automatic product and rejection for: nts, check-weighing s. Patented MDX ay X-ray for sid detection of y contaminants such rubber, bones, siss, etc. EagleTrace y Software. Can idomly in-feed cases ole lines sussy using a barcode matched Canadian d parts support from omation.  solete; Parts, Service are upgrades are aliable. Custom red to suit any in Data collection house. Features gital Signal.	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed)  Safeline PL (Pipeline)  Safeline Ferrous	No limit  0-900 fpm  5-900 fpm  As above  Varies  Varies  200 fpm	0.2 mm and up  0.5 mm  0.5 mm  0.25 mm  As above	As above  Automatic, as required  As above  Automatic diverter  Automatic 3-way valve  Automatic, as required	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase Microprocessor digital access code protected. Auto product set-up automatic balance control Patented design, not influenced by nearby metal All detector features for dry bulk solids Ss heavy duty seals for washdown applications. All detector features linspection of foil wrapped products Ultimate sensitivity, vibration immunity, multi-frequency, uniphase Variable frequency metal
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection inspection inspection contamina and defect Dual Ener unparallel lundering in service in service and particular inspect rar from multij simultanec reader. Un service an PLAN Aute  Never Obs and softwe Always av manufactu applicatior software ir date transi HACCP oc include: Di Processing Sensitive I	Automatic product and rejection for: nts, check-weighing s. Patented MDX yy X-ray for ad detection of y contaminants such rubber; bones, ses, etc. EagleTrace y Software. Can idomly in-feed cases ole lines uusly using a barcode matched Canadian d parts support from omation.  solete; Parts, Service are upgrades are ailiable. Custom ired to suit any . Data collection cluded, with USB fer; suitable for suitab	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed) Safeline PL (Pipeline)  Safeline Perrous Safeline Powerphase  Powerphase Pro Select  THERMO FISHER SCIENTIFIC	No limit  0-900 fpm  5-900 fpm  As above  Varies  Varies  200 fpm  5-900 fpm  0-900 fmp  C (In Canada: Thermo Fisher Sc	0.2 mm and up  0.5 mm  0.5 mm  0.25 mm  As above  1.0 mm  0.4mm  0.2 mm and up	As above  Automatic, as required  As above  Automatic diverter  Automatic 3-way valve  Automatic, as required  Automatic, as required	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase  Microprocessor digital access code protected. Auto product set-up automatic balance control  Patented design, not influenced by nearby metal All detector features for dry bulk solids  Ss heavy duty seals for washdown applications. All detector features Inspection of foil wrapped products  Ultimate sensitivity, vibration immunity, multi-frequency, uniphase
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection inspection contamina and defect Dual Ener unparallele low-densit as: plastic, stones, gle Traceabilit inspect rar from multil simultanec reader. Un service an PLAN Autr Never Obs and software and software in date transit HACCP oc include: Di Processing Sensitive I Product St. Diagnostic	Automatic product and rejection for: nts, check-weighing s. Patented MDX gy X-ray for ad detection of y contaminants such rubber, bones, iss, etc. EagleTrace y Software. Can idomly in-feed cases ple lines ously using a barcode matched Canadian and parts support from matter of the product of the parts support from matter of the p	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed)  Safeline PL (Pipeline)  Safeline Perrous Safeline Powerphase	No limit  0-900 fpm  5-900 fpm  As above  Varies  Varies  200 fpm  5-900 fpm  0-900 fmp  C (In Canada: Thermo Fisher Sc	0.2 mm and up  0.5 mm  0.5 mm  0.25 mm  As above  1.0 mm  0.4mm	As above  Automatic, as required  As above  Automatic diverter  Automatic 3-way valve  Automatic, as required  Automatic, as required	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase Microprocessor digital access code protected. Auto product set-up automatic balance control Patented design, not influenced by nearby metal All detector features for dry bulk solids Ss heavy duty seals for washdown applications. All detector features inspection of foil wrapped products Ultimate sensitivity, vibration immunity, multi-frequency, uniphase Variable frequency metal detector  Reliable & robust, dual
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection contamina and defect Dual Ener unparallel low-densit as: plastic, stones, gle Traceabilit inspect rar from multil simultaner reader. Un service an PLAN Autr Never Obsand software in date transit HACCP or include: Di Processing Sensitive in Product Sc. Diagnostic Calibration Seconds, i	Automatic product and rejection for: nats, check-weighing s. Patented MDX gy X-ray for 3d detection of y contaminants such rubber, bones, ses, etc. EagleTrace y Software. Can idomly in-feed cases be lines susly using a barcode matched Canadian d parts support from mation.  Joilet Parts, Service rerupgrades are instable for suit any to Data collection, dutied, with USB er, suitable for myliance. Features gital Signal Technology, Ultra Jetection, Multiple stitings, Self Testings, Automatic , System Set-Up in Test Memory	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed)  Safeline PL (Pipeline)  Safeline Ferrous  Safeline Powerphase  Powerphase Pro Select  THERMO FISHER SCIENTIFIT Thermo Scientific™ APEX 100 Metal Detector	No limit  0-900 fpm  5-900 fpm  As above  Varies  Varies  200 fpm  5-900 fpm  0-900 fmp  C (in Canada: Thermo Fisher So 0.5-1000m/min	0.2 mm and up  0.5 mm  0.5 mm  0.25 mm  As above  1.0 mm  0.4mm  0.2 mm and up  clientific, Burlington, ON)  Application specific	As above  Automatic, as required  As above  Automatic diverter  Automatic 3-way valve  Automatic, as required  Automatic, as required  As required  Custom reject configurations	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase Microprocessor digital access code protected. Auto product set-up automatic balance control Patented design, not influenced by nearby metal All detector features for dry bulk solids Se heavy duty seals for washdown applications. All detector features Inspection of foil wrapped products Ultimate sensitivity, vibration immunity, multi-frequency, uniphase Variable frequency metal detector  Reliable & robust, dual frequency (dual gain operation for application flexibility
Eagle PI Systems	CHNOLOGY II	Up to 120mpm and 1500ppm	Down to 0.2mm and SS, 0.8mm Ceramic, 1.5mm Bones, etc.	for FE, Non-FE A Glass, 1.25mm N Calcified	Air Knife, Piston Arm, Dro Vose, Etc.	Inspection inspection contamina and defect Dual Ener unparallel low-densit as: plastic, stones, gle Traceabilit inspect rar from multil simultaner reader. Un service an PLAN Autr Never Obsand software in date transit HACCP or include: Di Processing Sensitive in Product Sc. Diagnostic Calibration Seconds, i	Automatic product and rejection for: nts, check-weighing s. Patented MDX 3y X-ray for 3y X-ray for 3y X-ray for 3y Contaminants such rubber; bones, ses, etc. EagleTrace y Software. Can domly in-feed cases ole lines ususly using a barcode matched Canadian d parts support from smallon.  Solete; Parts, Service are upgrades are ailable. Custom red to suit any 1. Data collection cluded, with USB fer; suitable for suitable	Magnetic Separation  SHAWPAK SYSTEMS LTD Safeline Powerphase Pro  Safeline (Conveyor System)  Safeline ZMFZ (Zero Metal Free zone) Safeline GF (Gravity Feed)  Safeline PL (Pipeline)  Safeline Powerphase  Powerphase Pro Select  THERMO FISHER SCIENTIFIT  Thermo Scientific ™ APEX 100	No limit  0-900 fpm  5-900 fpm  As above  Varies  Varies  200 fpm  5-900 fpm  0-900 fmp  C (In Canada: Thermo Fisher Sc	0.2 mm and up  0.5 mm  0.5 mm  0.25 mm  As above  1.0 mm  0.4mm  0.2 mm and up	As above  Automatic, as required  As above  Automatic diverter  Automatic 3-way valve  Automatic, as required  Automatic, as required  As required	Easy-clean, sanitary design  Triple frequency operation enhanced one pass auto set-up, colour touchscreen interphase  Microprocessor digital access code protected. Auto product set-up automatic balance control  Patented design, not influenced by nearby metal All detector features for dry bulk solids  Ss heavy duty seals for washdown applications. All detector features Inspection of foil wrapped products  Ultimate sensitivity, vibration immunity, multi-frequency, uniphase  Variable frequency metal detector  Reliable & robust, dual frequency (dual gain operation

MAKER & MODEL	SPEED	ACCURACY	REJECT DEVICE	SPECIAL FEATURES
MAKER & MODEL  Thermo Scientific™ APEX	0.5-1000m/min	Application specific		Audit Check verification, highe
500/500HD Metal Detector	0.5-1000m/min	Application specific	Custom reject configurations	sensitivity, HD designed to go beyond IP69K ratings
Thermo Scientific™ APEX 500Rx Metal Detector	0.5-1000m/min	0.3mm metal	Custom reject configurations	Tablet presses, capsule filling pharma applications, ultra high sensitivity, CFR 210 and 211 compliant
VC999 CANADA LTD  Xtravac MDM4121	Conveyoer belt speed: 30 m/min	Detecting accuracy: FE 1.5 mm, SUS 2.5 mm	no, stop and alarm	Belt direction available both ways
Xtravac MD3113	Conveyer belt speed: 10-45 m/min	Detecting accuracy: FE 1.0mm, SUS 2.2m	, yes in close bin	Left to right or right to left
<b>MODIFIED ATMOS</b>	PHERE PACKAGING			
MAKER & MODEL	MATERIALS HANDLED	PLATEN AREA OR PACKAGE SIZE	INTERMITTENT OR CONTINUOUS MOTION	FEATURES
ALEX E JONES & ASSOCIA Hayssen - RT Series	TES LTD Laminate, Barrier	Varies dependent on product	Continuous Motion	Long dwell rotary dies to provide a hermetic seal
CIMA PAK CORPORATION Henkovac TPS XL	Performed Trays CPET, APET, and PP	Max tray size 395 X 290 X 100 mm or multiples of smaller	Intermittent	Fine Programming
Rotopack SVR Turn	Preformed Trays, CPET, APET and PP		Intermittent	Continuous production
Frimaq Mini2V	Preformed Trays CPET, APEt and PP	Maximum Tray size 21 x 12.75 x 4in	Intermittent	More trays per cycle in a smal machine
GO PACKAGING Veripack	wrapper Tray Sealers & Thermoforming equipment			
Mondini Trave	Rigid pre-forms	up to 500 x 1400 min	Intermittent	Mechanical sealing
M & M PACKAGING ASSOC Bosch • MULTIVAC CANADA	Heat Sealable	Large Range	Continuous & Intermittent	
R105	Food, Medical, Consumer Industrial	Up to 355x300mm	Intermittent	
R126	As above	Up to 420x360mm	Intermittent	
R145	As above	Up to 420x400mm	Intermittent	
R245	As above	Up to 560x640mm	Intermittent	
R535	As above	Up to 650x1300mm	Intermittent	
Traysealer Series	As above	Up to 980x300mm	Intermittent	
PFM Falcon HSLD	ERY CORP (In Canada: Unisourc Laminates, metallized and other barrier materials	7.8x8.6x3.1 in.(H)	Continuous	Packs cheese, meat, poultry, pharmaceutical, bakery, confectionery
PFM Tornado LD, BBLD	As above	19.6x9.5x3.9 in.(H)	Continuous	As above
PFM Mistral & Mistral BB	As above	13.7x11.8x4 in.(H)	Continuous	As above
PFM Mistral HS, BBHS	As above	7.8x8.6x3.1 in.(H)	Continuous	As above
PFM Scirocco BB, BBHS	As above	7.8x7x3.1 in.(H)	Continuous	As above
PFM PV260 LD (VFFS)	As above	15.5x9 in.(W)	Continuous	As above
REISER CANADA CO			D #	AH
Repak Ross Inpack	All industry standards Preformed trays & heat	Various To suit trays	Both Intermittent	All stainless steel MAP/CAP versatility
	sealable materials	T	D-4h	MADIOAD
Supervac	Heat sealable	To suit bags	Both	MAP/CAP versatility
A4	Sealing Packaging Supplies & E As above	Varies on tool size	Continuous	Improved product presentation with inside cut and easy peel point technology, Wash down stainless steel, continued
A5	As above	Varies on tool size	Continuous	IP65 protection standard, Remote support via internet, Can be configured for left to right or right to left operation.

MAKER & MODEL	MATERIALS HANDLED	PLATEN AREA OR PACKAGE SIZE	INTERMITTENT OR CONTINUOUS MOTION	FEATURES
A6	As above	Varies on tool size	Continuous	As above
A7	As above	Varies on tool size	Continuous	As above
A8	As above	Varies on tool size	Continuous	As above
A10	All heat sealable materials	Varies on tool size	Continuous	Versitile machine can do MAF Trayskin, and EasyLid with a 10 minute tool change (no too required), continued
SIPROMAC II INC Sipromac TS-30	All heat sealable films	Max tray: 13x9 in.	Semi-continuous	Busch pump, gas tank, 1 to 4 trays
Sipromac TS-70	All heat sealable films	Max tray 16x9 in.	Continuous	Busch pump, gas tank, 1 to 5 trays, exit conveyor on single lane, tray denester
SUPERVAC MASCHINENBAU Supervac	J GMBH (In Canada: Reiser (Ca Various	nada) Ltd., Burlington, ON)	both	Map & cap Applications
TNA NORTH AMERICA INC				
TNA Robag	OPP/BOPP	2-1/2 to 16-1/2 in.W	Continuous	Software integration with bagger
VC999 CANADA LTD	All -i to	Observation of the land	D-#-	He to 000 town feets
VC999 TS Line	All size trays	Single and multiple	Both	Up to 200 trays/min
Xtravac TS Line	All size trays	As above	Both	As above
ORIENTING & UNSO	RAMBLING			
MAKER & MODEL	PRODUCTS HANDLED	OPERATION	SPEED	FEATURES
ALEX E JONES & ASSOCIAT	ES LTD			
Lanfranchi - TurnMaster Orienter	Plastic, bottles	Rotary Orienter	Up to 500bpm	Orienting (i.e. 90°, 180° and 270°)
Lanfranchi - Flexi Unscrambler	Plastic, PET and HDPE bottles	Rotary Unscrambler	Up to 250bpm	Automatic Change-over, Gen with bottles, High uptime and efficiency.
ASSOCIATED PACKAGING E				•
APEC-PPF-01	Small containers	Orientation	500 cpm	Special shape
BRADMAN LAKE INC				
POF	Suitable for: Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods	Product Orientation Feeder		Wide range features
ADS	Suitable for: Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods, Dry Foods, Consumer and Healthcare Products.	Automatic distribution system		Wide range features
PF and SPF	Suitable for: Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods	Phase Feeders, and shuttle phase feeders		Wide range features
BTU	Suitable for: Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods	Bar Turner Unit		Wide range features
CAPMATIC LTD		Determina	200 1	Out to be a second
Capmatic SortStar	Small range bottles	Rotary	200 bpm	Quick change over
SortStar Pharma	Small range bottles	Rotary	250BPM	Quick change over
FEED SYSTEMS INC (In Cana FS-U	ada: Newmapak Ltd) Glass, plastic, metal bottles & jars	Semi-automatic	Up to 120 bpm	No change parts, variable speed
FSRF-36	Plastic & metal bottles & jars, up to 16 oz.	As above	100 to 400 bpm	As above
	trx, Pointe-Claire, QC)	Rotary table	To 100 cpm	Anti-jam up oscillator
FILAMATIC (In Canada: Bella Filamatic, Unscrambling and Accumulating Tables	Glass & plastic vials	Total y table		
Filamatic, Unscrambling and		Belt & Hook	Up to 500 bpm	SS Construction, Fast
Filamatic, Unscrambling and Accumulating Tables FLEXI PACK MACHINERY SO	DLUTIONS INC		Up to 500 bpm  Based on Container	SS Construction, Fast Changeover SS Construction, Fast Changeover

# NEXT EVOLUTION in metal detection

## NTERCEPTOR METAL DETECTOR

At a much lower cost of ownership than x-ray systems, this new simultaneous multi-frequency technology provides food producers, a cost effective alternative for their food safety programs.

The Interceptor, effectively processes the transmission and reception of multiple frequencies continuously over a broad spectrum. This revolutionary operation facilitates an improvement in detection capabilities of up to 100% with stainless steel, especially when inspecting traditionally difficult "wet" products.



## **NEVER OBSOLETE:**

## Our Metal Detectors Are Always Supported

Fortress metal detectors have always been engineered with a Never Obsolete Commitment. Our customers have peace of mind that a Fortress metal detector will always be supported with parts, software upgrades and a global service team for the life of the detector.

Stay up to date without having to purchase a new detector.



WWW.FORTRESSTECHNOLOGY.COM

ORIENTING & UNSO	CRAMBLING			
MAKER & MODEL Kaps-All AU-6	PRODUCTS HANDLED Pharmaceutical, Personal Care Product, Foods and Chemicals	into supply hopper, gently deposited into rotary re-feeder bowl, single-filled and sent down slide chute, enter a stand-up unit which orients	SPEED For low, medium and high-speed bottling lines	FEATURES  Can handle most container shapes. Stainless Steel and Fast changeover
Kaps-All AU-6C	Pharmaceutical, Personal Care Product, Foods and Chemicals	into supply hopper, gently deposited into rotary re-feeder bowl, single-filled and sent down slide chute, enter a stand-up unit which orients	For low, medium and high-speed bottling lines	Can handle most container shapes. Stainless Steel and Fast changeover
Kaps-All Packaging	Plastic containers	bottles to an upright position. In-line unscrambler to accept bulk bottles from hopper and orientate them onto take away conveyor	up to 150 bpm	Can have integrated rinsing of bottles
LANFRANCHI SRL (In Canada Lanfranchi Rotary Bottle Unscramblers	a: Newmapak Ltd.) Plastic Bottles	Automatically feeds bottling lines.	60 to 1,200 bpm	Vacuum Starwheels Lift Master, Vacuum Sliding Plates.
Lanfranchi Unscrambler/Rinser Monoblocs		Automatically feeds and cleans plastic bottles prior to filling.		Gentle handling of all bottles Same as above
Lanfranchi Bottle Air Conveyor		Conveying of plastic bottles by means of neck handling.		Gentle handling of bottles. Optional automatic Infinity guide rail change over system.
Lanfranchi	All types of plastic containers	Rotary system that takes bulk bottles and orientates them to an upright position onto exiting conveyor	U to 1200 bpm	Can have integrated rinsing of bottles
NALBACH ENGINEERING CO Necosort III	MPANY INC As above	Vertical bowl	1,000 bpm	Damaged bottle tolerant, small footprint
Necosort	Plastic Bottles	Inclined	400 bpm	3 year warranty Only 2 moving parts Quick change-over flexibility
NEW ENGLAND MACHINERY NEHCP	INC Plastic, metal, composite containers to 1 gal.	Unscrambler, places on conveyor, from random bulk supply	300 cpm	Optional air-cleaner, adjustable small footprint
NJM PACKAGING UNISORT 32 Unscrambler	Plastic round, rectangular, square	supply	up to 200bpm	Compact footprint, infeed hopper, easy install
OMA PACKAGING (In Canada OMA Packaging	a: Newmapak Ltd) Glass and Plastic bottles	Bottles are depalletized either by means of gripping or sweep-off onto take away	up to 300bpm	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
OMEGA DESIGN CORP (In C Rotary Pocket Unscrambler	anada: Packaging Equipment S	conveyor	50-300	Integrated air rims
Omega-Sort PLAN AUTOMATION INC	Plastic bottles	Automatic	50-300	Desiccant feed, prin & vision
New England Machinery  PALLETIZING	Rigid containers	Continuous	Up to 400 ppm	all S.S. construction
MAKER & MODEL ABB INC BUSINESS UNIT RO	PRODUCTS HANDLED BOTICS Boxes, cases, bags, pails, etc.	SPEED	OPERATION  Material handling, palletizing,	FEATURES 250 kg payload, 3.15m reach,
IRB 6640	As above		depalletizing As above	IP67 protection 130 kg payload, 3.20mm
IRB 760	As above		As above	working area, IP67 protection 450 kg payload, 3.20mm reach IP67 protection
ALEX E JONES & ASSOCIAT		Varies dependent on product	Robotic	Single sources OEM
BEUMER CORPORATION Beumer paletpac				Integration & Responsibility  5,000+ bags/hr
Beumer robotpac CHARLES DOWNER & CO LT			D	Up to 1900 bags/hr.
Euroimpianti SKILLED  COLUMBIA MACHINE (In Can	All types of robotic palletizers ada: Chisholm Machinery Sale	various s Limited, Niagara Falls, ON)	Robotic Systems	Specialize in systems, over 100 in operation in Canada
Columbia FL1000	Cases/Trays/Crates/ Bundles	to 10 cpm	Floor Level Infeed	Modular, Small Footprint
Columbia FL1000SW  Columbia FL2000	Cases/Trays/Crates/ Bundles	to 10 cpm	Floor Level Infeed Floor Level Infeed	Integrated Pallet Wrapper  Modular/Flexible Layouts
Columbia FL3000	Cases/Trays/Crates/ Bundles Cases/Trays/Crates/	to 20 cpm	Floor Level Infeed	Modular/Flexible Layouts
Columbia HL2000	Bundles Cases/Trays/Crates/	to 20 cpm	High Level Infeed	Modular, Flexible Layouts
Columbia SP4000	Bundles  Cases/Trays/Crates/ Bundles	to 40 cpm	High Level Infeed	BiParting Stripper Apron
Columbia HL6200	Cases/Trays/Crates/ Bundles	to 60 cpm	High Level Infeed	Modular, Flexible Layouts
Columbia HL7200	Cases/Trays/Crates/ Bundles	to 70 cpm	High Level Infeed	Modular,Flexible Layouts
Columbia HL9200	Cases/Trays/Crates/ Bundles	to 150+	High Level Infeed	Modular, Soft turn Infeed
Columbia LTS Load Transfer Stations	Cases/Trays/Crates/ Drums/Totes	1 Load per min	Lateral Transfer of Full Pallet Loads to a New Pallet - without	Stand Alone to Fully Automatic Systems
Columbia Machine	Cases, Trays etc	5-150 cpm	inverting the load Floor Level, High Level, High Level In-Line	Safety, Flexibility and Performance
COLUMBIA OKURA (In Canad Columbia Okura A700	da: Chisholm Machinery Sales Cases, Trays, Bags, Pails	Limited, Niagara Falls, ON) 4-Axis Articulated Arm	700 picks/hour	Single Source OEM Integration Responsibility
Columbia Okura A1600	Cases, Trays, Bags, Pails	4-Axis Articulated Arm	1600 picks/hour	Single Source OEM Integration Responsibility
Columbia Okura A1800 Columbia Okura	Cases, Trays, Gas, Pails Cases, Pails, Bags,	4-Axis Articulated Arm Servo Driven Articulating Arm	1800 picks/hour 5-40 upm (pattern dependent)	Single Source OEM Integration Safety, Flexibility and Performance
CONSOLIDATED TECHNOLO Robotic Palletizer	GIES INC Cases	Variable		Small Footprint
• EAGLE PACKAGING LLC Z.ZAG	Cases	6/min	Automatic	Lift up to 40 lbs; SCARA designed palletizer equipped to handle a wide range of cases; Lift 1 or 2 cases at a time, designed for multiple pack patterns, both column-stacked and interlocked
EDCON DACKACING MACHIN	JEDY LTD. (In Compdex Alex E	Inna 9 Annaistas)		
	NERY LTD (In Canada: Alex E . Cases, trays, bundles	Jones & Associates) Up to 4 SKUs at up to 40 cpm	Automatic	Easy to program controller accommodates new products/ patterns quickly and can be web supported
PPz 6400  EUROIMPIANTI SPA (In Cana	Cases, trays, bundles  da: Charles Downer & Co. Ltd. Up to 40 kg	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing	Automatic  Up to 40 cycles/min	accommodates new products/ patterns quickly and can be web supported  High payload, modular and
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603	Cases, trays, bundles  da: Charles Downer & Co. Ltd. Up to 40 kg  Up to 120 kg Up to 180 kg	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing,	Up to 40 cycles/min  Up to 15 cycles/min Up to 15 cycles/min Up to 15 cycles/min	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK Gantry	Cases, trays, bundles  da: Charles Downer & Co. Ltd.  Up to 40 kg  Up to 120 kg  Up to 180 kg  Up to 400 kg payload  Up to 4000 kg	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " "	Up to 40 cycles/min Up to 15 cycles/min	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.
EUROIMPIANTI SPA (In Cana SK 304 SK 603 SK 604 SK 604 SK Gantry FANUC ROBOTICS CANADA	Cases, trays, bundles  da: Charles Downer & Co. Ltd. Up to 40 kg  Up to 120 kg Up to 180 kg Up to 400 kg payload	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " "	Up to 40 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK Gantry FANUC ROBOTICS CANADA M-420i Series	Cases, trays, bundles  da: Charles Downer & Co. Ltd.  Up to 40 kg  Up to 120 kg  Up to 180 kg  Up to 400 kg payload  Up to 4000 kg  LTD (In Canada: Fanuc Robo' Cases up to 50 kg payload  Up to 450 kg payload	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " " tique du Canada, Ltee)	Up to 40 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min  Customized	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers complete end of line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope (1855 mm) line
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK Gantry  FANUC ROBOTICS CANADA M-420i Series  M-410iB Series  FLEXI PACK MACHINERY SC Blueprint Automation	Cases, trays, bundles  da: Charles Downer & Co. Ltd. Up to 40 kg  Up to 120 kg Up to 180 kg Up to 400 kg payload Up to 4000 kg  LTD (In Canada: Fanuc Robot Cases up to 50 kg payload  Up to 450 kg payload	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " tique du Canada, Ltee) Up to 4200 mm/sec  Fastest cycle times & highest	Up to 40 cycles/min  Up to 15 cycles/min Up to 15 cycles/min Up to 15 cycles/min Customized  Palletizing  Case, Bag & Bundle palletizing,	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers complete end of line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope (1855 mm) line. 4 degrees of freedom, +/- 0.5 mm repeatability, large work
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK Gantry FANUC ROBOTICS CANADA M-420I Series M-410IB Series FLEXI PACK MACHINERY SC Blueprint Automation GENERAL CONVEYOR CO LT Series 40	Cases, trays, bundles  da: Charles Downer & Co. Ltd. Up to 40 kg  Up to 120 kg Up to 180 kg Up to 400 kg payload Up to 4000 kg  LTD (In Canada: Fanuc Robot Cases up to 50 kg payload  Up to 450 kg payload	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " " tique du Canada, Ltee) Up to 4200 mm/sec  Fastest cycle times & highest payloads in robot class	Up to 40 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min  Customized  Palletizing  Case, Bag & Bundle palletizing  Layer Handling, Depalletizing	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers complete end of line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope (1855 mm) line. 4 degrees of freedom, +/- 0.5 mm repeatability, large work envelope (3143 mm) ability to service multiple
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK 603 SK 604 SK Gantry FANUC ROBOTICS CANADA M-4201 Series M-410iB Series  FLEXI PACK MACHINERY SO Blueprint Automation GENERAL CONVEYOR CO LT Series 40 Series 40000 INTELLIGRATED INDUSTRI	Cases, trays, bundles  da: Charles Downer & Co. Ltd. Up to 40 kg  Up to 120 kg Up to 180 kg Up to 180 kg Up to 4000 kg  LTD (In Canada: Fanuc Robol Cases up to 50 kg payload  Up to 450 kg payload  Up to 450 kg payload	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " " tique du Canada, Ltee) Up to 4200 mm/sec  Fastest cycle times & highest payloads in robot class  Robotic Up to 20 cpm	Up to 40 cycles/min  Up to 15 cycles/min Up to 15 cycles/min Up to 15 cycles/min Customized  Palletizing  Case, Bag & Bundle palletizing, Layer Handling, Depalletizing  Based on product/pattern  Fully Automatic	accommodates new products/ patterns quicely and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers complete end of line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope (1855 mm) line 4 degrees of freedom, +/- 0.5 mm repeatability, large work envelope (3143 mm) ability to service multiple  Fanuc & ABB  Portable design  Low cost, suited for large multi-line projects and smaller operations interested in converting from manual to
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK Gantry FANUC ROBOTICS CANADA M-4201 Series M-410iB Series FLEXI PACK MACHINERY SO Blueprint Automation GENERAL CONVEYOR CO LT Series 40 Series 40 Series 40 INTELLIGRATED INDUSTRI Alvey GS100 series	Cases, trays, bundles  da: Charles Downer & Co. Ltd.  Up to 40 kg  Up to 120 kg  Up to 180 kg  Up to 400 kg payload  Up to 4000 kg  LTD (In Canada: Fanuc Robo Cases up to 50 kg payload  Up to 450 kg payload  Up to 450 kg payload	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " " tique du Canada, Ltee) Up to 4200 mm/sec  Fastest cycle times & highest payloads in robot class  Robotic Up to 20 cpm	Up to 40 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min  Up to 15 cycles/min  Customized  Palletizing  Case, Bag & Bundle palletizing, Layer Handling, Depalletizing  Based on product/pattern  Fully Automatic  Fully Automatic  Up to 30 cases per minute	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers complete end of line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope. (1855 mm) line 4 degrees of freedom, +/- 0.5 mm repeatability, large work envelope (3143 mm) ability to service multiple  Fanuc & ABB  Portable design  Low cost, suited for large multi-line projects and smaller operations interested in
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK Gantry FANUC ROBOTICS CANADA M-420i Series M-410iB Series FLEXI PACK MACHINERY SO Blueprint Automation GENERAL CONVEYOR CO LT Series 40 Series 40 Series 40 INTELLICRATED INDUSTRI Alvey GS100 series	Cases, trays, bundles  da: Charles Downer & Co. Ltd.  Up to 40 kg  Up to 120 kg Up to 180 kg Up to 400 kg payload Up to 4000 kg  LTD (In Canada: Fanuc Robo Cases up to 50 kg payload  Up to 450 kg payload  Up to 450 kg payload  Up to 450 kg payload  Cases Uaries  ES CANADA LIMITED Cartons, totes, trays, bundles,	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " " tique du Canada, Ltee) Up to 4200 mm/sec  Fastest cycle times & highest payloads in robot class  Robotic  Up to 20 cpm  Semi & fully automatic	Up to 40 cycles/min  Up to 15 cycles/min Up to 15 cycles/min Up to 15 cycles/min Customized  Palletizing  Case, Bag & Bundle palletizing, Layer Handling, Depalletizing  Based on product/pattern  Fully Automatic Fully Automatic Up to 30 cases per minute (CPM)	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers complete end of line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope (1855 mm) line 4 degrees of freedom, +/- 0.143 mm and line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope (14854 mm) ability to service multiple  Fanuc & ABB  Portable design  Low cost, suited for large multi-line projects and smaller operations interested in converting from manual to automatic palletizing.  Floor-level infeed, heavy duty construction, flexible layout High-level infeed, close centre follers and bi-parting apron,
EUROIMPIANTI SPA (In Cana SK 304 SK 504 SK 603 SK 604 SK Gantry	Cases, trays, bundles  da: Charles Downer & Co. Ltd. Up to 40 kg  Up to 120 kg Up to 180 kg Up to 400 kg payload Up to 4000 kg  LTD (In Canada: Fanuc Robot Cases up to 50 kg payload  Up to 450 kg payload  Up to 450 kg payload  Up to 450 kg payload  Cases Uarious  D Cases Varies ES CANADA LIMITED Cartons, totes, trays, bundles, shrinkwrapped  Cartons, totes, trays, bundles, shrinkwrapped  Cartons, totes, trays, bundles,	Up to 4 SKUs at up to 40 cpm  Material handling, palletizing, depalletizing  " " " " " " " " " " " " " " " " " "	Up to 40 cycles/min  Up to 15 cycles/min Up to 15 cycles/min Up to 15 cycles/min Customized  Palletizing  Case, Bag & Bundle palletizing, Layer Handling, Depalletizing Based on product/pattern  Fully Automatic Fully Automatic Up to 30 cases per minute (CPM)  Up to five layers per minute	accommodates new products/ patterns quickly and can be web supported  High payload, modular and small footprint. Offers complete end of line solutions.  High payload & modular. Offers complete end of line solutions.  2 or 4 degrees of free dom, +/- 0.05 mm repeatability, large work envelope (1855 mm) line 4 degrees of freedom, +/- 0.5 mm repeatability, large work envelope (3143 mm) ability to service multiple  Fanuc & ABB  Portable design  Low cost, suited for large multi-line projects and smaller operations interested in converting from manual to automatic palletizing. Floor-level infeed, heavy duty construction, flexible layout  High-level infeed, close centre

Alvey 900 series  Alvey 950 hybrid  Alvey Robotic palletizing	PRODUCTS HANDLED Cartons, totes, trays, bundles, shrinkwrapped Small packages and complex patterns, reduced secondary packaging	SPEED Automatic  Conventional and robotic hybrid	More than 200 CPM  More than 125 CPM	FEATURES High speeds, low maintenance gently product handling, in-line pattern utility
Alvey Robotic palletizing	patterns, reduced secondary		More than 125 CPM	
	<u> </u>	yonu		High speeds, product handling and load pattern flexibility; single or dual layer accumulation zones
	Cartons, totes, trays, bundles, shrinkwrapped pails, bags, etc.	Robotic	More than 100 CPM	Mixed pallet load creation; standard and custom end-of-arm tooling; flexible to handle quick product changeovers and packaging
Alvey Robotic depalletizing	Cartons, totes, trays, bundles, shrinkwrapped pails, bags, etc.	Robotic		changes Case, row or layer handling; standard and custom end-of-arm tooling; flexibility fo quick product changeovers and
Alvey 450 semi-automatic depalletizing		Semi-automatic		packaging changes Touch-screen interface, ergonomic and speed advantages over manual palletizing
KRONESMACHINERY CR LTI Modulpal	Cartons, trays, boxes	340 cycles per hour to 600 cycles per hour	Gentle container handling - multi SKU capabilities	
	Cartons, trays, boxes, bags Cartons, trays, boxes, bags	4 axis 700 cycles/hour 6 axis 450 cycles per hour	Packing and Palletizing Packing and Palletizing	
	Cartons, trays, boxes	Inquire	Fully Automatic Grouping Station	Can handle mixed SKU Pallets-suitable for distribution operation
Pressant Depallitizer Series	Cartons, trays, boxes cartons, trays, boxes	Inquire inquire	Low level palletizer Container sweep-off depalletiser High level palletizer	Available as high or low level operation Sensitve products
KUKA ROBOTICS CANADA LT KR 40 PA	Cartons, trays, boxes  TD  Cases, trays, bundles, buckets, bags	Inquire  Contact KUKA Robotics for a free cycle time analysis with	High level palletizer  Case packing, palletizing, depalletizing	40 kg payload, 2091mm reach carbon composite construction
KR Quantec PA	Cases, trays, bundles, pails, buckets, bags	your product Palletizing, depalletizing	Contact KUKA Robotics for a free cycle time analysis with	for hi-speed 120 - 240 kg payload, 3200 mm reach
	Cases, trays, bundles, pails, buckets, bags	Palletizing, depalletizing	your product  Contact KUKA Robotics for a free cycle time analysis with	300 kg payload, 3200 mm reach.
	Cases, trays, bundles, pails, buckets, bags	Palletizing, depalletizing	your product  Contact KUKA Robotics for a free cycle time analysis with	470 kg payload, 3200 mm reach
KR 700 PA	Cases, trays, bundles, pails, buckets, bags	Palletizing, depalletizing	your product  Contact KUKA Robotics for a free cycle time analysis with	700 kg payload, 3300 mm reach
ANGEN PACKAGING INC		OO DDM	your product	
RC-700  M & M PACKAGING ASSOCIAT	Cases, Bags, Cartons	30 PPM	Multiple Infeeds and Pallet Build Stations	Small Configuration, Quick Changeover, Pallet Dispenser, Slip Sheet
ABC/Massman MASSMAN AUTOMATION DES Robotic, Gantry	Wide variety	Mid-High	Semi & Fully Automatic	
	Boxes, crates, pails, bags	robotic	Up to 40 cases/minute	Automatic
	D (In Canada: Timeco-Marten, Cartons, cases, boxes, bags	Calgary, AB; Edmonton, AB; N Gear-to-line	Winnipeg, MB) Nordson Classic melters, AltaBlue TT melters or ProBlue melters capacities 4 to 15 liters, Electric or pneumatic guns	
OMA PACKAGING (In Canada: DMA Packaging PLAN AUTOMATION INC	: Newmapak Ltd) Trays, boxes and bundles	up to 25 packs per minute		
Premier Tech Systems PPI TECHNOLOGIES GROUP (	Flexible & rigid (In Canada: Charles Downer & All	Co., Ltd, Richmond Hill, ON; A	Robotic  Aesus Packaging Systems, Poil Inline Automatic	nte Claire, QC) Automatic
PREMIER TECH CHRONOS	Bags, bales, boxes, cases	Up to 40 BPM	Fully automated	Unlimited layout configurations - Reduced footprint - Fastest
AR-200 Robotic Palletizing Cell	Bags, bales, boxes, cases, bag-in-box, bundles, cans, totes, trays,drums, pails, etc.	Up to 28 BPM	Fully automated	bag palletizer on the market Unlimited layout configurations - various handling tools - reduced footprint
AP-400 High Level Automatic Bag Palletizer	Bags and bales	Up to 35 BPM (5-bag pattern)	Fully automated	High level infeed - multiple layout configurations - various turning devices - All electric design
	JIPMENT CO INC (In Canada: Cases, bags, cartons	Garth Dangerfield)		Combine 2 or more lines into one location
P series	Cases, bags, cartson Cases, bags Cases, bags, cartons	40+cpm	Auto & Semi-Auto	Plug & play solution Small foot print high speed Unit load is stretchwrapped as
VALCO MELTON Pallet Stabilization Systems,	Cartons, boxes, bags	Automatic		it is palletized in smae loc.
Hot Melt or Cold Glue	Canada: Yaskawa Canada, Inc			
MPL80 Robot	Wide Variety Wide Variety	Palletizing Palletizing	High High	5-axis, 80kg, 3,291 mm reach 4-axis, 3,024 mm reach, 100 k
MPL160 Robot	Wide Variety Wide Variety	Palletizing Palletizing	Low-med Low-med	4-axis, 3,024 mm reach, 160 k 4-axis, 3,024 mm reach, 300 k
MPL500 Robot MPL800 Robot	Wide Variety Wide Variety	Palletizing Palletizing	Low-med Low-med	4-axis, 3,024 mm reach, 500 k 4-axis, 800 kg, 3,024 mm reac
	ada: Yaskawa Canada, Inc. Mi 4 axis	ssissauga, ON)	High	Up to 800 kg payload Up to 3,159 mm reach
PLACING	ITEMO (VICES	DAOWAGE COMME	ODEES	FEATURES
BOSCH PACKAGING TECHNO Bosch Delta Robot - Delfi Feed	ITEMS INSERTED DLOGY INC (In Canada: Charle Confection, nutriceutical bars, bakery, pharmaceutical	PACKAGE SIZE RANGE es Downer & Co. Ltd., Richmon Wide range		Picks, orients and places
Bosch Delta Robot - Paloma	products, personal care items, frozen & foods same as above	Wide range	To 80ppm/robot arm	randomly incoming products picks, orients and places randomly  Groups products into layers,
Feed Placer BRADMAN LAKE INC				advance product tracking for precise placement
ORT Robotic Pick and Place	Suitable for: Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods, Dry Foods, Consumer and	Wide range	High speed	Robotic Top Loader
LEXI PACK MACHINERY SOL	Healthcare Products.  LUTIONS INC  Pouches, Cartons, Devices	Various	Product Dependent	Delta Robot, Vision Driven
MASSMAN AUTOMATION DES	SIGNS LLC Products, Literature			
MECANO INDUSTRIES	Customer specific	Up to 10kg	Up to 200 parts/minute	automatic



FOR MORE INFORMATION CIRCLE 45

PLACING				
MAKER & MODEL	ITEMS INSERTED	PACKAGE SIZE RANGE	SPEED	FEATURES
H050 - H130	Food, Medical, Consumer Industrial	Multiple	Up to 75 cpm	
PLAN AUTOMATION INC				
Streamfeeder	Assorted	2" x 24"	Up to 500 ppm	
Graphic Packaging - Denesters, Orienters and Placers	Trays, Lids, Hang tags	Variable	Up to 600ppm	Servo Motion Control
PROPACK PROCESSING &	PACKAGING SYSTEMS INC			
Propack LB, LJ	Bars, Snack Cakes, Wrapped Items	195mm x 25mm x 5mm to 225 mm x 135 mm x 50 mm	to 900/mm	ABB Flexipicker A-B Controls
	QUIPMENT CO INC (In Canada			
RCP series	Cartons, bundles	Up to 5 kg	300 ppm	25-50 transfers/min.
	n Canada: Yaskawa Canada, In	ıc., Mississauga, ON)		
MPP3S Robot	Wide variety	x	150 cpm	3 kg, 800 mm reach, 300 z-stroke, IP67-rated body, NSF-H1 certified food-grade lubricants
MPP3H Robot	Wide variety	X	150 cpm	1300 mm reach, 600 mm z-stroke, IP67-rated body, NSF-H1 certified food-grade lubricants
MPK2-5 Robot	Wide variety	X	117 cpm	5 DOF, 1551 mm reach, IP67-rated body, NSF-H1 certified food-grade lubricant
MPK2 Robot	Wide variety	X	117 cpm	5 DOF, 1625 mm reach, IP67-rated body, NSF-H1 certified food-grade lubricant
MYS-Series SCARA Robots	Wide variety	Х	High	450-1000 mm reach, 180-42 mm z-stroke, 6-20 kg
YASKAWA MOTOMAN (In C MPP3	anada: Yaskawa Canada, Inc. N	<b>/lississauga, ON)</b> 3 kg payload	High	Zero-footprint
SCANNING				
MAKER & MODEL	ITEMS SCANNED	SCANNING METHOD	SPEED	FEATURES
DIAGRAPH (In Quebec: Visu Motorola	uascan Inc.)			
MOTORIA • HARLUND INDUSTRIES L1	rn			
Microscan	1&20 barcodes	various		
RJS	1D	various		
Cognex	Barcodes, Labels	Vision		
KRONESMACHINERY CR I		*101011		
Checkmat	Bottles labels, fill levels, data codes, barcodes	Empty and full bottle inspection - multiple scanning methods to suit application	16 types up to 72,000 cph	
Linatronic 735	Returnable glass and PET bottles	Empty bottle inspection - multiple scanning methods to suit application	30,000 - 65,000 bph	
Linatronic 774-FBI	Returnable glass and PET bottles	Empty bottle inspection - multiple scanning methods to suit application	60,000 bph	
Modulcheck	Returnable glass and PET	Multiple scanning methods to	40.000 containers/hour	

VISUASCAN INC Motorola	Any	Any		
SHRINKWRAPPIN	IG			
MAKER & MODEL	PRODUCTS	SIZE	SPEED	FEATURES
<b>AESUS PACKAGING SYST</b>	TEMS INC (In Canada: Ross Paci	kaging, Delta, BC)		
Hybrid	Patented Heat Tunnel	48" and 72" long	up to 400 bpm	Unique combination of both infra red heat and onboard steam
<b>ALEX E JONES &amp; ASSOCI</b>	ATES LTD			
Hartness - GlobalShrink	Variety, Bottles, Cans, Trays	Varies dependent on product	60, 80 and 100 cycles per minute	Can run Film only, Pad/Film, Tray/Pad/Film
AMERICAN PACKAGING I	MACHINERY APM (In Canada: Ch	isholm Machinery Sales Limite	ed, Niagara Falls, ON)	· ·
APM - MIC Series	Wrapper to follow Intermittent Tray Packer	18-60" Seal Bar	10-35 pks/min	Intermittent Motion In-Line
APM - MIF Series	Trayed Products	18-100" Seal Bar	to 45 trays/min	Intermittent Motion In-Line with pacing gate assembly
APM - ML Series	Plates, Plastic Tableware	18-40" Seal Bar	to 200 pks/min	Overlap Bottom Seal (side seal & trim units available)

bottles suit application

Aluminum beverage and food cans

Aluminum beverage and food Empty can inspection - multiple scanning methods to suit application

Filled returnable glass and PET Full bottle inspection - multiple scanning methods to suit application

Bottles can and other Empty bottle inspection - multiple scanning methods to suit application

Empty can inspection - multiple scanning methods to suit application

suit application

Multiple scanning methods to 40,000 containers/hour

Inspects filled bottles for glass particles and other contaminents



#### PROVEN TO PROTECT **AND PERFORM**

Modulcheck

Smartronic 714

Cantronic Can Inspection

Returnable glass and PET

Machine Stretch Film | Hand Stretch Film Carton Sealing Tape | Industrial Tape

TUFflex® packaging essentials deliver enduring performance, maximum efficiency and unmatched value. Products are available in a variety of tiers and support most applications.

TUFflex is available exclusively through Veritiv, a North American leader in packaging solutions.







SHRINKWRAPPING					
MAKER & MODEL APM - MRA Series	PRODUCTS	SIZE 18-50" Seal Bar	SPEED to 30 pks/min	FEATURES Right Angled Feed	
	Straight or Tapered Wall unsupported products-bottles, cans, ice cream tubs		to 30 pks/min	Right Angled Feed	
APM - MS Series  APM - MCMS Series	CDs, DVDs, Bowls and clam shell trays Cartoned products	18-40" Seal Bar 10-40" Seal Bar	to 180 pks/min to 150 pks/min	Side Seal and Trim  Cont. Motion Dual Side Seal	
BRADMAN LAKE INC TLSW fully automatic	Suitable for: Bakery and	Wide range	то тоо ркуппп	A fully automatic combined tray	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Biscuit, Chocolate and Confectionery, Frozen Foods, Dry Foods, Consumer and Healthcare Products.	,		wrapáround loader and shrink wrapper.	
RTSW / ITSW / SRW Shrink Wrapper - fully automatic	Suitable for: Bakery and Biscuit, Chocolate and Confectionery, Frozen Foods, Dry Foods, Consumer and Healthcare Products.	Wide range		A range of automatic, single and twin reel machines with integral collators and / or feed conveyors.	
CAM PACKAGING SYSTEMS CAM; 412		r 4"x5" up to 12"x16";additional sizes upon request	25 ppm	Pre made shrink bags Polyethylene and polyolefin (Shrink) Semi Auto and Automatic	
CELPLAST PACKAGING SYS New-Ma BVM	All products		to 60ppm to 120 ppm	Top & bottom seal Auto changeover	
CHARLES DOWNER & CO LT Bosch PAUD Zambelli	HFFS shrink systems Shrink, tray shrink systems	various various	up to 300 min up to 100 min	Flexible Flexible	
CIMA PAK CORPORATION  Minipack Media BA  SmiPack S560NA One Step			To 15 pm To 15 pm	Semi automatic Semi automatic	
SmiPack S560 One Step  COUSINEAU PACKAGING IN	c		To 5 pm	Manual	
Damark/Bundling, MSK - Pallet Shrink Equipment					
Damark L-Bar Sealers	NG MACHINERY (A Product of SMC series	Any product size or shape, including oversized items, such as doors, windows and	24/7 performance	http://www.plexpack.com/produ ct-categories/l-bar-sealers-dam ark/	
Damark Tray Wrappers and Bundlers	B Series	Any product size or shape	24/7 performance	http://www.plexpack.com/produ ct-categories/tray-wrappers-bu	
Danmark Full Enclosure Shrink Wrapper	Instawrap	Up 100 lbs. on the continuous motion machine, 300 lbs.	24/7 performance	ndlers-damark/ http://www.plexpack.com/produ cts/damark-a-full-enclosure-shri	
Damark Combo Systems	MP serie	14 x 18"	24/7 performance	nk-wrapper-instawrap-damark/ http://www.plexpack.com/produ	
Damark SM Series Sealers		16x20 to 40x120 in.	4 to 8 pm	ct-categories/damark-combinati on-systems/ Semi automatic with magnetic	
Damark SMC Series Searlers		As above	12 to 24 pm	hold down Semi Automatic with magnetic	
EASTEY ENTERPRISES				hold down and auto product discharge	
VS1620	Variety	Seal Size 16" x 20"	Dependent on Products	- Designed to seal most polyolefin, polyethylene, and PVC shrink films.	
Mini Combo Unit	Variety	Seal Sizes 13" x 19" or 13" x 20"	Dependent on Products	- Available with hot wire (TM1319T) or hot knife (TM1320TK) seal systems - Hot knife seal systems available with mushroom (standard), pancake, arrow, or	
Performance Series L-Sealers (Model EM1622T, EM1622TK,	Variety	Seal Size of 16" x22" or 16" x 36"	Dependent on Products	poly inserts - Seal head casting equipped with head return cylinder	
ÈM1636T, EM1636TK)				Adjustable dwell time for better seal control     Analog temperature control adjustable for a variety of films     Adjustable product tray	
Destacional Carica I. Caslara	Variety	Cide and aims from 2011 FOII.	Dependent on Draducto	accommodates wide variety of product sizes	
Professional Series L-Sealers (EM2016T(K), EM2028T(K), EM2040T(K), EM2050T(K), EM2070TK, EM2080TK, EM20100TK, EM3040T(K), EM3050T(K), EM3070TK, EM3080TK, EM30100TK, EM4040T(K), EM4050T(K), EM4070TK, EM4080TK, EM4010TK, EM5050TK,	vanety	Side seal size from 20" - 50"; front seal size from 16" - 100"	Dependent on Products	- All-welded main frame from ¼" cold rolled steel - Available with hot wire or hot knife seal systems - Hot knife seal systems available with mushroom (standard), pancake, arrow, or poly inserts - Takeaway conveyor can be raised or lowered to center-seal	
EM5070TK, EM5080TK, EM50100TK) Performance Series Shrink	Variety	16" to 20" wide, 8" to 10" high	Dependent on Products	- Designed to seal most	
Tunnel (ET1608-30, ET1610-36, ET1610-48, ET2010-36)		,		polyolefin, polyethylene, and PVC shrink films - Live roller or stainless steel mesh belt conveyors; optional "dead" roller conveyor for polyethylene - Adjustable digital solid state temperature control for a	
Professional Series Shrink Tunnel (ET2008, ET2012, ET2016, ET2020, ET2408, ET2412, ET2416, ET2420, ET3608, ET3612, ET3616, ET3620, ET44808, ET4812, ET4816, ET4820, ET5608, ET5612, ET5616, ET5620, ET7008, ET7012, ET7016, ET7020)	Variety	20" to 70" wide, 4" to 20" high	Dependent on Products	variety of films - Live roller, "dead" roller, or - stainless steel mesh belt - conveyor standard, optional plastic belt conveyor - Sealed bearings (not - bushings) on drive and idler - shafts - Adjustable solid state - temperature control for a - variety of films - Four-directional air flow	
Choo-Choo Tunnels (ET1610-36CC, ET2014CC)	Shrink Sleeved Products	16" - 40" wide, 10" - 25" high	Variable	provides positive shrinking - Custom conveyor with shrink band carriers - Solid state temperature control adjustable for a variety of films - 10 carriers and 5 product holders come standard - Four directional air flow to ensure positive shrinking of all products - Fold down control panel for	
		Machinery Solutions Inc., Wood	Ibridge, ON)	easy servicing and maintenance	
EDL PACKAGING ENGINEERS INC (In Canada: Flexi-Pack Machinery Solutions Inc., Woodbridge, ON)  EDL Packaging Engineers, Inc. Various makes and models available with film width ranging from 16" - 144"					
FLEXI PACK MACHINERY SC EDL Packaging Engineers In Line and Side Feed	Containers, Cans, Pouches & Specialty Products Tray and	Product and Pattern Dependent	Product and Pattern Dependent	Custom Engineered Systems, 2 year warranty	
FORMOST FUJI CORPORATI Alpha VI Wrappers	Unsupported ON (In Canada: Abbey Packag Varies	ing Equipment Ltd.) Varies	Varies		
HARPAK ULMA PACKAGING SC200 HARTNESS INTERNATIONAL	Food/non-food (In Canada: Alex E. Jones & A	Assoc.)	85 cycles/min	Side seal	
GlobalShrink  ILAPAK INC	4500 - various	60, 80+		Trayform, wrap, shrink, no tool changeover, S.S.	
Carrera 2000 h/f/f/s Trim Seal		30x12.5x6 in.	subject to shrink film	Fast change over, rotary motion, robust construction	
LANTECH INC (In Canada: G SW-1000 Intermittent Motion	errard-Ovalstrapping) Random products lengths	Min. 3" Lx1" W x 1/8" H Max: infinite x 15"W x 8"H	to 40 ppm to 90 fpm	PLC/touchscreen; hot knife cross seal width	
SW-2000 Continuous motion Belted Infeed, Side Seal	as above	as above (Max 6"H) 500x350x120	to 60ppm to 65fpm	Continuous motion, trim winder, 6" to 24"	
M & M PACKAGING ASSOCIA	ATES LTD Wide Variety	Large Range	Mid-High		
	Food anada: Packaging Equipment		Varies	<b></b>	
Model SW-18	Cartons, bottles	variable ce Canada Inc., (ON, MB, BC, A	50-300  B. QC): Celplast (QN): Packpro	Fully automatic includes cartoncollation	
PFM Hurricane EW PFM Falcon	as above as above	24x12.5x5" H 24x14x6" H	180ppm 400ppm	as above as above	
PLAN AUTOMATION INC     Douglas Machine Contour	Rigid	4" x 20"	Up to 150 ppm		
Shanklin PPI TECHNOLOGIES GROUP Meurer	Rigid (In Canada: Charles Downer &	4" x 24"  & Co., Ltd, Richmond Hill, ON; A 24"X24"	Up to 100 ppm  Aesus Packaging Systems, Po 50	inte Claire, QC)	
REISER CANADA CO     Supervac GesmbH	All Food ex E. Jones; PMR Packaging Ir	Various	Up to 40/min	moduce Strotchi	
NEMNOO LLO (IN CANADA: AR	БА С. JUNES; PWK PACKAGING IT	ioj			
70 • WWW CANA	ADIANPACKAGING	COM	IANIIARY	FEBRUARY 2016	

SHRINKWRAPPIN	G			
MAKER & MODEL	PRODUCTS	SIZE	SPEED	FEATURES
Models 201S, 301S & 501S	Various	1x1 to 18x52 in.	20-50 pm	Manual or fully automatic
SAMUEL PACKAGING GRC 2215L	DUP L-Bar Sealer		·	Offers the best fit for operation for space and budget are a concern. Ideal for virtually any industry including print, food &
2219L	L-Bar Sealer			beverage and pharmaceutical.  Capable of wrapping up to 50 pieces per minute when combined with the proper infeed. Swing arm control pane for easy operator access.
9140VS	L-Bar Sealer			Welded heavy duty powder-painted construction. Large product size capacity (914OVS 8"W max, 14"H max) Film capacity: 54" SW or 27" CF
E1407SS	Vertical Wrap System			Laser-cut, heavy steel-frame construction with durable powder-coat finish. Heavy-dut, end seal carriage construction allows higher speeds and virtually eliminates maintenance. Maximum film/belt speed 140 FPM
2814SS	Vertical Wrap System			Two axis servo box motion cross seal. Inverter duty AC motors, sensorless vector AC drive. Allen Bradley servo motors & drives. Speed modulation to follow upstream production.
SATURN PACKAGING EQU	IIPMENT			•
Econo	Various	12, 18, 24 & 36 ln.	Up to 6 pm	Portable L-bar shrink system
Solution	Various	12 in.W x 16 in.L	Up to 9 pm	Portable L sealer & shrink tunnel
Value	Various	13 in.W x 17 in.L	Up to 14 pm	Combo unit sealer & tunnel in one frame
Apha	Various	16 in.W x 20 in.L	Up to 20 pm	Semi-automatic combo unit sealer & tunnel in one frame; digital & electronic controls; SS version available
Starpack	Various	16 in.W x 20 in.L 500x530x120	Up to 22 pm	Versatile, unitized, advanced semi-automatic shrink wrap system; digital & electronic controls
Beta	Various	22 in.W x 30 in.L to 50 in.W x 120 in.L	Up to 20 pm	Semi-automatic L bar sealer & shrink tunnels, digital & electronic controls; custom versions available
Omega	Various	18 in.W x 20 in.L	Up to 25 pm	Fully automatic L-bar sealer

MAKER & MODEL	PRODUCTS	SIZE	SPEED	FEATURES
Sigma	Various	32in and up	15pck/mins	Semi or fully automatic line or right angle sleeve wrapper
Delta	Various	Up to 110 in. L	Variable	Heavy duty fully digital controls sealer tunnel and custom design
Conveyor	Various	Custom	Variable	Roller conveyor S steel conveyor Gravity conveyor Motorized conveyor 90 degree conveyor
OSS Side Seal	Various	Various	Up to 45ppm	
	E CRYOVAC FOOD DIVISION			
Form-Fill-Seal			To 120 ppm	
Automatic L-Bar Sealers			To 40 ppm	
Intermittent Motion Sideseal Machines			To 35 ppm	
Continuous Motion Sideseal Machines			To 80 ppm	
SHANKLIN SEALED AIR COR	RPORATION			
S Series Automatic L-Sealers		Various	Various	
A Series Automatic L-Sealers		Various	Various	
Triumph, Form-Fill Sealers		Various	Various	
F-Series, Form-Fill Sealers		Various	Various	
HS Series, Form-Fill Sealers		Various	Various	
SIPROMAC II INC				
Sipromac ST-2000	Shrink-Tunnel	20 in. conveyor	Adjustable	Hot-water shower, electrical, steam (direct or indirect), 200-240
Sipromac ST-2000	Shrink-Tunnel	33 in.	Adjustable	Hot-water shower, electrical, steam (direct or indirect), 200-240
Sipromac DT-10	Dip Tank	24x18in.	Adjustable	Hot-water tank, Electrical
SMIPACK (In Canada: CiMa-I	Pak Corporation)		•	
SmiPack S560NA One Step			To 15 pm	Semi Automatic
SmiPack S560 One Step			To 5 pm	Manual
VC999 CANADA LTD				
Xtrovac Flow Wrappers	Food, Cosmetic, Pharma	All range	Up to 400 PPM	Shrink Film
VC999 Shrinki tanks	All shrink material	Model85.47 / Model ST2	Adjustable according to machine spec	All insulated, dryer optional, all stainless steel
SKIN PACKAGING				
MAKER AND MODEL	PRODUCTS HANDLED	MATERIAL COMBINATIONS	PACKAGE SIZE MIN. TO MAX.	SPEED
COUSINEAU PACKAGING IN Malpack and Sigma stretch wrap films	С			





## No matter how you deliver ground beef, Reiser has a packaging solution for you.

When it comes to packaging ground beef, only Reiser gives you this many choices. We offer a wide range of packaging equipment so that you can choose the best solution for your application. Are you looking for a modified atmosphere package to extend shelf-life? Or perhaps an economical tray with a "fresh, just-packed" appearance? How about a low-cost chub that can be produced at very high speeds? Or maybe a flexible film, semi-rigid, or vacuum package? We have machines that produce all of these packages - and more importantly - we can help determine which one is right for you. Plus, you can test any of these packaging machines for yourself at our Reiser Customer Center. Contact us today and set up a demonstration.



**Tray Sealer** 



Chub Packaging



Stretch Wrapper




Form/Fill/Seal



**Packaging** 

www.reiser.com

Reiser Canada Burlington, ON • (905) 631-6611






A5 A6 A7 A8 A10 VC999 CANADA LTD RS i-Skin Line STRAPPING MAKER AND MODEL	Food-meat, meals Food-meat  Food As above As above  Various Food Sealing Packaging Supplies & I Fresh meat & poultry, processed meat, seafood, salads, fruit, vegetables, ready meals, snacks, dairy As above	COMBINATIONS CPET, PP, PE Surlyn, semi-rigid  Mono barrier materials As above As above Various Films Equipment, Concord ON) Various  Various Various Various Various	MAX. 50 mm/1400x500 50x500 to 120x150 Up to 420x270mm Up to 560x400mm Up to 620x700mm  Varies on tool	up to 100/min 7f cycles/min Up to 8 cpm Up to 12 cpm Up to 14 cpm
MULTIVAC CANADA 2165/R275 2265/R275 2265/R275 2265/R275 REISER CANADA CO ROSS Inpack ESEAL PAC (In Canada: Heat \$ 44  A5 A6 A7 A8 A10 VC999 CANADA LTD 35 i-Skin Line Ktravac TS Line  STRAPPING MAKER AND MODEL	Food As above As above  Various Food Sealing Packaging Supplies & I Fresh meat & poultry, processed meat, seafood, salads, fruit, vegetables, ready meals, snacks, dairy As above As above As above As above As above	Mono barrier materials As above As above Various Films Equipment, Concord ON) Various Various Various	Up to 420x270mm Up to 560x400mm Up to 620x700mm	Up to 8 cpm Up to 12 cpm
R165/R175 R265/R275 R265/R275 REISER CANADA CO Ross Inpack SEALPAC (In Canada: Heat \$ 44  A5 A6 A7 A8 A10 VC999 CANADA LTD RS I-Skin Line Ktravac TS Line STRAPPING MAKER AND MODEL	As above As above Various Food Sealing Packaging Supplies & I Fresh meat & poultry, processed meat, seafood, salads, fruit, vegetables, ready meals, snacks, dairy As above As above As above As above	As above As above Various Films Equipment, Concord ON) Various  Various Various	Up to 560x400mm Up to 620x700mm	Up to 12 cpm
RS65/RS75 REISER CANADA CO ROSS Inpack SEALPAC (In Canada: Heat \$ A4  A5 A6 A7 A8 A10 VC999 CANADA LTD A5 i-Skin Line Ktravac TS Line  STRAPPING MAKER AND MODEL	As above  Various Food  Sealing Packaging Supplies & I Fresh meat & poultry, processed meat, seafood, salads, fruit, vegetables, ready meals, snacks, dairy  As above As above As above As above	As above  Various Films  Equipment, Concord ON)  Various  Various  Various	Up to 620x700mm	
REISER CANADA CO Aoss Inpack SEALPAC (In Canada: Heat \$44  A5 A6 A6 A7 A8 A10 VC999 CANADA LTD SS i-Skin Line Ktravac TS Line STRAPPING MAKER AND MODEL	Various Food Sealing Packaging Supplies & I Fresh meat & poultry, processed meat, seafood, salads, fruit, vegetables, ready meals, snacks, dairy As above As above As above As above	Various Films Equipment, Concord ON) Various  Various Various		
A5 A5 A6 A7 A8 A10 VC999 CANADA LTD RS I-Skin Line Ktravac TS Line STRAPPING MAKER AND MODEL	Sealing Packaging Supplies & I Fresh meat & poultry, processed meat, seafood, salads, fruit, vegetables, ready meals, snacks, dairy As above As above As above As above	Equipment, Concord ON) Various  Various Various	Varies on tool	
A6 A7 A8 A10 VC999 CANADA LTD RS i-Skin Line Ktravac TS Line STRAPPING MAKER AND MODEL	As above As above As above As above	Various		Based on materials
A6 A7 A8 A10 VC999 CANADA LTD RS i-Skin Line Ktravac TS Line STRAPPING MAKER AND MODEL	As above As above	Various	Varies on tool	Based on materials
N8 110 VC999 CANADA LTD SS i-Skin Line Ktravac TS Line STRAPPING MAKER AND MODEL	As above	Various	Varies on tool	Based on materials
A10 VC999 CANADA LTD RS i-Skin Line Ktravac TS Line STRAPPING MAKER AND MODEL		Various	Varies on tool  Varies on tool	Based on materials Based on materials
RS i-Skin Line  (travac TS Line  STRAPPING  MAKER AND MODEL		Various	Varies on tool	Based on materials
Ktravac TS Line  STRAPPING  MAKER AND MODEL	60 to 1000 Micron	PNC/PE/Evar Top Skin	Max 135 mm deep	12- cycle/min
MAKER AND MODEL	Pre-formed trays	Top Skin	Max 100 mm deep	12- Cycle/IIIII
MAKER AND MODEL				
	TYPE OF STRAP	OPERATION	SPEED	FEATURES
BANDING SYSTEMS	TIFE OF STRAF	OFERATION	SFLLD	FEATURES
BA32/20 - Arch Size: 320m x	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi or 35micron or 0.035mm)
5A3Z/20 - AICH SIZE: 320H X 200mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi or 35micron or 0.035mm)
BA40/25 - Arch Size: 400m x 250mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi or 35micron or 0.035mm)
BA48/30 - Arch Size: 480m x 300mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi or 35micron or 0.035mm)
BA64/35 - Arch Size: 640m x 350mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi or 35micron or 0.035mm)
BA80/35 - Arch Size: 800m x 350mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi or 35micron or 0.035mm
BA96/35 - Arch Size: 960m x 350mm	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi or 25micson or 0.025mm)
Custom Arch Size Systems	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Up to 30 parts per minute	or 35micron or 0.035mm)  Patented and unique vacuum arch which enables our systems to run the thinnest fill in the industry (down to 1.4mi
COUSINEAU PACKAGING IN	NC			or 35micron or 0.035mm)
tipack, Strapack, Saturn	(In Canada: Attacha Taut Inc	bundle strap and pallet strap		
ROMP-4	(In Canada: Attache Tout Inc., Polypropylene	Automatic	50 straps/minute	DC Controls, auto strap feed:
FRP-4	Polypropylene	Automatic	Over 40 bundles/minute	side Low cost, high speed
GO PACKAGING				automation
Mini-Max	Polypropylene	Semi-automatic		Small, all-purpose unit. Easily moved
115	As above	Automatic	High speed	Self-threading. Wide choice o
Merlin	As above	Automatic	As above	yoke sizes Power conveyor or conveyor.
Merlin "E"	As above	Automatic	As above	Photo-electric strap placement Sealing mechanism on botton
PRE	MIUM PACKA Perfec	7 1 1 A 2 7 1 1 1 1 1	kages,	
	1 4	JC OX E		
9.20	NO77 840		Vis IPPE, Bosto	it VC999 @ West Pack, on Seafood, P, Pack Expo



MAKER AND MODEL OB-360	TYPE OF STRAP Paper banding or clear poly film banding	OPERATION  Semi-automatic	SPEED	FEATURES  Bands packages as small as 1.2 in. (30mm) wide or as large
TP800 GO Packaging Polypropylene strap	All Polypropylene Strap / Polyester Strap	Chops strapping for disposal	46m/min.	as 15 in. (380mm) wide Simple automatic operation
PLAN AUTOMATION INC Banding Systems	Plastic or Paper Band	Semi or Fully Automatic	Up to 30 parts per minute	Patented and unique vacuum arch which enables our systems to run the thinnest film in the industry (down to 1.4mil or 35micron or 0.035mm)
SAMUEL PACKAGING GROU AQ-7	P Polypropylene	Automatic	30 straps/min	220 / 3 / 60
AQ-7M JK-5	As above	As above	23 straps/min	Stainless steel body and head, side seal
JK-5000	As above As above	As above As above	27 straps/min 37 straps/min	Arch strapping machine.  Automatic refeed.  high speed arch strapping
RQ-7000	As above	As above	60 bundles/min	machine high speed arch strapping
RQ-8	As above	As above	40 straps/min	Machine Self-threading and correcting. Also available as side seal
RQ-8Y SBC-932	As above Polyester	As above As above	35 straps/min	Side seal machine Light top compression, ideal for
RQ-8A RQ-8LD/LS	Polypropylene As above	As above	40 straps/min	can and bottle industry Conveyor belt top
WULFTEC M J MAILLIS Fully Automatic Strapping System	Polyester and polypropylene	As above  Automatic	33 straps/min	low table, bottom seal strapping machine  - tailored to the corrugated and printing
Power Master Fully Automatic Strapping System Vario Master 9460	PET, PP	Automatic		- Allen Bradley PLC - Full pallet loads, individual boxes or long tubing
Fully Automatic Strapping System Vario Master 9440	PET, PP	Automatic		- Allen Bradley PLC - Side Seal - Allen Bradley PLC
STRETCH FILM BUI				
MAKER & MODEL BANDING SYSTEMS	CASE SIZE RANGE	SPEED	OPERATION	FEATURES
BA24/15 - Arch Size: 240m x 150mm	Up to 240m x 150mm	Up to 30 parts per minute	Semi or Fully Automatic	Patented and unique vacuum arch which enables our systems to run the thinnest film in the industry (down to 1.4mil or 35micron or 0.035mm)
BA32/20 - Arch Size: 320m x 200mm	Up to 320m x 200mm	Up to 30 parts per minute	Semi or Fully Automatic	As above
BA40/25 - Arch Size: 400m x 250mm BA48/30 - Arch Size: 480m x	Up to 480m x 300mm	Up to 30 parts per minute  Up to 30 parts per minute	Semi or Fully Automatic  Semi or Fully Automatic	As above
300mm BA64/35 - Arch Size: 640m x	Up to 640m x 350mm	Up to 30 parts per minute	Semi or Fully Automatic	As above
350mm BA80/35 - Arch Size: 800m x	Up to 800m x 350mm	Up to 30 parts per minute	Semi or Fully Automatic	As above
350mm BA96/35 - Arch Size: 960m x 350mm	Up to 960m x 350mm	Up to 30 parts per minute	Semi or Fully Automatic	As above
Custom Arch Size Systems COUSINEAU PACKAGING INCHighlight Industries	Up to 960mm x 700mm	Up to 30 parts per minute	Semi or Fully Automatic	As above
8100 Series	In Canada: Cousineau Packagi 10"00 - 80"00	ing Inc.) Manual to fully automatic	6-8 bundles per minute	Minimal material useage and energy consumption
EASTEY ENTERPRISES EB30M Manual Bundler	30"w x 16"h	Manual	Variable	- Designed to seal most polyolefin, polyethylene, and PVC shrink films - 30" wide hot knife seal system - Upper powered film unwind for smooth feed of film - 16" product pass through
Automatic Bundling (EB35A, EB50A, EB70A)	35", 50" and 70" wide x 22" high	Automatic	Variable	height - 35", 50", and 70" wide hot knife seal system - Upper and lower powered film unwind for smooth feed of film
FLEXI PACK MACHINERY SO EDL Packaging Engineers Double Tight Wrap LANTECH INC (In Canada: G	Various Sizes	Product and Pattern Dependent	Dual Wrap	Specialty Machine for Pet Food, Rice, Beans, etc.
Lan-Ringer			Wraps products that won't fit on a turntable, require banding, compression or extra packing for shipment	Power Roller-Stretch Adjustable wrapping force.
PHOENIX STRETCHWRAPPE Full line of semi and fully automatic stretch wrappers	RS			
PLAN AUTOMATION INC Banding Systems	Up to 960mm x 700mm	Up to 30 parts per minute	Semi or Fully Automatic	Patented and unique vacuum arch which enables our systems to run the thinnest film in the industry (down to 1.4mil or 35micron or 0.035mm)
STRETCHWRAPPIN MAKER AND MODEL	PRODUCTS	SIZE	SPEED	FEATURES
• 3M CANADA INC ST-1000	Use with "A" & "B" loads less than 3" overhang	Up to 8.75' 4,400 lb capacity	20-30 pallets/hr	Secures under pallet corners, over top corners for less
BEST PACKAGING SYSTEMS Wulftec		Variable	Variable	vibration and stack resonance.  Made in Canada
Wulftec Wulftec	Automatic Fully Automatic	Variable Custom	Variable Variable	Made in Canada
BEUMER CORPORATION Beumer Stretch Hood i Beumer Stretch Hood m			150+ pallets/hr.	Full sided protection, no heat necessary, reduced film consumption
CARTIER PACKAGING Robopac COUSINEAU PACKAGING INC Cousins Packaging Inc.	C Pallet wrap machines, turntable			A Arm fully automatic
COUSINS PACKAGING INC (	and rotary tower In Canada: Cousineau Packag	ing Inc.)	Manual	
PUP 550 1100 Series	Low profile  High end, low profile	50 x 50 x 80" 3000 lb. capacity 50 x 50 x 84"H 4000 - 5000 lb capacity	Manual / semi automatic  Semi-automatic	Use for stretch film or stretch netting Heavy duty system conventional tensioner for use
2100 Series	Low profile High profile	50 x 50 x 84"H 4000 - 5000 lb capacity	Semi automatic up to 35 loads/hr	W/stretch film or stretch netting Many custom options available
3100 Series	Low profile High profile	60 x 60 x 84"H Up to 6000 lb capacity	Semi automatic Up to 40 loads/hr.	Many custom options available Built-in load cell scale available
4100 Series	Semi automatic Fully automatic Rotary tower	50 x 50 x 90" Unlimited weight Up to 60 loads/hr.	Operator controlled, Operatorless with/without	Simple maintenance Many custom options available
5100 Series	Fully automatic turntable	50x 50 x 84" 5000 lb capacity	Operatorless with no conveyor Up to 40 loads/hr	clamp, cut and wipe down
6100 Series	Fully automatic, conveyorized,	50 x 50 x 84" 4000 - 6000 lb	Operatorless with conveyor	device Heavy duty construction
7100 Series	turntable design Fully automatic Rotary tower	capacity 50 x 50 x 84" H Weight determined by conveyor	package Up to 65 loads/hr Operatorless with conveyor package Up to 95 loads/hr	Safety rail  Heavy duty, hi-speed Safety fence Various options
8100 Series	Horizontal/orbital, manual to	10"OD to 80"OD	Up to 6-8 bundles per minute	available Custom options available End
LX 1000	fully auto. Low profile	60 x 60 x 84" H 5000 lbs capacity	Semi automatic	capper Pass thru conveyor Film carriage totally enclosed in stainless steel tower safety threading system, strain guage film compensation
HARPAK ULMA PACKAGING ULMA		High perference		
Galaxy Super Chik	Fresh food Fresh food	High performance High performance	60 packs/min	manual or auto auto size detection
ITW MULLER 2101		38"Lx48"Wx80"H	15-20 loads/hr	High performance variable speed with soft-start/soft stop to wrap any type of load quickly and gently SG2000 carriage 20"
<u>2201</u> <u>2501</u>		50"Lx50"Wx84"H 48"Lx48"Wx92"H	20-30 loads/hr 25-35 loads/hr	SG2000 carriage 20" Wall mounted
2502		48"Lx48"Wx92"H	25-35 loads/hr	Free standing

MAKED AND MODE	NG PRODUCTS	CIZE	CDEED	FEATURES
MAKER AND MODEL 205	PRODUCTS	SIZE	SPEED 30-35 loads/hr	FEATURES SG2000 powered prestretch
				carriage 20" Safety system to stop rotary arm
105			40-45 loads/hr	High speed wrapping or load with optional top platen, sheet
202			40-50 loads/hr	Up to 16 rpm. Octo-thread powered prestretch carriage.
ANTECH INC (In Canada: G	Gerrard-Ovalstrapping)			powered prestretor carriage.
Q-250	Majority of pallet loads	73.5" x 80" H x 3500lbs	Up to 25lph	Roller Stretch, 60% pre-stretci E-Z Thread Roll Carriage. Variable (mech) wrapping force, 3 year unlimited cycles warranty
Q-300	As above	73.5"X80"Hx4000lbs	Up to 25-35 lph	Power Roller Stretch, 200% p
				stretch, E-Z Thread Roll Carriage, Variable (electrical) wrapping force, Intelli-Sensor
Q-400	As above	73.5"x80"Hx5000lbs	Up to 30-40lph	Power Roller Stretch, 250% pre-stretch, E-Z Thread Roll Carriage, Variable (electrical) wrapping force, Intelli-Sensor
Q-300XT	As above	72"X80"HX4000lbs	Up to 30-40lph	Power Roller-Stretch Plus, 200% pre-stretch, E-Z Thread Roll Carriage, Variable (electrical) wrapping force, Intelli-Sensor
PHOENIX STRETCHWRAPPE	ERS			Intolii Geriadi
Phoenix Stretch Wrappers	all types of products	Multiple Fully automic and semi	15 rpm to 45 rpm up to 120	many custom film saving
Multiple Models PLAN AUTOMATION INC		automatic	pallets per hout	features
Orion	Semi-Automatic and Fully Automatic	Mixed	Up to 120 loads per hour	
PREMIER TECH CHRONOS Premier Tech Chronos	Full-pallet loads of bags, bales.	Min. 32" X 40" X 18"H Max 45"	Up to 95 loads/hour	-Ring bearing rotary arm with
W-300 Rotary Arm Stretch Vrapper	boxes, cases, bundles, etc.	X 58" X 104"H	op to do loudo/illoui	direct drive helical bevel gear motor - 0-400% pre-stretch - Unlimited load weight capacity Four built-in wrapping modes Noiseless running
NULFTEC WCA -150	Full-pallet loads of bags, bales, boxes, cases, bundles	Min. 36" X 36" X 10" H Max 48" X 48" X 80" H	Up to 60 loads/hour	-Heavy-duty turntable with ringgear bearing drive - Close pitch roller conveyors - Standard low wrapping film clamp - Forward/reverse conveying system
H-400 Stretch Hooder	Full-pallet loads of bags, bales,	Min. 32" X 40" X 18" H Max 56"	Up to 110 loads/hour	-Entirely designed, engineered
	boxes, cases, bundles, etc.	X 58" X 104" H		manufactured and supported i North America - UV, dust and water tight weather protection enabling outdoor storage of pallet loads - Lower film consumption compared to similar technologies
REISER CANADA CO Fabbri	Various Foods		up to 62 pkgs/minute	Handles wide range of tray sizes with no change overs
	artier Packaging, Saint-Césaire			·
Robot S6	Self propelled Robot	Product to be wrapped: Min. dim. LxW: 800x800mm Max useful height: 2200mm Min load weight: 250kg	Over 250 pallets wrapped per battery charge	idel wheel - Automatic film cutting device - Guiding wheel Intergrated Battery Charger New control panel
Rotoplat	Turntable Wrapping machine	Max LxW: 2765x1755mm	Table rotation speed control:	Unique Safety Features - Wide
echnoplat	Automatic Turntable wrapping machine	Max LxW: 73.62"x108"	4/12 rpm Turntable Speed: 4/15 rpm	choice of film Spool carriage Unique Safety Features clamp Cutting and Sealing Unit - It
				can record up to 4 different programs
Orbit 12	Horizontal Stretch Wrapping Machines	Max LxW: 2190x815mm H: 2730mm	Max rotation Speed: 58 rpm	Newly designed touch screen control panel - It can record up to 8 different programs.
Compacta 1200A	Horizontal Stretch Wrapping Machines	Max: LxW: 3377x2263 mm H: 2188mm	Max rotation: 58 rpm	The cutting and clamping system allows total automatic operation of the wrapping
Rotowrap and CS or CW	Rotating Arm (CS and	Surface Max: 170" x 64"	Arm rotation speed: 4/12 rpm	process.  Ideal to wrap unstable product
totomap and de or ove	CW-Automatic model)	Diameter: 3200	7 till Foldatori opood. 47 12 fpm	superior quality machines     Exists also in a fully automatic version
SAMUEL PACKAGING GROU				
Defender LP	Pallet Loads	96"x60"	40 loads/hr	Lifetime warranty on pre-stretorollers. Pre-stretch from 50 to 300% separate top and botton
Oofondor UD	As above	100",50"	As shows	wrap counters
Defender HP Defender LP DT	As above As above	102"x58" 90"x52"	As above 60 loads/hr	As above w/ raised turntable As above w/ dual turntable
efender RT	As above	80"x50"	20-25 loads/hr	As above w/ rotary arm available in wall amount, bean mount, free-standing, or post-mount frame
Defender RTA	As above	80"x50"	20-25 loads/hr	configurations.  As above. Wrap without leaving
				forklift. Available in conveyorized version.
Defender TA	As above	80"x48"	35 loads/hr	As above w/ fully automatic operation. Rotary arm
SLP 110	As above	90"x52"	30-40 loads/hr	Heavy duty turntable construction
SRA 650	As above	80"x50"	40-60 loads/hr	As above w/ fully automatic operation. Conveyorized. Rotary arm
STA 500	As above	80"x52"	40 loads/hr	As above w/ fully automatic operation. Conveyorized
STA 550	As above	80"x50"	40-60 loads/hr	As above w/ fully automatic operation. Conveyorized

MAKER AND MODEL	PRODUCTS	SIZE	SPEE		EATURES
Veritiv Stretch Wrapper	Regular & Irregular F Ioads	Profile up to 4,000 lb	capacity up to 4	sp ar se tr di	ual speed roll carriage: faster peed up for stabilizing loads nd lower down speed for scuring loads; built-in puble-shooting self agnostics; market leading LCs' powder coated paint
WULFTEC M J MAILLIS Semi-Automatic Heavy Duty Low Profile Turntable Stretchwrappers SMART-Octagonal (SML-15 Standard (SML-200) Standa with 2' extended base SML-EXT) - Oversized 77	pallet-jacks or a com hand-jacks and forkl	bination of ift - Forklift nds - Up to	Up to	ca fr Al tu	o thread Powered Pre-stretch arriage - AC variable equency drives & motors - llen Bradley PC- Positive rntable alignment controlled proximity sensor
Semi-Automatic Heavy Duty High Profile Turntable Stretchwrappers SMART - Octagonal (SMH-150) Split-base (SMH-SPL) - Standard (SMH-200) - Extra	Forklift portable from (excluding SMH-SPL 8,000 lb load weight	n both ends _) - Up to	Up to	ca fro Po	o thread Powered Pre-stretch arriage - AC variable equency drives & motors - ositive turntable alignment ontrolled by proximity sensor
heavy-duty (SMH-HVY) Semi-Automatic Heavy Duty Free Standing Rotary Arm Stretchwrappers: WRT-100, WRT-150, WRT-175, WRT-	loads; wash down environment-unlimite		Up to		5 inch ring gear bearing ive/support
Automated Heavy Duty Nor Conveyorized Turntable Stretchwrappers: SMART, SMLPA-200, SMHPA-200, SMHPA-300			Up to	(e th ca cl	ing gear driven turntable except SMLPA 200) - No read Powered Pre-Stretch arriage - Automatic film amping and pulsed controlled tter
Fully Automatic Heavy Duty Conveyorized Turntable Stretchwrapper: WCA-SMA	pallet loads - Up to 6	r shape 6,0000 lb	Up to	70 loads/hr R N Pi Ai	ing gear driven turntable - o-Thread Powered re-stretch carriage - utomatic film clamping and ulsed controlled clutter
TAMPER EVIDEN		BAND WIDTH	DAND LENGTH	MACHINE SPEED	EEATURES
AESUS PACKAGING SYS		Ross Packaging, Delta, B			FEATURES
	Tamper Evident & Full Sleeving	0-180mm	Infinite	0-120bpm	Servo
- !	Fully body sleeving and Tamper evident neck panding.  Fully body sleeving and	Up to 220 mm layflat  Up to 280 mm layflat	Infinite length  Infinite length	Up to 450 bpm up to 250 bpm	All servo driven
-	Tamper evident neck banding.	Op to 200 mm laynat	illillille leligui	ир то 250 врпп	All Servo driver
	INC Neck banding, full body sleeving, labeling	1/2 to 12" 1 to 12 in.	Programmable	Up to 75 bpm	Self centering reel holder and tooling for easy set, quick changeover with no tools required
BANDING SYSTEMS BA24/15 - Arch Size: \$240m x 150mm	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 240m x 150mm	Up to 30 parts per minu	te Patented and unique vacuum arch which enables our systems to run the thinnest film in th industry (down to 1.4mil or 35micron or 0.035mm)
BA32/20 - Arch Size: F 320m x 200mm	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 320m x 200mm	Up to 30 parts per minu	te Patented and unique vacuum arch which enables our systems to run the thinnest film in the industry (down to 1.4mil or 35micron or 0.035mm)
BA40/25 - Arch Size: F 400m x 250mm	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 400m x 250mm	Up to 30 parts per minu	
BA48/30 - Arch Size: f 480m x 300mm	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 480m x 300mm	Up to 30 parts per minu	
BA64/35 - Arch Size: F 640m x 350mm	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 640m x 350mm	Up to 30 parts per minu	te Patented and unique vacuum arch which enables our systems to run the thinnest film in th industry (down to 1.4mil or 35micron or 0.035mm
BA80/35 - Arch Size: I 800m x 350mm	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 800m x 350mm	Up to 30 parts per minu	te Patented and unique vacuum arch which enables our systems to run the thinnest film in th industry (down to 1.4mil or 35micron or 0.035mm
BA96/35 - Arch Size: f 960m x 350mm	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 960m x 350mm	Up to 30 parts per minu	te Patented and unique vacuum arch which enables our systems to run the thinnest film in thindustry (down to 1.4mil or 35micron or 0.035mm
Custom Arch Size Systems	Plastic or Paper Band	Film width: 28, 40, 48, 60 75, 100 and 120mm	), Up to 960mm x 700mn	n Up to 30 parts per minu	te Patented and unique vacuum arch which enables our systems to run the thinnest film in th industry (down to 1.4mil or 35micron or 0.035mm
CAPMATIC LTD Capmatic Bandstar	Tamper Evident	Varies	Varies	75 bpm	Centering Mandres body sleeve
SleeveStar FLEXI PACK MACHINERY	SOLUTIONS INC				
	Tamper Evident	Varies by Model	Varies by Model	50 to over 1000	Top Rated Machine in Industry







June 7, 2016

Mississauga Convention Centre

Register at: **Top50packagingideas.com** 

Presented by:





TAMPER EVIDEN	T RANDING				VACUUM PACKAGI	NC			
	TYPE OF BANDING BAND	WIDTH BAND LENG	GTH MACHINE S	PEED FEATURES	MAKER AND MODEL	MATERIALS HANDLED	DI ATEN ADEA	INTERMITTENT OR	FEATURES
PLAN AUTOMATION INC		WIDTH BANDLENG	JIN WACHINES	PEED FEATURES	WAKER AND WODEL	WATERIALS HANDLED	PLATEN AREA	CONTINUOUS MOTION	PEATURES
	Sleeve or ring Up to 8' Plastic or Paper Band 28mm to		Up to 300 ppm	per minute Patented and unique	REISER CANADA CO Repak	All industry standards	Various	Both	All stainless Steel
Danding Oystems	lastic of Faper Band 20mm to	700mm	op to so parts	vacuum arch which enables our systems to	Supervac	Laminate, film, shrink film,	Various	Both	All Stalliless Steel
				run the thinnest film in the industry (down to 1.4mil	SIPROMAC II INC	Aluminum			
OHADDEL LABELING OVO	TEMS (In Canada: Newmapak L	4.1)		or 35micron or 0.035mm)	Sipromac 300	All heat sealable bags	1x19x7"	Intermittent	Table top, Busch pump, air regulator, soft air, electrical
Quadrel Labeling F	full body or mid	1" - 12"	Up to 200bpm		Sipromac 350	As above	1x19x7"	As above	cut-off, stand voltage Table top, Busch pump as
	ody/Wide range of amper band								flush, stand, voltage, electric cut-off, soft air, air regulator
TEMPERATURE N	MEASUREMENT				Sipromac 380 Sipromac 400	As above As above	2x12.5x5" 2x19.5x9.5"	As above As above	As above Single chamber, Busch pump,
MAKER & MODEL	APPLI	CATION	OPERATION	NAL FEATURES	<u> </u>	As above	4.25 ht 8" or 12"	Double chamber, floor model,	air reg., soft air, elec. cut-off  Double chamber, Busch pump,
HARPAK ULMA PACKAGII ULMA	NG LLC				Sipromac 600A	As above	4.25 111 6 01 12	Busch pump, gas flush, knife cut-off, soft air, air regulator	gas flush, air, regulator, soft air
TFS Line	All flexit	ole/rigid foils	Intermittent - c	ustom control options	SUPERVAC MASCHINENBAU	GMBH (In Canada: Reiser (Ca	nada) Ltd., Burlington, ON)	cut-off, soft air, air regulator	electric cut-off, Bi-active sealing
THERMOFORMIN	G				Supervac various	Laminate, film, shrink film, aluminum	Various	Both	
MAKER AND MODEL	MATERIALS HANDLED	PLATEN AREA	INTERMITTENT OR	FEATURES	VC999 CANADA LTD  VC999 chamber machine table	ton model K2 K3 K4 manual 2	3 cyclo/Mn ontional cart MAP		
GO PACKAGING			CONTINUOUS MOTI	ON	VC999 Industrial Automatic ma	top model K2, K3, K4 manual, 2 models K5, K12, double chambe	ers 2-3 cycles/Mn MAP auto lid e, 2-3 Cycle/Mn trim removal sys	tom	
Veripack	Various		Fully automatic systems	Stainless / Aluminum	Xtravac Table top model 430 2-	3 cycel/Mn optional cart 640,780,860A MAP, Auto Lid.		tem	
MULTIVAC CANADA     R105	All heat-sealable materials	355X300 mm	Intermittent	Compact design					
R126 R145	As above As above	420X360 mm 420X400 mm	As above As above	Compact design Easy open/reclose	VC999 Industrial machine floor	top model K2, K3, K4 manual, 2 models K5, K12, double chambe	ers 2-3 cycles/Mn MAP auto lid		
R245	As above	560X640 mm	As above	As above, zipper	Xtravac Table top model 430 2-	3 cvcel/Mn optional cart	e, 2-3 Cýcle/Mn trim removal sys	tem	
R535 R085	As above All heat-sealable materials	650X1300 mm 355X300 mm	As above Intermittent	Modular Extendibility Compact design	VC999 Bekt vacuum chamber	e: 640,780,860A MAP, Auto Lid, All type	From 780mm seal up to	Intermittent	All automatic line and stainless
SAMUEL PACKAGING GR	OUP All		Most compact in range of		Machine VC999 chamber machine table	top model K2, K3, K4 manual, 2	1400mm seal -3 cycle/Mn optional cart, MAP		steel construction.
			thermoforming machines. Changeover of molds is v		VC999 Industrial machine floor VC999 Industrial Automatic ma	models K5, K12, double chambe chine 07,K7,K8,K9 Belts machin	ers 2-3 cycles/Mn MAP auto lid e, 2-3 Cycle/Mn trim removal sys	tem	
			simple and fast. Mounted wheels for easy positioning	on	Xtravac Table top model 430 2- Xtravac Industrial floor machine	3 cycel/Mn optional cart : 640,780,860A MAP, Auto Lid,	cutting system		
VKF 50	All		Suitable for medium to lar production cycles. Suitable	ge		All type	From table top to large double chamber	Intermittent	Stainless steel, Busch pumps, seal and cut,all programmable
			food sector and/or medica industry for packaging. Ma	al	WRAPPING				J
			from stainless steel and designed for easy cleaning		·	PRODUCTS	MATERIALS	DACKAGE SIZE	CDEED
VKF 70	All		As above	g-	MAKER AND MODEL ALEX E JONES & ASSOCIATI		MATERIALS	PACKAGE SIZE	SPEED
VKF 90 SIPROMAC II INC	All		As above		Hayssen - RT Series Hayssen - Integra Series	Cheese, Pharma, Bakery HFFS - Snack, Confectionary,	Laminate, Barrier Film Laminate, Polyethylene	Varies dependent on product Varies dependent on product	Up to 200ppm Up to 150ppm
TM-150 TM-250	Flexible, semi-rigid, rigid as above	320/420/340/150mm 420/560/300/150mm	continuous		, 300 Illiogra 001163	IQF, Bakery, Pharma, Grain, Powders		and appointment on product	AP 12 (AARAIII
TM540	as above	to 560/620/150mm	continuous		Hayssen - Merlin Blue	HFFS - Snack, Confectionary, IQF, Bakery, Pharma, Grain,	Laminate, Polyethylene	Varies dependent on product	Up to 200ppm
<ul> <li>VC999 CANADA LTD</li> <li>VC999 RS Line from 13 diffe</li> </ul>	erent size web width 285mm to 72	0 mm and up to 650mm index leng	gth. Flexible, rigid, Map and	all filling, loading, scaling,		Powders			
chanelizing, coding, labeling	, dating, thermo printing, and auto	matic line integration. Up to 16 cyc	cles/min			All types: Cartons, envelopes,	Plastic or Paper Band. Film	Up to 240m x 150mm	Up to 30 parts per minute
		0 mm and up to 650mm index leng matic line integration. Up to 16 cyc		all filling, loading, scaling,	150mm	graphic and printing, tubs, cans, thermoformed trays, etc.	width: 28, 40, 48, 60, 75, 100 and 120mm		
RS i-Series	Flex & Rigid	0 mm and up to 650mm index leng	All continous	up to 18 PPM	BA32/20 - Arch Size: 320m x 200mm	All types: Cartons, envelopes, graphic and printing, tubs,	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Up to 320m x 200mm	Up to 30 parts per minute
chanelizing, coding, labeling	, dating, thermo printing, and auto	matic line integration. Up to 16 cyc	cles/min	all filling, loading, scaling,	BA40/25 - Arch Size: 400m x	cans, thermoformed trays, etc. All types: Cartons, envelopes,		Up to 400m x 250mm	Up to 30 parts per minute
RS P Series	Flex & Rigid		As above		250mm	graphic and printing, tubs, cans, thermoformed trays, etc.	width: 28, 40, 48, 60, 75, 100	Op 10 100111 X 200111111	op to so parto per rimitato
TRAY SEALING					BA48/30 - Arch Size: 480m x 300mm	All types: Cartons, envelopes, graphic and printing, tubs,		Up to 480m x 300mm	Up to 30 parts per minute
MAKER & MODEL A L X METALL (In Canada:	SPEED CiMa-Pak Corporation)	TOOLING	F	EATURES		cans, thermoformed trays, etc.		Lin to CAOno y 250mana	Un to 20 north nor minute
ALX System Manual Tray Se		Countertop		mould, many tray styles. Instant	BA64/35 - Arch Size: 640m x 350mm	All types: Cartons, envelopes, graphic and printing, tubs,	width: 28, 40, 48, 60, 75, 100	Up to 640m x 350mm	Up to 30 parts per minute
CIMA PAK CORPORATION				nould change	BA80/35 - Arch Size: 800m x	cans, thermoformed trays, etc. All types: Cartons, envelopes,	Plastic or Paper Band. Film	Up to 800m x 350mm	Up to 30 parts per minute
ALX Classic Manual Tray Se	ealer up to 6 pm	Countertop	1 n	mould, many tray styles, instant nould change	350mm	graphic and printing, tubs, cans, thermoformed trays, etc.	width: 28, 40, 48, 60, 75, 100 and 120mm		
Rotopack Rapida Plus Die C Sealer	Cut Tray 1 to 8 per cycle	Custom to suit		can easily change out the mould for nother	BA96/35 - Arch Size: 960m x 350mm	All types: Cartons, envelopes, graphic and printing, tubs,	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Up to 960m x 350mm	Up to 30 parts per minute
CiMa-Pak CiMicro	1 at a time	2171 and 2227		start up system	Custom Arch Size Systems	cans, thermoformed trays, etc. All types: Cartons, envelopes,	and 120mm Plastic or Paper Band, Film	Up to 960mm x 700mm	Up to 30 parts per minute
GO PACKAGING Veripack	Various Fully Automa	tic	F	ull list of options available	, , , , , , , , , , , , , , , , , , , ,	graphic and printing, tubs, cans, thermoformed trays, etc.	width: 28, 40, 48, 60, 75, 100 and 120mm	.,	.,,,
HARPAK ULMA PACKAGII Mondini Trave	NG LLC up to 300' depending	on size up to 1400x500	0 1	Mechanical sealing		MS AG SIGPACK (In Canada: C	Charles Downer Co. Ltd., Richn		400 to block of the
HEAT & CONTROL CANAL	DA INC	•			Diefold Machine Roll Wrap Machine	Chololate tablets Biscuits	AL/OPP/Paper/Carton Paper/OPP/Carton	Depending on project As above	180 tablets/min 100 cpm
Ishida QX-1100	To 15 cycles/minutes	2-14 impressio	· n	eal almost any size or shape tray, nap tray sealing, quick tooling hangeover, no tools conveyor	HCM	Confectionary bars, biscuits, pharma, individual or in groups	Heat seal or cold seal	Various	400-600ppm Up to 60m/min
			re	emoval, self draining, single & twin	HSR	Same as above	Same as above	Various	Up to 1200ppm UP to 120m/min
Ishida QX-775	To 15 cycles/minutes	1-6 impression	is per tool S	eals almost any size or shape tray,	HCS with FCC Cross chain	Biscuits and other on edge products slug wrapped	Same as above	Various	Up to 180ppm Up to 60m/min
			N	and-loaded or automated operation, MAP tray sealing, quick tooling	HSF Inverted wrapper long dwell	Baked tgoods, cut meats, cheese and pharma	Heat seal mono or laminates	Various	Up to 200ppm Up to 40 m/min
Ishida QX-300	To 8 cycles/minutes	1-6 impression	is per tool S	hangeovers, user-friendly controls. Semi-automatic, up to 6 trays/cycle,	HSF Inverted wrapper rotary	Same as above	Same as above	Various	Up to 800ppm Up to 80m/min
MULTIVAC CANADA		•	е	asy tool change, map tray sealing.	S2000/S2000S/S3000 Roll	Versatile machines with			up to 200 packs / minute
T600	up to 15 cycles /min			nergy efficient, compact inline raysealer	Wrapper	variants for round, square and rectangular products			
T700	up to 20 cycles /min		lı	nline Traysealer, can be designed as nulti-track	FT120 Flow wrapper	High Speed servo-driven flow wrapper achieving			up to 1200 packs / minute.
PLAN AUTOMATION INC					FT130 BOE - Biscuit 'on edge'	.,			Derivative of the FT120 flow wrapper for biscuits on edge.
Proseal America GTO • REISER CANADA CO	Up to 75 ppm	Multi-format		Servo control, 7 ton pressure	CAM PACKAGING SYSTEMS	Variation lance as simple items.	Dra mada hara	AlluEll con to 40llu40llundditional	
Ross Inpack SAMUEL PACKAGING GR	Various OUP		S	Superior Seals	CAM; 412	Various; loose or single items; assorted kits	Pre made bags Polyethylene, polypropylene,	4"x5" up to 12"x16";additional sizes upon request	
Focus				Suitable for small to medium production			laminated, shrink (Polyolefin), 3 sided seal, zipper, Doypack	•	
			p	ycles. Suitable for food sector for ackaging. Equipped with an extremely	CHARLES DOWNER & CO LT		(stand up pouch)		
Focus XL			S	ast mold change system.  Suitable for small to medium production	Bosch PAUD	Horizontal form fill & seal systems	All	All	up to 600 min
			p	ycles. Suitable for food sector for ackaging. Longer loading area than	Bosch Sigpack Systems HRM		From tray overwrapping to high speed individual piece	Various	up to 1,800 ppm on a single machine
Panorama			<u>F</u> S	ocus Suitable for small to medium production		systems	wrapping, Bosch has the solution to fit.		
			c p	ycles. Suitable for food sector for ackaging. Able to stroe up to 99	CIMA PAK CORPORATION			45v0 0 75°	to 05
			u ir	nique programs including a graphical hterface for ease of use.	Mail Bag Polybagger Continua Plexi Polybagger		polyethylene polyethylene	15x9.8x.75" 16.5X11.8X1.25"	up to 25 pm up to 50 pm
Vision			S	Suitable for small to medium production ycles. Suitable for food sector for		ON (In Canada: Abbey Packag Varies		Varies	
			p	ackaging. Designed for plants that equire frequent format changes.	Formost Fuji Corp.	Alpha Series horizontal wrapping equipment			
Vision XL				is above	HARPAK ULMA PACKAGING				
<ul> <li>VC999 CANADA LTD xtravac TS Line</li> </ul>	up to 50 trays/min	Square, Round	d, Oval S	kin pack option	ULMA - horizontal flow wrap Atlanta	food/non-food		various	
VACUUM PACKA	GING				Atlanta hi-tech Florida			"	
MAKER AND MODEL	MATERIALS HANDLED	PLATEN AREA	INTERMITTENT OR	FEATURES	Sienna				
		,	CONTINUOUS MOTIO		Baltic FM 300			n .	
OPEM S.p.A. Vacuum	Coffee, dry yeast, rice, corn	Up to 140 x 85 x 275mm	Intermittent Motion	Up to 24 bags/minute.	Artic			"	
Packaging Machines Colibri-Vacuum	flour, semolina, dried fruits			Features: Brick pack with Folded fin	FV 35 Flow Vac			H H	
OPEM S.p.A. Vacuum Packaging Machines	Coffee, dry yeast, rice, corn flour, semolina, dried fruits	Up to 140 x 85 x 275mm	Intermittent Motion	Up to 35 bags/minute. Features: Brick pack with	Ocean			н	
Arabella-Vacuum  OPEM S.p.A. Vacuum	Coffee, dry yeast, rice, corn	Up to 140 x 85 x 275mm	Intermittent Motion	Folded fin Up to 60 bags/minute.	M & M PACKAGING ASSOCIA	ATES LTD Wide Variety	Cold & Heat Sealable	Wide Range	90-600 bpm
Packaging Machines Arabel Twin -Vacuum	la flour, semolina, dried fruits	ορ το 170 x 00 x 2/0HIIII		Features: Brick pack with	MARDEN EDWARDS INC (In	Canada: Linfo Systems Inc.)			•
BIZERBA CANADA INC		44 0444 0-5 5"	Indoor-144-		EVO Series, B Series BX Series, LX Series, W Series	Various	BOPP, OPP Cellophane, Heat Seal Paper	A=55-450mm B=25-350mm C=17-175mm	Individual up to 250 pm Up to 750/min.
Komet Vacuboy Komet Plusvac Series		14.2x14.9x5.5" 17x19.9x6.9" -	Intermittent Intermittent	Single chamber Single chamber	PLAN AUTOMATION INC     Banding Systems	All types: Cartons, envelopes,	Plastic or Paper Band	Up to 960mm x 700mm	Up to 30 parts per minute
Komet SD Series		25x18.9x5.5 2x1.55/2x1.79		Double chamber		graphic and printing, tubs, cans, thermoformed trays, etc.			
CIMA PAK CORPORATION Henkovac T4	All vacuum & barrier bags		Intermittent	Fine tuned programming	REISER CANADA CO     Gruppo Fabri 38		Stainless Steel, Aluminium and	Standard Min	2 enough 24 and 24
FERRUM (In Canada: Chis	holm Machinery Sales Limited,			. • •	Gruppo Fabri 38	All Food	Stainless Steel, Aluminium and plastic	90Lx110Wx10Hmm; Max 230Lx320Wx160Hmm	2 speeds, 21 and 31 packs/minute
Ferrum FSN Ferrum FSH	211-610 Round Cans 211-404 Round Cans	N/A N/A	20-60 cpm Continuous M 50-120 upm Continuous M		Gruppo Fabbri 55Più	All Food	Stainless Steel, Aluminium and	Standard - Min	Variable from 35 to 55
Ferrum FVB6	200-401 Round Cans	N/A	180-600 upm Continuous Motion				plastic	120Lx120Wx10Hmm; Max 230Lx320Wx200Hmm	packs/minute
		Packaging; Fladgate Packaging	g Systems)	Comit	SATURN PACKAGING EQUIP Sigma semi-automatic	MENT Various	Various	Up to 48in wide	to 22ppm
Vac5 HARPAK ULMA PACKAGI		24 in.	Intermittent	Semi-automatic	VC999 CANADA LTD			•	
TFS line • MULTIVAC CANADA	Flex/Rigid/Map		Intermittent	Hygenic stain steel	<ul> <li>Xtravac Flow Wrappers</li> <li>WEIGHPACK SYSTEMS INC</li> </ul>	Food, Pharma, etc.	Shrink, Regular	one to multiple pieces	up to 350 PPM
R105	All heat-sealable materials	355x300mm	Intermittent	Compact design	Sleek Wrapper 40 Sleek Wrapper 65		Roll stock	1" - 7.5"W, Up to 24"L 1" - 9.5"W, Up to 24"L	Up to 60 cpm Up to 200 cpm
R126 R145	As above As above	420x360mm 420x400mm	As above As above	Compact design Easy open/reclose	Breezy Bagger		Roll Stock	2.5" - 10"W, Up to 36"L	
R245 R535	As above As above	560x640mm 650x1300 mm	As above As above	As above, zipper Modular Extendibilty					
	√9 an∩∧g	OUON TOUU IIIIII	No abuve	IVIOUUIAI EXICHUIDIILY	<u> </u>				
74									

# Multiple Channels. One Solution.



Your products are sold in **club**, **dollar**, and **convenience stores**, through **e-commerce** and in **value-added retail stores**. WestRock has a single solution for all of these channels: precision mandrel-forming technology delivers the ultimate in container and equipment flexibility. State-of-the-art machinery allows quick change-over between box sizes and minimal or no change-over for sizes with similar footprints. The result is a case that outperforms comparable RSCs in production efficiency with greater stacking strength, operational, and sustainability improvements. What's not to like?

To learn more, contact WestRock Automated Packaging Systems at 407.843.1300.



WRAPPING AUTON MAKER AND MODEL	BUNDLE SIZE RANGE	SPEED	BUNDLING MATERIALS		X-RAY INSPECTION MAKER & MODEL	SPEED
ALEX E JONES & ASSOCIAT Hartness - GlobalShrink		60, 80 and 100 cycles per	Various	semi-auto, etc.) Fully Automatic - Film only,	Pack 320 Pro	Up to 120mpm ar
AMERICAN PACKAGING MA		minute hisholm Machinery Sales Limite	ed, Niagara Falls, ON)	Pad/Film, Tray/Pad/Film		
• BANDING SYSTEMS	Various	Model dependent rates	LDPE, Poly Olefin,	Semi Auto, Automatic - High Speed/High Quality		
BA24/15 - Arch Size: 240m x 150mm	Up to 240m x 150mm	Up to 30 parts per minute	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic	Pack 400HC	Up to 120mpm ar
3A32/20 - Arch Size: 320m x 200mm	Up to 320m x 200mm	Up to 30 parts per minute	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100 and 120mm	Semi or Fully Automatic		
BA40/25 - Arch Size: 400m x 250mm	Up to 400m x 250mm	Up to 30 parts per minute	Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Semi or Fully Automatic		
BA48/30 - Arch Size: 480m x 300mm	Up to 480m x 300mm	Up to 30 parts per minute	and 120mm  Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Semi or Fully Automatic		
BA64/35 - Arch Size: 640m x 350mm	Up to 640m x 350mm	Up to 30 parts per minute	and 120mm  Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Semi or Fully Automatic		
BA80/35 - Arch Size: 800m x 350mm	Up to 800m x 350mm	Up to 30 parts per minute	and 120mm  Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Semi or Fully Automatic	Pack 240 Pro	Up to 120mpm ar
BA96/35 - Arch Size: 960m x 350mm	Up to 960m x 350mm	Up to 30 parts per minute	and 120mm  Plastic or Paper Band. Film width: 28, 40, 48, 60, 75, 100	Semi or Fully Automatic		
Custom Arch Size Systems	Up to 960mm x 700mm	Up to 30 parts per minute	and 120mm Plastic or Paper Band. Film	Semi or Fully Automatic		
DAMARK SHRINK PACKAGII	NG MACHINERY (A Product of	f Plexpack)	width: 28, 40, 48, 60, 75, 100 and 120mm			
	Canada: Abbey Packaging Ed		Polyethylene	Semi-Automatic	Pack 430 Pro	Up to 120mpm ar
Delkor Spot-Pak Delkor EDL PACKAGING ENGINEER	4" to 20" width 4" to 20" RS INC (In Canada: Flexi-Pack	Up to 60 bundles/min Up to 60 bundles/min Machinery Solutions Inc., Woo	Pad & PE Shrink Film PE shrink-film  odbridge, ON)	Automatic Automatic		
EDL Packaging Enginners, Inc		Up to 45 packs per minute (product dependent)		Bundlers range from semi-automatic to automatic.	Pack 1000 Pro	Up to 120mpm ar
FLEXI PACK MACHINERY SO EDL Packaging Engineers Double Tight Wrap	Various Sizes	Dual Wrap	Product and Pattern Dependent	Specialty Machine for Pet Food, Rice, Beans, etc.		
OMEGA DESIGN CORP (In C Models 18, 27, 36 & MMX 'Bandit" In Line Stretch Bander	Canada: Packaging Equipment Variety of configurations  r Variety size & bundle confirgurations	Solutions Inc.) 50-300 300 cartons per minute	Low density plyetylene Stretch film	Fully automatic Automatic		
PLAN AUTOMATION INC Banding Systems	Up to 960mm x 700mm	Up to 30 parts per minute	Plastic or Paper Band	Semi or Fully Automatic		
X-RAY INSPECTION MAKER & MODEL	SPEED	DETECTION REJECT SYSTEM	SIZE	SPECIAL FEATURES	Pack 720 Pro	Up to 120mpm ar
ABBEY PACKAGING EQUIPI Anritsu Industrial Solutions USA Inc. KD74 Series	MENT LTD 5 to 90m/min	Various	Up to 520mm wide by 350mm high	(0.2mm available), 210 watt Output, HD Imaging, auto set-up w/ variable power, Mass Measure, Missing Item,		
Anritsu Industrial Solutions USA Inc. KD74 Series Curtainless	5 to 50m/min	Various	Up to 390mm wide by 50mm high	Tool-less Belt removal Curtainless design for light pouches and unpackaged products. 0.4mm detector, 210 watt Output, HD Imaging, auto set-up w/ variable power, IP66 Compliance. Air Conditioning	Pack 370 Bulk Pro	Up to 120mpm ar
Anritsu Industrial Solutions USA Inc. KD74 Sanitary Desigi Series	5 to 90m/min n	Various	Up to 390mm wide by 150mm high	Standard KD74 Series features with an IP69K Sanitary Rating, curtainless option for		
Anritsu Industrial Solutions USA Inc. KD7416 Dual X for Bone Fragments	5 to 60m/min	Various	390mm wide by 150mm high	unpackaged product.  Dual Energy for Superior  Detection of low density bones in poultry/pork products, Ultra HD Resolution, 350w Output, Detect bones as small as 1mm	Pack 550 Pro	Up to 120mpm ar
Anritsu Industrial Solutions USA Inc. KD74-f Series	5 to 80m/min	Various	Up to 240mm wide by 120mm high	to 2mm	Eagle Tall DV (Dual View)	Up to 120mpm ar
Anritsu Industrial Solutions USA Inc. KD74-h Series	5 to 90m/min  Plastic, Metal, Glass	Various  Leaks, Fill Level Vacuum,	Up to 390mm wide by 220mm high to 1,200cpm		RMI3 B/C	Up to 120 fpm
Teledyne TapTone T4000X	Plastic, Metal, Glass	Pressure, Physical Defects, 300mcr	to 1,200cpm	(Acoustic, Proximity, Z-Ray, Laser) CapVu, CodeVu, TotalView		
BIZERBA CANADA INC Raycon Product Inspection	600ppm	Air-jet Pusher		Complies IFS & HACCP		
Sys. • <b>EAGLE PI (In Canada: Plan</b> Pack 720 RMI	Automation, Orangeville, ON; Up to 120mpm and 1500ppm	Banding Systems, Orangeville Air Knife, Piston Arm, Drop	e, ON) Up to 729mm in Width and	Raw Meat Product Inspection:	FA3 B/C	Up to 120 fpm
GON 720 (WIII	op to 120mpm and 1000ppm	Nose, Etc.	335mm in Height	Automatic product inspection and rejection for: contaminants, check-weighing and defects. TRUE 3rd party rated AMI		
				TRUE 3rd party rated AMI rated sanitary construction cleanable to a micro-biological level. Patented MDX Dual	HEAT & CONTROL CANADA Ishida IX-GA	to 90m/min.
				Energy X-ray for unparalleled detection of low-density contaminants such as: plastic,	Ishida IX-EA	to 60m/min.
				rubber, bones, stones, glass, etc. EagleTrace Traceability Software.		
Service and Part Support	24 Hour Turnaround Guarante	e Local Techs and Parts Available	All Eagle and Smiths Systems	PLAN Automation is the exclusive Canadian distributor	Ishida IX-GA-65100	to 50m/min. to 30m/min.
				responsible for sales, service and parts support of all Eagle PI and Smiths Detection systems located in Canada. We	Ishida IX-GA-65 100  Ishida IX-G2 dual sensor	to 60 m/min.
				are the only service provider certified by Eagle PI for standard or warrantee work.	LOMA SYSTEMS INC (In B.C Loma X4 300/500/600	
Eagle Quadview	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 152mm in Width and 304mm in Height	Glass-in-Glass Product Inspection: Automatic product inspection and rejection for: contaminants, check-weighing,	Pipeline/Rapid	10 250 Ipm
				level fill, missing cap and defects. TRUE 100% base inspection with no blind spot.	X4; XR • METTLER TOLEDO INC (S	
				Patented MDX Dual Energy X-ray for unparalleled detection	Safeline Packaged Product X Ray Safeline Glass Container X Ra	50-400 ft min
D 1 700 T	11	A. 17 'S -		of low-density contaminants such as: plastic, rubber, calcified bones, stones, glass.	System Safeline Canned Food X Ray	50-1000 ft min
Pack 720 FA	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 546mm in Width and 203mm in Height	Fat Analysis Raw Meat Product Inspection: Automatic product inspection and rejection for: CL	System Safeline unpackaged inspection systems	50-250 ft min
				Value (fat to lean ratio) contaminants, check-weighing and defects. TRUE 3rd party	Safeline Bulk Product X Ray inspection systems Safeline Pipe X Ray System	50-250 ft min 20,000 lb/hr
				rated AMI rated sanitary construction cleanable to a	MULTIVAC CANADA     Baseline 100	Up to 45/min
				micro-biological level. Patented MDX Dual Energy X-ray for unparalleled detection of low-density contaminants such	SESOTEC CANADA LTD Raycon 300/1500	To 400ppm
				as: plastic, rubber, bones, stones, glass, etc. EagleTrace	Raycon 450/200	To 400ppm
				Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a harcode	Raycon 330/100 Raycon 130/240 Raycon Bulk-Sorter	To 400ppm To 400ppm Application specif
Eagle Tall X and XS Pro	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop	Up to 152mm in Width and	simultaneously using a barcode reader.  Product Inspection for the	THERMO FISHER SCIENTIFIC Thermo Scientific™ Xpert™	C (In Canada: Thei 10-80m/min
		Nose, Etc.	267mm in Height	Beverage Industry: Automatic product inspection and rejection for: contaminants,	C400/C600/C800 X-ray Syster Thermo Scientific™ Xpert™ B400/B600 X-ray System	10-80m/min
				check-weighing, level fill, missing cap and defects. Patented MDX Dual Energy	Thermo Scientific™ S400 X-ra System	
				X-ray for unparalleled detection of low-density contaminants such as: plastic, rubber, calcified bones, stones, glass.	Thermo Scientific™ POWERx C400/C600/C800 High-Performance X-ray System	m/min
				Eagle Trace Traceability Software.	Thermo Scientific™ POWERx S230/S310 High-Performance	
					X-ray System Thermo Scientific™	10-80m/min

MAKER & MODEL	SPEED	DETECTION REJECT SYSTEM	SIZE	SPECIAL FEATURES
Pack 320 Pro	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 323mm in Width and 152mm in Height	Packaged Product Inspection: Automatic product inspection and rejection for: contaminants check-weighing and defects. Patented MDX Dual Energy X-ray for unparalleled detection of low-density contaminants such as: plastic, rubber, calcified bones, stones, glass.
Pack 400HC	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 400mm in Width and 152mm in Height	Raw Meat Product Inspection: Automatic product inspection and rejection for: contaminants check-weighing and defects. TRUE 3rd party rated AMI rated sanitary construction cleanable to a micro-biological level. Patented MDX Dual Energy X-ray for unparalleled detection of low-density contaminants such as: plastic, rubber, bones, stones, glass, etc. Eagle Trace Traceability Software.
<sup>2</sup> ack 240 Pro	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 242mm in Width and 101mm in Height	Packaged Product Inspection: Automatic product inspection and rejection for: contaminants check-weighing and defects. Patented MDX Dual Energy X-ray for unparalleled detection of low-density contaminants such as: plastic, rubber, calcified bones, stones, glass, etc. Eagle Trace Traceability
ack 430 Pro	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 434mm in Width and 152mm in Height	Software.  Packaged Product Inspection: Automatic product inspection and rejection for: contaminants check-weighing and defects. Patented MDX Dual Energy X-ray for unparalleled detection
Pack 1000 Pro	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 729mm in Width and 558mm in Height	of low-density contaminants.  Packaged Product Inspection: Automatic product inspection and rejection for: contaminants check-weighing and defects.  Patented MDX Dual Energy X-ray for unparallelied detection flow-density contaminants such as: plastic, rubber, bones stones, glass, etc. EagleTrace Traceability Software. Can inspect randomly line-feed cases from multiple lines.
°ack 720 Pro	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 120mpm and 1500ppm	from multiple lines.  Packaged Product Inspection: Automatic product inspection and rejection for: contaminants check-weighing and defects. Patented MDX Dual Energy X-ray for unparalleled detection of low-density contaminants such as: plastic, rubber, bones stones, glass, etc. Eagle Trace Traceability Software. Can inspect randomly in-feed cases from multiple lines simultaneously using a barcod reader.
Pack 370 Bulk Pro	Up to 120mpm and 1500ppm	Multiple Lane Air Knife, Piston Arm, Drop Nose, Etc.	Up to 379mm in Width and 152mm in Height	Bulk Product Inspection: Automatic product inspection and rejection for: contaminants check-weighing and defects. Patented MDX Dual Energy X-ray for unparalleled detection of low-density contaminants.
ack 550 Pro	Up to 120mpm and 1500ppm	Air Knife, Piston, Arm, Drop Nose, Etc.	Up to 550mm in Width and 152mm in Height	Packaged Product Inspection: Automatic product inspection and rejection for: contaminant check-weighing and defects. Patented MDX Dual Energy X-ray for unparalleled detectio of low-density contaminants.
Eagle Tall DV (Dual View)	Up to 120mpm and 1500ppm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 152mm in Width and 267mm in Height	Dual view product inspection for the Beverage Industry: Patented MDX Dual Energy X-ray for unparalleled detectio of low-density contaminants: plastic, rubber, bones, stones,
RMI3 B/C	Up to 120 fpm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 540mm in Width and 180mm in Height	glass, etc. Raw meat product inspection (bulk or case) with Patented MDX technology for unparalleled detection of low-density contaminants: plastic, rubber, bones, stones, glass, metal, etc.
A3 B/C	Up to 120 fpm	Air Knife, Piston Arm, Drop Nose, Etc.	Up to 540mm in Width and 180mm in Height	Raw meat or case Fat Analysis DEXA inspection for Chemical Lean (fat to lean ratio) measurement, protein/moistun calculation and contaminant detection.
HEAT & CONTROL CANADA shida IX-GA	INC to 90m/min.	Full range, including metal, bone, glass, plastic, rubber	Various	GA image processing, fast set-up & warm-up, no routine
shida IX-EA	to 60m/min.	As above	Various	calibration required  Economical entry-level sys. includes masking functions, user-friendly cont. no -tools
shida IX-GA-DK	to 50m/min.	As above	Various	conveyor removal Wash-down, no tools conveyor removal, user-friendly controls
shida IX-GA-65100	to 30m/min.	As above	Various	Large carton inspection, user-friendly controls, no tools conveyor removal
shida IX-G2 dual sensor  OMA SYSTEMS INC (In B.C	to 60 m/min.	Various	up to 150mm high; up to 400mm wide	Detects low-density objects in overlapping products
oma X4 300/500/600 Pipeline/Rapid	To 250 fpm	Bone, glass, metal, plastic, rubber	To suit	Washdown, auto track technology, explore mode detection, domain mode and slope analysis, help menu,
(4; XR	Customer specs hawpak System Limited, Oakvi	Bone, glass, metal		embedded Windows NT Washdown, WIndows RP
Safeline Packaged Product X Ray		To suit Application		
	y 50-1000 ft min 50-1000 ft min	To suit Application		Glass in Glass detection
System		To quit Application		
System Safeline Canned Food X Ray System Safeline unpackaged	50-250 ft min	To suit Application  To suit Application		
System Safeline Canned Food X Ray System Safeline unpackaged Inspection systems Safeline Bulk Product X Ray				
system safeline Canned Food X Ray system safeline unpackaged spection systems safeline Bulk Product X Ray spection systems	50-250 ft min	To suit Application		
System Safeline Canned Food X Ray System Safeline unpackaged nspection systems Safeline Bulk Product X Ray nspection systems Safeline Pipe X Ray System MULTIVAC CANADA Baseline 100  BESOTEC CANADA LTD	50-250 ft min 50-250 ft min 20,000 lb/hr Up to 45/min	To suit Application  To suit Application  To suit Application  Rejection bin lockable, integrated in safety cover	1800L X 750W X 1776H in mm	entry-level model
System Safeline Canned Food X Ray System Safeline unpackaged nspection systems Safeline Bulk Product X Ray nspection systems Safeline Bulk Product X Ray nspection systems MULTIVAC CANADA Baseline 100  SESOTEC CANADA LTD Raycon 300/1500 Raycon 450/200	50-250 ft min 50-250 ft min 20,000 lb/hr Up to 45/min  To 400ppm To 400ppm	To suit Application To suit Application To suit Application Rejection bin lockable, integrated in safety cover Customized to suit Customized to suit	1800L X 750W X 1776H in mm	Auto product teach Multi-lane - Multi-zone Plastic Modular Belting
System Safeline Canned Food X Ray System Safeline unpackaged nspection systems Safeline Bulk Product X Ray nspection systems Safeline Bulk Product X Ray nspection systems Safeline Pipe X Ray System MULTIVAC CANADA Baseline 100 SESOTEC CANADA LTD Raycon 300/1500 Raycon 450/200 Raycon 450/200 Raycon 130/240 Raycon Bulk-Sorter	50-250 ft min 50-250 ft min 20,000 lb/hr Up to 45/min  To 400ppm To 400ppm To 400ppm To 400ppm Application specific	To suit Application  To suit Application  To suit Application  Rejection bin lockable, integrated in safety cover  Customized to suit  Customized to suit  Customized to suit  Multi-zone air jet or flap	1800L X 750W X 1776H in mm	entry-level model  Auto product teach  Multi-lane - Multi-zone  Plastic Modular Belting  High Speed Image Processing
System Safeline Canned Food X Ray System Safeline unpackaged Sapection Systems Safeline Bulk Product X Ray Spection Systems Safeline Bulk Product X Ray Spection Systems MULTIVAC CANADA Saseline 100 SESOTEC CANADA LTD Raycon 300/1500 Raycon 450/200 Raycon 450/200 Raycon 130/240 Raycon 130/240 Raycon 130/240 Raycon Bulk-Sorter THERMO FISHER SCIENTIFIT THERMO FISHER SCIENTIFIT Thermo Scientific™ Xpert™	50-250 ft min 50-250 ft min 20,000 lb/hr Up to 45/min  To 400ppm To 400ppm To 400ppm To 400ppm To 400ppm Co (In Canada: Thermo Fisher S	To suit Application  To suit Application  To suit Application  Rejection bin lockable, integrated in safety cover  Customized to suit  Customized to suit  Customized to suit  Multi-zone air jet or flap	1800L X 750W X 1776H in mm	entry-level model  Auto product teach  Multi-lane - Multi-zone Plastic Modular Belting  High Speed Image Processing  Designed fro upright container
SESOTEC CANADA LTD Raycon 300/1500 Raycon 450/200 Raycon 130/240 Raycon 130/240 Raycon Bulk-Sorter THERMO FISHER SCIENTIFIE Thermo Scientific™ Xpert™ 3400/C600/C800 X-ray System Thermo Scientific™ Xpert™ B400/B600 X-ray System Thermo Scientific™ System Thermo Scientific™ S400 X-ray	50-250 ft min 50-250 ft min 20,000 lb/hr Up to 45/min  To 400ppm To 400ppm To 400ppm Application specific C (in Canada: Thermo Fisher S 10-80m/min	To suit Application  To suit Application  To suit Application  Rejection bin lockable, integrated in safety cover  Customized to suit  Customized to suit  Customized to suit  Multi-zone air jet or flap cientific, Burlington, ON)  Custom reject configurations,	1800L X 750W X 1776H in mm	entry-level model  Auto product teach  Multi-lane - Multi-zone Plastic Modular Belting High Speed Image Processing Designed fro upright container For loose bulk flor products  Product verification of packaged products  Contaminant detection of bulk products Side shoot system for
System Safeline Canned Food X Ray System Safeline unpackaged nspection systems Safeline Bulk Product X Ray nspection systems Safeline Bulk Product X Ray nspection systems Safeline Pipe X Ray System MULTIVAC CANADA Baseline 100  SESOTEC CANADA LTD Raycon 300/1500 Raycon 450/200  Raycon 310/1200  Raycon 310/1200 Raycon 130/240 Raycon Bulk-Sorter ITHERMO FISHER SCIENTIFIT Thermo Scientific™ Xpert™ 2400/C600/C800 X-ray System Thermo Scientific™ Spert™ S400/B600 X-ray System Thermo Scientific™ Selou X-ray System Thermo Scientific™ S400 X-ray System Thermo Scientific™ S400 X-ray System	50-250 ft min 50-250 ft min 20,000 lb/hr Up to 45/min  To 400ppm To 400ppm To 400ppm To 400ppm Application specific C (In Canada: Thermo Fisher S 10-80m/min 10-80m/min y 5-80m/min	To suit Application  To suit Application  To suit Application  Rejection bin lockable, integrated in safety cover  Customized to suit  Customized to suit  Customized to suit  Customized to suit  Multi-zone air jet or flap cientific, Burlington, ON)  Custom reject configurations, contaminant detection  Custom reject configurations	1800L X 750W X 1776H in mm	entry-level model  Auto product teach Multi-lane - Multi-zone Plastic Modular Belting High Speed Image Processing Designed fro upright container For loose bulk flor products  Product verification of packaged products  Contaminant detection of bulk products Side shoot system for contaminant detection in glass jars, cans Product verification of
System Safeline Canned Food X Ray System Safeline unpackaged nspection systems Safeline Bulk Product X Ray nspection systems Safeline Piex Ray System MULTIVAC CANADA Baseline 100 SESOTEC CANADA LTD Raycon 300/1500 Raycon 330/100 Raycon 130/240 Raycon Bulk-Sorter THERMO FISHER SCIENTIFIT Thermo Scientific™ Xpert™ 2400/6600/C800 X-ray System System 3400/B600 X-ray System	50-250 ft min 50-250 ft min 20,000 lb/hr Up to 45/min  To 400ppm To 400ppm To 400ppm To 400ppm Co (In Canada: Thermo Fisher S 10-80m/min 10-80m/min m/min	To suit Application  To suit Application  To suit Application  Rejection bin lockable, integrated in safety cover  Customized to suit  Customized to suit  Customized to suit  Customized to suit  Multi-zone air jet or flap cientific, Burlington, ON)  Custom reject configurations, contaminant detection  Custom reject configurations  Custom reject configurations  Custom reject configurations	1800L X 750W X 1776H in mm	entry-level model  Auto product teach  Multi-lane - Multi-zone Plastic Modular Belting High Speed Image Processing Designed fro upright container For loose bulk flor products  Product verification of packaged products  Contaminant detection of bulk products  Side shoot system for contaminant detection in glass jars, cans

# ADDRESSES

**3M CANADA INC.** P0 Box 5757 London ON N6A 4T1 **Tel:** 519-451-2500 **Fax:** 519-452-6090

A.I.E. See CiMa-Pak Corporation

A.L.X. METALL See CiMa-Pak Corporation

A.P.M. CORP, ALL PACKAGING MACHINERY DIV.

90 13th Ave Unit 11 Ronkonkoma NY 11779-6819 US/ Tel: 631-588-7310 Fax: 631-467-4690

2117 32e Av Lachine QC H8T 3J1 Tel: 514-420-3100

**ABB INC. - BUSINESS UNIT ROBOTICS** 201 Westcreek Blvd Brampton ON L6T 5S Tel: 905-460-3418

Fax: 905-460-3019

ABBEY PACKAGING EQUIPMENT LTD.

5030 South Service Rd Burlington ON L7L 5Y7 Tel: 905-681-3010 Fax: 905-681-3018

ACCENT PACKAGING

6680 130A St Surrey BC V3W 8P5 Tel: 604-495-1997 Fax: 604-495-1989 AESUS PACKAGING SYSTEMS, INC.

188 Oneida Ave Pointe-Claire QC H9R 1A8
Tel: 514-694-3439, Ext 224 Fax: 514-694-4107

AHEARN & SOPER INC. 100 Woodbine Downs Blvd Toronto ON M9W 5S8 Tel: 416-675-3999 Fax: 416-675-6589

ALEX E. JONES & ASSOCIATES LTD.

8-785 Pacific Rd Oakville ON L6L 6M3 **Tel:** 905-847-0166 **Fax:** 905-847-0123

ALL-FILL INC.

418 Creamery Way Exton PA 19341 USA **Tel:** 610-524-7350 **Fax:** 610-524-7346

**ALPHA CHECKWEIGHERS** 

418 Creamery Way Exton PA 19341 USA Tel: 610-524-7350 Fax: 610-524-7346 AMERICAN PACKAGING MACHINERY (APM)

ANYPACK PACKAGING MACHINERY INC.

1001-1265 Beach Ave Vancouver BC V6E 1V4 **Tel:** 604-421-8008 **Fax:** 604-421-8260

See Chisholm Machinery Solutions

ARPAC LLC 9555 W Irving Park Rd Schiller Park IL 60176 USA Tel: 847-678-9034 Fax: 847-671-7006

ARTYPAC AUTOMATION INC.

3315 boul Industriel Laval QC H7L 4S3 Tel: 450-668-6600 Fax: 450-668-6633

**ASCO NUMATICS** 17 Airport Rd Brantford ON N3T 5M8 **Tel:** 519-758-2700

ASSOCIATED PACKAGING EQUIPMENT CORP.

70 Gibson Dr Unit 5-6 Markham ON L3R 4C2 Tel: 905-475-6647 Fax: 905-479-9752

ASTRO-MED INC.

3555 rue Isabelle bureau 111 Brossard QC J4Y 2R2 **Tel:** 450-619-9973 **Fax:** 450-619-9976

ATI INDUSTRIAL AUTOMATION

ATLANTIC PACKAGING PRODUCTS LTD.

111 Progress Ave Scarborough ON M1P 2V9 111 Progress Ave Scarborough ON M1P 2Y9 **Tel:** 416-298-8101 **Fax:** 416-297-2218

ATS - TANNER BANDING SYSTEMS INC.

A-2390 Wyecroft Rd Oakville ON L6L 6M8 Tel: 905-815-9999 Fax: 905-815-0443

AUTO LABE

3101 Industrial Ave Two Ft. Pierce FL 34946 USA **Tel:** 772-465-4441 **Fax:** 772-465-5177

AUTOMATED PACKAGING SYSTEMS INC.

10175 Philipp Pkwy Streetsboro OH 44241 USA Tel: 800-527-0733 Fax: 330-342-2400

**B&H LABELING SYSTEMS** 

3461 Roeding Rd Ceres CA 95307 USA Tel: 209-537-5785 Fax: 209-537-6854

**B&R INDUSTRIAL AUTOMATION INC.** 

Tel: 905-417-9500 Fax: 905-417-9509

**B&T SALES INC** 42 Crawford Dr Ajax ON L1S 3A8 **Tel:** 905-426-1668

BALLUFF CANADA INC. Unit 1 & 2-2840 Argentia Rd Mississauga ON L4W 8G5 Tel: 905-816-1494 Fax: 905-816-1411

**BANDING SYSTEMS**289 Broadway St Orangeville ON L9W 1L2 **Tel:** 866-779-1492 **Fax:** 416-479-0787

BARCODE GRAPHICS INC.

5-25 Brodie Dr Richmond Hill ON L4B 3K Tel: 905-770-1154 Fax: 905-787-1575

**BAUMER HHS CORP.** 10570 Success Lane Dayton 0H 45458 USA **Tel:** 937-886-3160 **Fax:** 937-886-3161

**BAUMER INC.** 4046 Mainway Dr Burlington ON L7M 4B9 **Tel:** 905-335-8444 **Fax:** 905-335-8320

BEAR LABEL MACHINES

BERTOLASO SPA

BEST PACKAGING SYSTEMS

1-8699 Escarpment Way Milton ON L9T 0. Tel: 905-864-3005 Fax: 905-864-6245

BEUMER CORPORATION

800 Apgar Dr Somerset NJ 08873 USA Tel: 732-893-2800 Fax: 732-805-0475

**BIVANS CORPORATION** 

2431 Dallas St Los Angeles CA 90031 US Tel: 323-225-4248 Fax: 323-225-7316

**BIZERBA CANADA INC.** 9-2810 Argentia Rd Mississauga ON L5N 8L2 **Tel:** 905-816-0498 **Fax:** 905-816-0497

BLUEPRINT AUTOMATION INC. 16037 Innovation Dr Colonial Heights VA 23834 USA Tel: 804-520-5400 Fax: 804-526-8164

**BOB FAULDS AND ASSOCIATES LTD.** 

1209-90 Cordova Ave Etobicoke ON M9A 2H Tel: 416-236-3363 Fax: 416-236-9538

**BOSCH PACKAGING SYSTEMS AG - PAAL** 

**BOSCH PACKAGING SYSTEMS AG - SIGPACK** 

Tel: +41 58 674 10 00 Fax: 152-674-6607

BOSCH PACKAGING TECHNOLOGY INC.

**BOSCH PACKAGING TECHNOLOGY - VERTICAL** 

869 South Knowles Ave New Richmond WI 54017 US Tel: 715-246-6511 Fax: 715-246-6539

**BOSCH REXROTH CANADA** 

BRADMAN LAKE INC. 3050 Southcross Blvd Rock Hill SC 29730 USA Tel: 704-588-3301 Fax: 704-588-3302

CAM PACKAGING SYSTEMS 3-226 Industrial Parkway N Aurora ON L4G 4C3 Tel: 905-737-5400

**CANADIAN CORRUGATED & CONTAINERBOARD** 

3-1995 Clark Blvd Brampton ON L6T 4W1 Tel: 905-458-1247 Fax: 905-458-2052

**CANPACO INC.**79 Huntington Rd Woodbridge ON L4H 0S9 **Tel:** 905-771-7791 **Fax:** 905-771-1115

**CAPMATIC LTD.**12180 boul Albert-Hudon Montréal-Nord QC H1G 3K7 **Tel:** 514-322-0062 **Fax:** 514-322-0063

CARTIER PACKAGING 2325 boul Industriel Saint-Césaire QC JOL 1T0 Tel: 800-393-2737 Fax: 450-469-2239

CELPLAST PACKAGING SYSTEMS 67 Commander Blvd Unit 4 Scarborough ON M1S 3M7 Tel: 416-644-3503 Fax: 416-293-1946

**CHARLES DOWNER & CO. LTD.** 

7-52 West Beaver Creek Richmond Hill ON L4B 1L9 Tel: 905-882-2222 Fax: 905-882-0437

CHISHOLM MACHINERY SOLUTIONS

5760 Valley Way PO Box 245 Niagara Falls ON L2E 6 Tel: 905-356-1119 Fax: 905-356-9170

**CIMA-PAK CORPORATION** 

CODING PRODUCTS OF CANADA LTD.

7 Innovation Dr Hamilton ON L9H 7H9 **Tel:** 905-690-1471 **Fax:** 905-690-8393

COGNEX CORP.

1 Vision Dr Natick MA 01760 USA
Tel: 508-650-3000 Fax: 508-650-3344

**COLUMBIA MACHINE** 

**COLUMBIA OKURA** 

COMBISCALE LLC 4760 NW 128th St Opa Locka FL 33054 USA Tel: 305-895-8909 Fax: 305-688-7772

9104 N Zenith Davenport IA 52809 USA Tel: 563-391-2751 Fax: 563-391-8598

CONSOLIDATED TECHNOLOGIES INC.

252 rue Joseph-Carrier Vaudreuil-Dorion QC J7V 5' Tel: 450-424-8464 Fax: 450-424-8792

COUSINEAU PACKAGING INC.

Tel: 519-766-0707 Fax: 519-766-0807

COUSINS PACKAGING INC.

Tel: 416-743-1341 Fax: 416-743-1831

CROWN METAL PACKAGING CANADA LP

21 Fenmar Dr Weston ON M9L 2Y9 **Tel:** 416-741-6002 **Fax:** 416-747-3420

DAMARK SHRINK PACKAGING MACHINERY

**DELKOR SYSTEMS, INC.**4300 Round Lake Rd W St. Paul MN 55112 USA **Tel:** 651-348-6700 **Fax:** 651-348-6705

DEPENDABLE MARKING SYSTEMS LTD. 585 Wenworth St E Unit 42 Oshawa ON L1H 3V8 Tel: 905-433-1383 Fax: 905-433-1972

**DESCON CONVEYOR SYSTEMS** 

1-1274 Ringwell Dr Newmarket ON L3Y 9C7 Tel: 905-953-0455 Fax: 905-953-1335 DIAGRAPH

DJS ENTERPRISES
6-2700 14th Ave Markham ON L3R 0J1
Tel: 905-475-7644 Fax: 905-475-7645

**DOMINO PRINTING SOLUTIONS INC.** 1-200 North Service Rd E Suite 317 Oakville ON L6M 2Y1 **Tel:** 905-829-2430 **Fax:** 905-829-1842

DORNER MFG. CORP.

975 Cottonwood Ave PO Box 20 Hartland WI 53029 USA Tel: 262-367-7600 Fax: 262-367-5827

DOVERCO INC. 3245 boul J.B. Deschamps Lachine QC H8T 3E4 Tel: 514-420-6001 Fax: 514-420-6050

**EAGLE PACKAGING LLC** 4700 NW 128 St Miami FL 33054 USA Tel: 305-622-4070 Fax: 305-688-7772

EAGLE PI 6005 Benjamin Rd Tampa FL 33634 USA **Tel:** 416-720-7875

EAM-MOSCA CANADA LTD. 170 Wiliiam Smith Dr Whitby ON L1N 9N3 Tel: 905-665-8225 Fax: 905-665-8188

**EASTEY ENTERPRISES** 

7041 Boone Ave Brooklyn Park MN 55428 USA Tel: 800-835-9344 Fax: 763-795-8867

ECHOTAPE 100-9001 rue Avon LaSalle QC H4X 2G8 Tel: 514-489-8689 Fax: 514-489-9707

**ECKERT MACHINES INC.** 

3841 Portage Rd Niagara Falls ON L2J 2L1 Tel: 905-356-8356 Fax: 905-356-1704 ph MA 02368 USA

ECONOCORP INC. 72 Pacella Park Dr Randolph MA 02368 U Tel: 781-986-7500 Fax: 781-986-1553 **ED MACPHEE LTD** 

402 Edith Dr Unit 2 Toronto ON M4R 2H7 Tel: 416-481-4926

Tel: 905-385-3201 Fax: 905-385-8775

**EDL PACKAGING ENGINEERS, INC.** 1260 Parkview Rd Green Bay WI 54304 U Tel: 920-336-7744 Fax: 920-336-8585 EDSON PACKAGING MACHINERY LTD. ELLIOTT MFG. CO. INC.

PO Box 11277 Fresno CA 93772 USA Tel: 209-233-6235 Fax: 209-233-9833

ELLIS PACKAGING 1830 Sandstone Manor Pickering ON L1W 3Y1 Tel: 416-798-7715

**ELMAR WORLDWIDE** 

EMPRESS PACKAGING INC.

312 Alliance Rd Milton ON L9T 2V2 Tel: 905-875-0220 Fax: 905-875-4188

2200 Asbury Rd Erie PA 16506 USA Tel: 814-835-6000 Fax: 814-838-4960

EUROIMPIANTI SPA
Via Lago Di Vico 80 ZI Schio (VI) 36015 Italy
Tel: +39 0445 578300 Fax: +39 0445 57899

**EUROSTAR SRL** 

FANUC ROBOTICS CANADA, LTD.

6774 Financial Dr Mississauga ON L5N 7J0 Tel: 905-812-2300 Fax: 905-812-2350

FARM CREDIT CANADA

1800 Hamilton St Regina SK S4P 4L3 **Tel:** 306-780-7963 **Fax:** 306-780-5001

FEED SYSTEMS, INC.

135 Industrial Blvd Riverhead NY 11901 USA Tel: 631-727-9028 Fax: 631-369-5939

**FERRUM** See Chisholm Machinery Solutions

FESTO INC. 5300 Explorer Dr Mississauga ON L4W 5G4 Tel: 905-624-9000 Fax: 905-624-9001

FILAMATIC 4119 Forleigh Rd Baltimore MD 21215 USA Tel: 410-764-0900 Fax: 410-764-7719 FLEXI-PACK MACHINERY SOLUTIONS INC.

530 Velmar Dr Woodbridge ON L4L 8H8 Tel: 416-577-0722 FLEXLINK SYSTEMS CANADA

1-1549 Yorkton Crt Burlington ON L7P 5B7 Tel: 905-639-6878 Fax: 905-639-4632

FORMOST FUJI CORPORATION 19211 144th Ave NE Woodinville WA 98072 USA Tel: 425-483-9090 Fax: 425-486-5656

FORTRESS TECHNOLOGY INC. 51 Grand Marshall Dr Scarborough ON M1B 5N6 Tel: 416-754-2898 Fax: 416-754-2976

FRAZIER & SON See Chisholm Machinery Solutions

**GARVEY CORPORATION** 208 S Route 73 Blue Anchor NJ 08037 US Tel: 609-561-2450 Fax: 609-561-2328

8000 North Dallas Parkway Frisco TX 75034 USA Tel: 214-618-1100 GEBO CERMEX CANADA INC.

1045 Hwy 13 Laval QC H7W 4V3 Tel: 450-973-3337 Fax: 450-973-3336 GENERAL CONVEYOR CO. LTD.

155 Englehard Dr Aurora ON L4G 3V1
Tel: 905-727-7922 Fax: 905-841-1056

GENERAL PACKAGING EQUIPMENT CO. Tel: 713-686-4331 Fax: 713-683-3967

GO PACKAGING 735 Oval Crt Burlington ON L7L 6A9 Tel: 905-632-3662 Fax: 905-639-2290

**GREYDON INC.**391 Greendale Rd York PA 17403 USA **Tel:** 717-848-3875 **Fax:** 717-843-6435

175 John Quincy Adams Rd Taunton MA 03 Tel: 508-884-2500 Fax: 508-884-2501

HARLUND INDUSTRIES LTD. HARPAK-ULMA PACKAGING, LLC



By contacting the packaging experts at Heat Sealing, you will benefit from a single source for all your food packaging and equipment needs. You will profit through our world class supplier

network, and bring innovative, efficient and cost



effective packages to market.











A world of packaging

solutions at your fingertips...

Cascades



Toll Free: 1800-669-7757 For more information, visit www.heatsealing.ca

**Heat Sealing Packaging** 61 Pippin Rd Concord, ON L4K 4N6 Phone: (905) 669-6770

FOR MORE INFORMATION CIRCLE 150

## ADDRESSES

HARTING CANADA INC. 202-8455 Trans-Canada Hwy Saint-Laurent QC H4S 1Z1 Tel: 514-944-7949 Fax: 855-659-6654

HARTNESS INTERNATIONAL

PO Box 26509 Greenville SC 29616-1 USA Tel: 864-297-1200 Fax: 864-288-5390

HAYSSENSANDIACRE 225 Spartangreen Blvd Duncan SC 29651 USA Tel: 864-486-4000 Fax: 864-486-4412

HEAT AND CONTROL CANADA, INC. 13-1111 Franklin Blvd Cambridge ON N1R 8B5 Tel: 519-623-1100 Fax: 519-623-1052

**HEAT SEALING PACKAGING SUPPLIES &** 

HEAT SEALING FACINGS...
EQUIPMENT
61 Pippin Rd Concord ON L4K 4N6
Tel: 905-669-6770 Fax: 905-669-5793
HIBAR SYSTEMS LIMITED
35 Pollard St Richmond Hill ON L4B 1A8
Tel: 905-731-2400 Fax: 905-731-6035

Tel: 905-731-2400 Fax: 905-731-6035

HMA SYSTEMS

12-185 Advance Blvd Brampton ON L6T 4Y3

Tel: 905-458-8182 Fax: 905-458-0758

HURRICANE PUMP DISTRIBUTION INC.

380 rue McArthur Saint-Laurent QC H4T TX8

Tel: 514-744-0224 Fax: 514-744-4121

IGUS INC. 257 Ferris Ave Rumford RI 02916 USA Tel: 401-438-2200 Fax: 401-438-7270

ILAPAK INC. 105 Pheasant Run Newtown PA 18940 USA Tel: 215-579-2900 Fax: 215-579-9959

IMPAK PACKAGING SYSTEMS INC.

4-445 Milner Ave Scarborough ON M1B 2P Tel: 416-299-0960 Fax: 416-299-9566

INTELLIGRATED INDUSTRIES CANADA LIMITED 5-500 Wentworth St E Oshawa ON L1H 3V9 Tel: 905-743-5000, Ext 5300 Fax: 905-725-2688

ITW DYNATEC 31 Volunteer Dr Hendersonville TN 37075 USA Tel: 615-824-3634 Fax: 615-264-5248

ITW MULLER 1760 55th Ave Lachine QC H8T 3J5 Tel: 514-426-9248 Fax: 514-426-8993

JG PACKAGING

92 Henderson Dr Whitby ON L1N 7Y8 **Tel:** 905-430-7647 **Fax:** 905-430-3435

KAPS-ALL PACKAGING SYSTEMS INC.

See Newmapak Lto.

KLIKLOK-WOODMAN
5224 Snapfinger Woods Dr Decatur GA 30035 USA
Tel: 770-981-5200 Fax: 770-987-7160

KLOCKNER PENTAPLAST OF CANADA, INC.
604-419 King St W Oshawa Executive Centre Oshawa ON L1J 2K5
Tel: 905-433-4232 Fax: 905-436-3478

KOMCAN INC.

55 Sinclair Ave. Georgetown ON L7G 4X4 **Tel:** 905-873-7070

KRONESMACHINERY CR. LTD. 6285 Northam Dr Mississanga OM LAW 1VE

KUKA ROBOTICS CANADA LTD. 4-6710 Maritz Dr Mississauga ON L5W 0A1 Tel: 905-670-8600 Fax: 905-670-8604

**KWIK LOK CORP.**Box 9548 Yakima WA 98909 USA **Tel:** 509-248-4770 **Fax:** 509-853-3664

**LABEL-AIRE INC.**550 Burning Tree Rd Fullerton CA 92833 USA **Tel:** 714-441-0700 **Fax:** 714-526-0300

**LANFRANCHI SRL** See Newmapak Ltd.

LANGEN PACKAGING INC. 6154 Kestrel Rd Mississauga 0N L5T 1Z2 Tel: 905-670-7200 Fax: 905-670-5291

**LANTECH INC.**11000 Bluegrass Pky Louisville KY 40299 USA **Tel:** 502-267-4200 **Fax:** 502-266-5031

**LAPP CANADA**10-3505 Laird Rd Mississauga 0N L5L 5Y7 **Tel:** 877-799-5277 **Fax:** 905-820-6516

LEADING EDGE INKJET LTD.

1-25 Coronet Rd Etobicoke ON M8Z 2L8 Tel: 416-234-9377 Fax: 416-234-3747

LENZE AMERICAS 630 Douglas St Uxbridge MA 01569 USA Tel: 508-278-9100 Fax: 508-278-7873

LINX PRINTING TECHNOLOGIES LTD. Linx House, 8 Stocks Bridge Way, Compass Point Bus Pk St Ives, Cambridgeshire PE27 5JL United Kingdom Tel: 0210 Fax: 0211

**LOMA SYSTEMS INC.** 333 Wyercroft Rd Unit 11 Oakville ON L6K 2H2 **Tel:** 905-842-4581 **Fax:** 905-842-3460

LONGFORD INTERNATIONAL LTD.

41 Lamont Ave Scarborough ON M1S 1A8 Tel: 416-298-6622 Fax: 416-298-6627

M & M PACKAGING ASSOCIATES LTD. 21 Greentree Rd Markham ON L3R 3A9 Tel: 905-474-0225 Fax: 905-474-0275

M.D. PACKAGING INC

250 Shields Crt Unit 6 Markham ON L3R 9W7 Tel: 416-291-9229 Fax: 416-291-2906

MAKRO LABELLING SYSTEMS

MARDEN EDWARDS INC.

nto ON M1S 3M7 Tel: 6443

MARKEM-IMAJE INC auga ON L4W 2T7

MARQ PACKAGING SYSTEMS INC.

Tel: 509-966-4300 Fax: 509-452-3307

MARSH CO.

MASSMAN AUTOMATION DESIGNS, LLC

Tel: 320-554-3611 Fax: 320-554-2650

MATRIX PACKAGING MACHINERY, LLC

650 Dekora Woods Blvd Saukville WI 5308 Tel: 262-268-8300 Fax: 262-268-8301 **MATTHEWS MARKING SYSTEMS** 

6515 Penn Ave Pittsburgh PA 15206 USA Tel: 800-775-7775 Fax: 412-665-2550

MCBRADY ENGINEERING INC. Tel: 815-744-8900 Fax: 815-744-8901

MECANO INDUSTRIES

1570 rue Nationale Terrebonne QC J6W 0E2 **Tel:** 450-961-1228 **Fax:** 450-961-1200

MESSE DUSSELDORF 1500-480 University Ave Toronto ON M5G 1V2 Tel: 416-598-1524 Fax: 416-598-1840

METTLER-TOLEDO INC. 6-2915 Argenta Rd Mississauga ON L5N 8G6 Tel: 800-638-8537

MULTIVAC CANADA 6 Abacus Rd Brampton ON L6T 5B7 Tel: 905-264-1170 Fax: 905-264-9647

NALBACH ENGINEERING COMPANY, INC.

621 E Plainfield Rd Countryside IL 60525 USA Tel: 708-579-9100 Fax: 708-579-0122

**NEW ENGLAND MACHINERY INC.** 6204 29th St E Bradenton FL 34203 USA Tel: 941-755-5550 Fax: 941-751-6281

**NEWMAPAK LTD.** 1015-A Edouard-VII St-Philippe QC JOL 2K0 **Tel:** 877-866-5572 **Fax:** 450-635-3611

NITA LABELING EQUIPMENT 1051 rue du Viger Terrebonne QC J6W 6B6 Tel: 450-961-4000 Fax: 450-961-4240

NJM PACKAGING

5600 rue Kieran Saint-Laurent QC H4S 2B5 **Tel:** 514-337-6990 **Fax:** 514-335-0801

NORAMPAC - DIV. OF CASCADES CANADA ULC

1061 rue Parent Saint-Bruno QC J3V 6R7 **Tel:** 450-461-8600 **Fax:** 450-461-8636

NORDSON CANADA, LIMITED 1211 Denison St Markham ON L3R 4B3 **Tel:** 905-475-6730 **Fax:** 905-475-8821

NORTH AMERICAN LASER SYSTEMS 2650 Meadowvale Bvld Unit 6-7 Mississauga 0N L5N 6M5 Tel: 905-542-3350 Fax: 905-542-9732

**OMA PACKAGING** 

OMEGA DESIGN CORP. 211 Philips Rd Exton PA 19341-1336 USA Tel: 610-363-6555 Fax: 610-524-7398

OMRON CANADA INC. 885 Milner Ave Toronto ON M1B 5V8 Tel: 866-986-6766 Fax: 416-286-6648

OPTIMA MACHINERY CORP.

1330 Contract Dr Green Bay WI 54304-56 Tel: 920-339-2222 Fax: 920-339-2233

ORION PACKAGING INC. 100 Crescent Dr Collierville TN 38017 USA Tel: 800-333-6556 Fax: 901-365-1071

PACK-RITE 3026 Phillips Ave Racine WI 53403 USA Tel: 262-635-6966 Fax: 262-634-0521

PACKAGING EQUIPMENT SOLUTIONS INC. 46 Colonel Bertram Rd Brampton 0N L6Z 4P3 Tel: 905-970-1562 Fax: 905-970-1759

PAXTON PRODUCTS
ITW Air Management 10125 Carver Rd Cincinnati 0H 45242 USA
Tel: 513-891-7474 Fax: 513-891-4092

PEARSON PACKAGING SYSTEMS

8120 W Sunset Hwy Spokane WA 99224 US Tel: 509-838-6226 Fax: 509-747-8532

PEMBERTON & ASSOCIATES INC.

PFM PACKAGING MACHINERY CORP.

1271 Ringwell Dr Newmarket ON L3Y 819 **Tel:** 905-836-6709 **Fax:** 905-836-7763

PHOENIX STRETCHWRAPPERS

PILLAR TECHNOLOGIES

475 Industrial Dr Hartland WI 53029-011 Tel: 262-912-7200 Fax: 262-912-7272 PINEBERRY MANUFACTURING INC.

1-2300 Bristol Cir Oakville ON L6H 5S3 Tel: 905-829-0016 Fax: 905-829-4637

PLAN AUTOMATION INC. 289 Broadway Ave Orangeville ON L9W 1L2 Tel: 416-479-0777 Fax: 416-479-0787

PLEXPACK 2-1160 Birchmount Rd Scarborough ON M1P 2B8 Tel: 416-291-8085 Fax: 416-298-4328

PMR PACKAGING INC. 361-701 Rossland Rd E Whitby ON L1N 9K3 Tel: 905-725-2225 Fax: 905-725-2241

PPI TECHNOLOGIES GROUP

1610 Northgate Blvd Sarasota FL 34234-2114 USA Tel: 941-359-6678 Fax: 941-359-6804 PREMIER TECH CHRONOS

1 av Premier Riviere-du-Loup QC G5R 6C **Tel:** 418-868-8324 **Fax:** 418-862-6642

PRIMERA TECHNOLOGY INC.

PROPACK PROCESSING & PACKAGING SYSTEMS

INC. 4902 Union Rd Beamsville ON LOR 1B4 Tel: 905-563-9400 Fax: 905-563-7224

QUADREL LABELING SYSTEMS

QUICK LABEL SYSTEMS - AN ASTRO-MED INC. PRODUCT GROUP

3555 rue Isabelle locale 111 Brossard QC J4Y 4R2 Tel: 450-619-9973

R.A. JONES & CO.

R.E. MORRISON EQUIPMENT INC. R-J MACHINERY INC.

44 Torbay Rd Markham ON L3R 1G6 Tel: 905-475-1046 Fax: 905-475-0944 REGAL BELOIT AMERICA, INC. 1720 New Buffington Rd Florence KY 41042 USA Tel: 859-727-5271

REISER (CANADA) CO. 4-1549 Yorkton Crt Burlington ON L7P 5B **Tel:** 905-631-6611 **Fax:** 905-631-6607

**RENNCO LLC** 300 Elm St PO Box 116 Homer MI 49245 USA **Tel:** 517-568-4121 **Fax:** 517-568-4798

**REXNORD CANADA L.P.** 81 Maybrook Dr Scarborough ON M1V 3Z2 **Tel:** 416-297-6868 **Fax:** 416-297-6873 RILEY PRODUCT HANDLING

RJP PACKAGING

3317 Mainway Dr Burlington ON L7M 1A5 Tel: 905-319-7562 Fax: 905-335-6734

ROBATECH CANADA 12-7600 Hwy 27 Vaughan ON L4H 0P8 Tel: 416-622-4784 Fax: 416-850-4367

**ROBINO & GALANDRINO** 

ROBOPAC SA

Strada Rovereta 27 Repubblica di San Marino Italy 47891 Tel: 800-363-2737 Fax: 450-469-2239

ROCKWELL AUTOMATION, INC. 1201 South Second St Milwaukee WI 53204 USA Tel: 414-382-2000 Fax: 414-382-5560

RYSON INTERNATIONAL INC.

300 Newson Dr Yorktown VA 23692 USA **Tel:** 757-898-1530 **Fax:** 757-898-1580

**SADLER INC.** 353 Chester Ave Mont-Royal QC H3R 1W6 **Tel:** 514-931-4271 **Fax:** 514-931-4275

SAFELINE INC. Safeline Business Center 6005 Benjamin Rd Tampa FL 33634 USA Tel: 813-889-9500 Fax: 813-881-0840

SAMUEL PACKAGING GROUP 2370 Dixie Rd Mississauga ON L4Y 1Z4 Tel: 905-279-9580 Fax: 905-279-8016

SATURN PACKAGING EQUIPMENT

6055 Ch St François Saint-Laurent QC H4S 1B6 Tel: 514-956-1603 Fax: 514-956-8124 SCHNEIDER ELECTRIC CANADA INC.

5985 McLaughlin Rd Mississauga ON L5R 1B8 **Tel:** 905-366-3999 **Fax:** 859-334-9949 SCHNEIDER PACKAGING EQUIPMENT CO., INC.

5370 Guy Young Rd PO Box 890 Brewerton NY 13029-0890 Tel: 315-676-3035 Fax: 315-676-2875

SEALED AIR (CANADA) CO./CIE CRYOVAC FOOD

SEALED AIR SHRINK PACKAGING 100 Rogers Bridge Rd Duncan SC 29334 U Tel: 864-433-2000 Fax: 864-433-2019

**SEALPAC**See Heat Sealing Packaging Supplies & Equipment SENSOR PRODUCTS INC. 300 Madison Ave Suite 100 Madison NJ 07940 USA Tel: 973-884-1755 Fax: 973-884-1699

SEPTIMATECH GROUP INC.

106 Randall Dr Waterloo ON N2V 1K5 Tel: 519-746-7463 Fax: 519-746-3464

**SERAC, INC.** 160 E Elk Trail Carol Stream IL 60188 USA **Tel:** 630-510-9343 **Fax:** 630-510-9357 SESOTEC CANADA LTD. 114-7 Grand Ave S Suite 100 Cambridge ON N1S 2L3 Tel: 519-621-6536

SEW EURODRIVE COMPANY OF CANADA LTD.

SHANKLIN, SEALED AIR CORPORATION 100 Westwood Rd Ayer MA 01432 USA Tel: 978-772-3200 Fax: 978-772-5660

SHAWPAK SYSTEMS LTD. 8-785 Pacific Rd Oakville ON L6L 6M3 Tel: 905-847-0122 Fax: 905-847-0123

**SIAL CANADA** 601-2120 rue Sherbrooke E Montréal QC H2K 1C3 **Tel:** 438-476-2239 **Fax:** 514-289-1034

SIEMENS CANADA 1550 Appleby Line Burlington ON L7L 6X7 Tel: 888-303-3353 Fax: 905-315-7923

**SIG COMBIBLOC** 881-2425 Matheson Blvd E Mississauga ON L4W 5K4 **Tel**: 905-361-2825 **Fax:** 905-361-2610

**SIPROMAC II INC.** 240 boul Industriel Saint Germain QC J0C 1K0 **Tel:** 819-395-5151 **Fax:** 819-395-5343

SMIPACK See CiMa-Pak Corporation

SOLBERN See Chisholm Machinery Solutions SORT PRODUCTION PRODUCTS LTD.

8-2266 Drew Rd Mississauga ON L5S 1B1 Tel: 905-673-7678 Fax: 905-673-7637

**SOURCE ID INC.** 9000 boul Henri-Bourassa 0 St Laurent QC H4S 1L5 **Tel:** 514-747-0403 **Fax:** 514-747-2396 SPEE-DEE PACKAGING MACHINERY, INC. 1360 Grandview Pky Sturtevant WI 53177 USA Tel: 262-886-4402 Fax: 262-886-5502

SPEEDWAY PACKAGING MACHINERY

10 Gormley Industrial Ave Unit 2-3 Gormley ON LC Tel: 905-888-5344 Fax: 905-888-5374 SPS/PHIN LIMITED

15-440 Tapscott Rd Scarborough ON M1B 1Y4 Tel: 416-298-2151 Fax: 416-298-2170

**SQUID INK MANUFACTURING** 7041 Boone Ave Brooklyn Park MN 55428 US **Tel:** 763-795-8856 **Fax:** 763-795-8867

**STANDARD KNAPP INC.** 63 Pickering St Portland CT 06480 USA **Tel:** 860-342-1100 **Fax:** 860-342-1557

STANMECH TECHNOLOGIES INC. 944 Zelco Dr Burlington ON L7L 4Y3 Tel: 905-631-6161 Fax: 905-631-1852

STEELTEK - A DIV. OF 877418 ONT. LTD. 140 Desroches Trail Tiny ON L9M 0H9 Tel: 705-526-5810 Fax: 705-526-5811

STERLING MARKING PRODUCTS INC.

STORCAN LTD. 108 rue Bélanger Châteauguay QC J6J 4Z2 Tel: 450-365-2158 Fax: 450-698-1178

Tel: 431-616-2800 Fax: 431-616-2884

SUPERVAC MASCHINENBAU GMBH

TAPP LABEL TECHNOLOGIES, INC.

Tel: 604-533-3294 Fax: 604-533-7967 TECHNICOR INDUSTRIAL SERVICES INC.

Tel: 519-941-6120 Fax: 519-940-606 TECHNO PAK PACKAGING SYSTEMS INC. Tel: 450-922-3122 Fax: 450-922-3422

TETRA PAK CANADA INC. 2902 777 Bay St Toronto ON M5G 2C8 Tel: 647-775-1837 Fax: 647-775-1838

THERMO FISHER SCIENTIFIC 501 90th Ave NW M Tel: 800-227-8891 THIELE TECHNOLOGIES - STREAMFEEDER 315 27th Ave NE Minneapolis MN 55418 USA Tel: 763-502-0000 Fax: 763-502-0100

TISHMA INNOVATIONS LLC 101 E State Parkway Schaumburg IL 6017 Tel: 847-884-1805 Fax: 847-884-1905 TNA NORTH AMERICA, INC.

680 S Royal Ln Coppell TX 75019 USA **Tel:** 972-462-6500 **Fax:** 972-462-6599

TOPTIER
10315 SE Jennifer St Portland 0R 97015 USA
Tel: 503-353-7388 Fax: 503-353-7399

TOYO JIDOKI See Techno Pak Packaging Systems Inc TRI-MACH GROUP INC. 23 Donway Crt Elmira 0N N3B 0B1 Tel: 519-744-6565 Fax: 519-744-6829

TRI-TRONICS COMPANY

7705 Cheri Crt Tampa FL 33634 USA **Tel:** 813-886-4000 **Fax:** 813-884-8818

**TRIANGLE PACKAGE MACHINERY CO.** 6655 W Diversey Ave Chicago IL 60707-2293 USA **Tel:** 773-889-0200 **Fax:** 773-889-4221

TRINAMICS INCORPORATED 50 Centinnial Rd Orangeville ON L9W 3T4 Tel: 519-942-2442 Fax: 519-942-0886

TSUBAKI OF CANADA LTD.

1630 Drew Rd Mississauga ON L5S 1J6
Tel: 905-676-0400 Fax: 905-675-0904

UBM CANON 11444 W Olympic Blvd Los Angeles CA 90064 USA Tel: 310-445-4200

UHLMANN PACKAGING SYSTEMS L.P.

44 Indian Lane E Towaco NJ 07082 USA **Tel:** 973-402-8855 **Fax:** 973-316-9330 **ULINE CANADA CORPORATION** 

60 Hereford St Brampton ON L6Y 0N3 Tel: 800-295-5510 Fax: 800-295-5571 UNION STANDARD EQUIPMENT CO.

801 825 E 141st St Bronx NY 10454 USA Tel: 718-585-0200 Fax: 718-993-2650

UNITRAK CORPORATION LIMITED 299 Ward St Port Hope ON L1A 3W4 Tel: 905-885-8168 Fax: 905-885-2614

UNITRONICS
1 Batterymarch Park Suite 315 Quincy MA 02169 USA
Tel: 617-657-6596 Fax: 617-657-6598

VALCO MELTON

497 Circle Freeway Dr Cincinnati OH 45246 USA
Tel: 513-874-6550 Fax: 513-874-3612

VANSCO PRODUCTS INC.
2652 Lashbrook Ave South El Monte CA 91733 US/
Tel: 626-448-7611 Fax: 626-448-0221

VC999 CANADA LTD.
153 Sylvestre St St-Germain-d-Grant QC JOC 1K0
Tel: 819-395-4555 Fax: 819-395-6444

VERITU CORPORATION
6185 McLaughlin Rd Mississauga ON L5R 3W7
Tel: 289-777-8600 Fax: 905-771-4241

VIBAC CANADA INC.
1250 boul Industriel Montréal QC H1B 5M5
Tel: 514-640-0250 Fax: 514-640-6702
VIDEOJET TECHNOLOGIES
7075 Financial Dr Mississauga ON L5N 6V8
Tel: 905-673-1212 Fax: 905-673-8725

VISUASCAN INC. 9066 rue Pascal-Gagnon Saint-Léonard QC H1P 2X4 Tel: 514-322-2725 Fax: 514-322-1449

WEBER MARKING SYSTEMS OF CANADA 6180 Danville Rd Mississauga ON L5T 2H7 Tel: 905-564-6881 Fax: 905-564-6886

WEIGHPACK SYSTEMS INC. 2525 rue Louis Amos Lachine QC H8T 1C3 Tel: 514-422-0808 Fax: 514-422-0834

**WEST ROCK** 504 Thrasher St Norcross GA 30071 USA **Tel:** 770-326-8467 WEXXAR PACKAGING MACHINERY LTD. 10101 Nordel Crt Delta BC V4G 1J8 Tel: 604-930-9300 Fax: 604-930-9368

WIEDENBACH See Leading Edge Inkjet Ltd

WITT
See Heat Sealing Packaging Supplies & Equipment

WRIGHT HAND PACKAGING INC. 7-2679 Bristol Cir Oakville ON L6H 6Z8 Tel: 905-829-0025 Fax: 905-829-0027 WULFTEC/M.J.MAILLIS

209 Wulftec Ayer's Cliff QC J0B 1C0 Tel: 819-838-4232 Fax: 819-838-5539 YAMATO CORPORATION

6306 W Eastwood Crt Mequon WI 53092-0036 USA Tel: 262-236-0000 Fax: 262-236-0036 YASKAWA AMERICA, INC.

Motoman Robotics Division 100 Automation Way Miamisburg OH 45342 USA **Tel:** 937-847-6200 **Fax:** 937-847-6277 YASKAWA CANADA, INC. 3-3530 Laird Rd Mississauga ON L5L 5Z7 Tel: 905-569-6686

YASKAWA MOTOMAN 100 Automation Way Miamisburg 0H 45342 USA Tel: 937-847-6200 Fax: 937-847-3288

ZARPAC INC.
1185 North Service Rd E Oakville 0N L6H 1A7
Tel: 905-338-8801 Fax: 905-338-3521
ZEBRA TECHNOLOGIES CORP.
333 Corporate Woods Parkway Vernon Hills IL 6
Tel: 847-634-6700 Fax: 847-913-8760

Find your next great packaging idea at the

. 60061 USA

June 7, 2016 Mississauga Convention Centre

Top50packagingideas.com


Register at:

CANADIAN PACKAGING • JANUARY/FEBRUARY 2016


nologies and services group Bosch Rexroth AG has announced the appointment of Rolf Najork as the new chairman of the company's executive board, effective Feb. 1, 2016.


Tutuncu

- Intelligrated, Cincinnati, Ohio-headquartered manufacturer and integrator of automated material handling and end-of-line packaging equipment, has appointed Jon Tutuncu as senior director of commercial operations and strategy.
- Silgan White Cap, Downers Grove, Ill.-headquartered supplier of metal, plastic and composite clos-



Sutherland Packaging, Andover, N.J.-based supplier of corrugated point-of-purchase (POP) displays and packaging for retail locations and club stores, has appointed Jason Owens as regional sales manager for territory covering the region from







■ Globally operating package design services group Anthem, a wholly-owned subsidiary of Chicago-headquartered brand development firm SGK Inc., has appointed Wendy Kufeldt as managing director for Anthem's Toronto office; Linda Bracanovich as managing director for Anthem's San Francisco office; and Ron Vandenberg, as executive creative director, working out of Anthem San Francisco. Part of the Pitts-Pa.-headquartered burgh, conglomerate Matthews

International Corporation, SGK has also appointed Eric Schultz as vice-president of business development for the Americas region.

■ Baldwin Americas, St. Louis, Mo.-headquartered supplier of process automation equipment for the commercial and package printing industries, has appointed Karen Keller as executive recruit-

er, focusing on filling available senior and middle management positions.

Ill.-headquartered ■ Gurnee, aging market.





















product coding and marking technologies supplier Domino North America has appointed John Malette as sector development manager, primarily responsible for the development of business opportunities in the flexible pack-

#### Feb. 25

Brampton, Ont.: Canadian Food Safety Forum 2016, by NSF-GFTC. At Pearson Convention Centre. To register, go to: www.nsf.org

#### March 3-4

Denver, Co.: International Sleeve Label Conference & Exhibition 2016, by AWA Alexander Watson Associates. To register, go to: www.awa-bv.com/events

#### March 6-8

Boston, Ma.: Seafood Expo 2016, seafood industry exhibition and conference by Diversified Communications. At Boston Convention & Exhibition Center. Contact Diversified Communications at (207) 842-5500; or go to: www.seafoodexpo.com

#### March 16-17

Berlin, Germany: European Food & Beverage Plastic Packaging 2016, conference by ACI. To register, go to: www.wplgroup.com

#### April 12-14

Calgary: Growing Strong, annual convention and trade show of the Canadian Produce Marketing Association (CPMA). At BMO Centre. Contact Selena Karkash of CPMA at (613) 226-4187, ext. 213; or go to:

www.convention.cpma.ca

#### April 13-14

Green Bay, Wis.: Converters Expo, package converting technologies exhibition by Packaging Strategies. At Lambeau Field Atrium. To register, go to:

www.ConvertersExpo.com

#### **April 13-15**

Montreal: SIAL Canada 2016, North America's food innovation show by Comexposium Group. Concurrently with the SET Canada 2016 food industry equipment and services exhibition. Both at Palais des congrès de Montreal. To register, go to: www.sialcanada.com

#### **April 19-20**

Oakville, Ont.: CPES2016, conference by the Canadian Printable Electronics Industry Association (CPEIA). At Sheridan College conference center. To register, go to: www.cpes2016.ca

#### **MAY 1-3**

Mississauga, Ont.: Bakery Showcase 2016, baking industry trade show and conference by Baking Association of Canada. At The International Centre. To register, go to: www.bakingassoccanada.com

#### May 10-12

Rosemont, Ill.: Food Safety Summit, conference and exhibition by BNP Media. At Donald E. Stephens Convention Center. To register, go to:

www.foodsafetysummit.com

Mississauga, Ont.: Top 50 Packaging Ideas Expo, tabletop exhibition and networking event by the Canadian Packaging magazine. At Mississauga Convention Centre. Contact Stephen Dean at (416) 510-5198; or go to: www.top50packagingideas.com







### GIFT PACKAGING THAT KEEPS ON GIVING

Since having received and enjoyed a 12-piece DAVIDs-TEA brand tea sampler pack as a gift during the recent holidays, I have become fond of the pack-

aging as much as of the tea itself. Marketed by the Montreal-based specialty tea boutique of the same name, the organic loose-leaf blends come in individual metal portion containers with clear see-through lids that allow consumers to see and compare the contents of all the different flavors. Each tin houses 12.5 grams of tea—enough to brew two to three cups—with the tins nestled inside a sturdy card-

board box attractively labeled with the elegant brand logo and contents information. As a tireless proponent of repurposing and reusing things whenever possible, I'm already thinking about what spices, lip balm or other products I'll be putting inside the small tins once I've completely plundered its contents.



The 200-ml standup pouches of the Patak's Original Cooking Sauce for 2 from the U.K.-based AB World Foods Ltd are a blessing for home chefs looking to serve up some savory exotic Southwest Asian cuisine at home without working too hard to replicate the fairly

intricate recipes often requiring a lot of fairly exotic ingredients. Featuring easy-open perforated tear strip on top and easy-to-follow recipes on the back panel, these flexible pouches eliminate the need to use large-sized jars and inevitable dilemmas of what to do with the leftovers by offering perfectly measured portion control, enhanced with clear and highly legible labeling and the use of varying numbers of chilli graphics to denote the level of spiciness for each of the many available recipes, ranging from Butter Chicken to Tandoori and Tikka Masala.

Not just strictly for your grandmother's canned peaches any more, Mason jars have been making a comeback over the past year or so. A good case in point is the **Loblaw's** private-label From Our Chef's' Collec-



tion brand of desserts that includes the irresistible English Style Trifle. Packaged in the wide-mouth, Canadian-made Bernardin Mason glass jar enclosed in a paperboard sleeve with plenty of cutout space to admire the lovely creamy creation inside. With no permanent proprietary product labeling on the jar itself, one can easily remove a few jars from the sleeves and bring them along to your next extended family dinner or a soirée with friends—letting everyone think you actually created this little bit of inspired dessert magic from scratch. • • • • •

Anyone harboring fond childhood memories of peanutbutter on crackers will be delighted with the new Nutella & Go! + Pretzels from Ferrero Canada Ltd., which offers a great new way to get a hearty Nutella fix anywhere, any time. Shaped to resemble the distinct-shaped jar of the famed sweetened hazelnut cocoa spread, the 54-gram, semi-circular plastic container easily fits into just about any lunchbox, backpack or purse for on-the-go enjoyment, while its inner compartments keep the pretzel sticks separate



from the spread until you're ready to dip them into the sticky-sweet concoction. A non-resealable inner foil lid underneath the cap is easily peeled with a large pull-tab to reveal the contents and have you all set up to enjoy.

A gift of packaging this past Christmas—namely the Lug Cargo 5 piece packing kit—has me looking forward to the next family road trip with great anticipation. The kit offers a variety of sizes to pack your clothing essentials—including one large, one small, and two medium zippered



packing squares and one large packing drawstring tube for the shoes—with all squares outfitted with see-through mesh panels to help you remember where you packed your stuff, while allowing air to circulate around the contents. When not in use, all the squares easily roll up inside one medium-sized square to take up minimal storage space between trips, and the nested bags are protected with seemingly indestructible outer wrapping held together with Velcro in one neat, tidy, no-waste package.

Shannon Kaupp is a licensed doctor of naturapathic medicine living and practicing in Toronto.

#### **ADVERTISERS' INDEX** R.S. # ADVERTISER R.S. # ADVERTISER **Page Page** 114 3M Canada 19 132 Messe Dusseldorf 48 126 ASCO Numatics 38 152 Mettler Toledo IBC 128 ATI Automation 42 106 Multivac 6 104 Atlantic Packaging 4 115 Norampac 20 Bob Faulds & Associates 75 120 Nordson 32 129 Balluff 42 124 Plan Automation 40,41 101 Bosch Rexroth **IFC** 130 PlexPack 44 109 Capmatic 10 143 Primera 65 145 Capmatic 69 141 Regal 61 CCCA 23 117 Reiser 26 131 Delkor Systems 46 147 71 Reiser 49 133 Domino 138 Ryson 58 112 Ellis Packaging 13 123 Schneider-Electric 37 Farm Credit Canada 108 SEW-Eurodrive 119 31 9.43 127 Festo 39 151 SIAL 79 139 Flexlink 59 121 SPS/Phin 35 144 Fortress Technology 134 Harlund Industries 140 Tsubaki 60 51 111 U-Line 13 125 Harting 38 150 Heat Sealing Products 77 142 Valco Melton 62 118 hhs Baumer 29 148 VC999 72 103 Hibar 2 146 Veritiv 70 105 Intelligrated 153 Veritiv OBC 5 122 Komcan/Komori 1 36 102 Videojet 11 113 Weber Marking 15 110 7 137 Markem-Imaje 57 107 WeighPack 135 Matthews Marking Systems 53 | 149 WestRock 75

# **JAN/FEB 2016** PRODUCT INFORMATION

**CIRCLE** THE R.S. NO. THAT MATCHES THE NUMBER ON THE ADVERTISEMENT OR ARTICLE OF INTEREST. FAX THIS BACK TO US AT (416) 510-5140

Name
Title
Company Name
Address
City
Prov.
P/Code
Telephone
Fax
Email Address



# **A World of Possibilities**With Product Inspection Solutions

Whether you're inspecting or weighing, we have a solution.

Checkweighing | Metal Detection | X-ray Inspection
Vision Inspection | Track & Trace | Inspection Management Software



To learn more, visit or call

www.mt.com/pi

1-800-METTLER





# PACKAGING THAT PERFORMS

Gain greater efficiencies in your supply chain. Improve the visual and physical design of your packaging. Develop a process that reduces steps and increases speed-to-market.

#### Capabilities include:

- Materials and sourcing
- Design and engineering
- Delivery, warehousing and supply chain logistics
- Equipment sales and service

Learn more by contacting your packaging expert, or visit veritivcorp.com.



 $\hbox{@}$  2016 Veritiv Corporation. All rights reserved. Veritiv and the Veritiv logo are trademarks of Veritiv Corporation or its affiliates.





